

<b>Acronyme du projet/ Acronym of the project</b>	<b>P2IO</b>
<b>Titre du projet en français</b>	Physique des 2 Infinis et des Origines
<b>Project title in English</b>	Physics of the 2 infinities and of the Origins
<b>Coordinateur du projet/Coordinator of the project</b>	Nom / Name : Guy Wormser Etablissement / Institution : CNRS-IN2P3 Laboratoire / Laboratory : Laboratoire de l'Accélérateur Linéaire Numéro d'unité/Unit number : UMR8607
<b>Aide demandée/ Requested funding</b>	<b>Budget Total demandé : 20,8 M€</b>
<b>Champs disciplinaires (SNRI) / Disciplinary field</b>	<input type="checkbox"/> Santé, bien-être, alimentation et biotechnologies / Health, well-being, nutrition and biotechnologies <input type="checkbox"/> Urgence environnementale et écotechnologies / Environmental urgency, ecotechnologies <input type="checkbox"/> Information, communication et nanotechnologies / Information, communication and nanotechnologies <input type="checkbox"/> Sciences humaines et sociales / Social sciences <input checked="" type="checkbox"/> Autre champ disciplinaire / Other disciplinary scope
<b>Domaines scientifiques/ scientific areas</b>	Particle Physics, Nuclear Physics, Astroparticle physics, Astrophysique, Accelerators science, Interfaces with Health and Energy
<b>Participation à un ou plusieurs projet(s) « Initiatives d'excellence » (IDEX) / Participation in an « Initiatives d'excellence » project</b>	<input checked="" type="checkbox"/> oui <input type="checkbox"/> non

**Affiliation(s) du partenaire coordinateur de projet/ Organisation of the coordinating partner**

<b>Laboratoire(s)/Etablissement(s) Laboratory/Institution(s)</b>	<b>Numéro(s) d'unité/ Unit number</b>	<b>Tutelle(s) /Research Organisations reference</b>
Fondation de Coopération Scientifique du Campus Paris Saclay		
Laboratoire de l'Accélérateur Linéaire	UMR8607	CNRS-IN2P3/Univ. Paris Sud

**Affiliations des partenaires au projet/Organization of the partner(s)**

<b>Laboratoire(s)/Etablissement(s) Laboratory/Institution(s)</b>	<b>Numéro(s) d'unité/ Unit number</b>	<b>Tutelle(s)/Research Organisation reference</b>
Centre de Physique Théorique	UMR7644	CNRS-INP/Ecole Polytechnique
Centre de Spectrométrie Nucléaire et de Spectrométrie de masse	UMR8609	CNRS-IN2P3/Univ. Paris Sud
Institut d'Astrophysique Spatiale	UMR8617	CNRS-INSU/Univ. Paris Sud
Imagerie Modélisation en Neurobiologie et Cancérologie	UMR8165	CNRS-IN2P3/Univ. Paris Sud/ Univ Paris Diderot
Institut de Physique Théorique	URA2306	CEA/DSM- CNRS/INP
Institut de Physique Nucléaire	UMR8608	CNRS-IN2P3/Univ. Paris Sud
Institut de Recherche Fondamentale et des lois de l'Univers		CEA/DSM
Ingénierie, Radioprotection, Sécurité et Démantèlement	UPS3364	CNRS-INP
Laboratoire Leprince-Ringuet	UMR7638	CNRS-IN2P3/Ecole Polytechnique
Laboratoire de Physique Théorique	UMR8627	CNRS-INP/Univ. Paris Sud
Service d'Etudes des Réacteurs et de Mathématiques Appliquées		CEA-DEN

1. RESUME / SUMMARY .....	5
2. CANDIDATURE AUX ACTIONS DU PROGRAMME INVESTISSEMENTS D'AVENIR/APPLICATION TO THE ACTIONS OF THE PROGRAMME « INVESTISSEMENTS D'AVENIR » .....	8
3. ORGANISATION DU PARTENARIAT/MANAGEMENT OF THE PARTNERSHIP .....	13
<b>3.1. Composition du partenariat/ Composition of the partnership .....</b>	<b>13</b>
<b>3.2. Qualification du coordinateur de projet /Relevant experience of the project coordinator .....</b>	<b>13</b>
4. DESCRIPTION DE L'EXISTANT/ DESCRIPTION OF THE EXISTING .....	14
<b>4.1. Présentation des partenaires .....</b>	<b>14</b>
4.1.1 Partenaire 1/ Partner 1 : FCS Paris Saclay / LAL	14
4.1.1.1 Recherche et innovation / Research and innovation	15
4.1.1.2 Valorisation / Exploitation of results	17
4.1.1.3 Enseignement superieur / Higher education	17
4.1.1.4 Organisation / Organisation	18
4.1.2 Partenaire 2/ Partner 2 : CPHT	18
4.1.2.1 Recherche et innovation / Research and innovation	18
4.1.2.2 Valorisation / Exploitation of results	19
4.1.2.3 Enseignement superieur / Higher education	19
4.1.3 Partenaire 3/ Partner 3 : CSNSM	19
4.1.3.1 Recherche et innovation / Research and innovation	19
4.1.4 Partenaire 4/ Partner 4 : IAS	22
4.1.4.1 Recherche et innovation / Research and innovation	22
4.1.4.2 Valorisation / Exploitation of results	23
4.1.4.3 Enseignement superieur / Higher education	24
4.1.4.4 Organisation / Organisation	24
4.1.5 Partenaire 5/ Partner 5 : IMNC	25
4.1.5.1 Recherche et innovation / Research and innovation	25
4.1.5.2 Valorisation / Exploitation of results	26
4.1.5.3 Enseignement superieur / Higher education	26
4.1.5.4 Organisation / Organisation	26
4.1.6 Partenaire 6/ Partner 6 : IPhT Saclay	26
4.1.6.1 Recherche et innovation / Research and innovation	26
4.1.6.2 Enseignement superieur / Higher education	27
4.1.6.3 Organisation / Organisation	28
4.1.7 Partenaire 7/ Partner 7 : IPNO	28
4.1.7.1 Recherche et innovation / Research and innovation	28
4.1.7.2 Valorisation / Exploitation of results	32
4.1.7.3 Enseignement superieur / Higher education	32
4.1.7.4 Organisation / Organisation	33
4.1.8 Partenaire 8/ Partner 8 : IRFU	33
4.1.8.1 Recherche et innovation / Research and innovation	33
4.1.8.2 Valorisation / Exploitation of results	36
4.1.8.3 Enseignement superieur / Higher education	36
4.1.8.4 Organisation / Organisation	36
4.1.9 Partenaire 9/ Partner 9 : IRSD	37
4.1.9.1 Recherche et innovation / Research and innovation	37
4.1.10 Partenaire 10/ Partner 10 : LLR	37
4.1.10.1 Recherche et innovation / Research and innovation	38
4.1.10.2 Valorisation / Exploitation of results	39
4.1.10.3 Enseignement superieur / Higher education	39
4.1.11 Partenaire 11/ Partner 11 : LPT	39
4.1.11.1 Recherche et innovation / Research and innovation	39
4.1.11.2 Valorisation / Exploitation of results	40
4.1.11.3 Enseignement superieur / Higher education	40
4.1.11.4 Organisation / Organisation	41

**Erreur ! Signet non défini.**

4.1.12	Partenaire 12/ Partner 12 : SERMA	41
4.1.12.1	Recherche et innovation / Research and innovation	41
4.1.12.2	Enseignement superieur / Higher education	42
4.1.12.3	Organisation / Organisation	42
<b>4.2.</b>	<b>Collaborations existantes / Existing collaborations</b> .....	<b>42</b>
<b>5.</b>	<b>DESCRIPTION SCIENTIFIQUE ET TECHNIQUE DU PROJET / TECHNICAL AND SCIENTIFIC DESCRIPTION OF THE PROJECT</b> .....	<b>46</b>
<b>5.1.</b>	<b>Etat de l'art / State of the art</b> ..... Erreur ! Signet non défini.	
5.1.1	S1 symmetries in the subatomic world	46
5.1.2	S2 Dark components of the Universe	47
5.1.3	S3 Strongly coupled nuclear matter	48
5.1.4	S4 Formation of the planetary systems and conditions for the emergence of life	46
5.1.5	T1 Innovative developments in accelerator science and related spinoffs	50
5.1.6	T2 Advanced sensors and related spinoffs	50
5.1.7	T3 Data mining and simulation	51
5.1.8	I1 Energy : nuclear energy for the future	52
<b>5.2.</b>	<b>Objectifs du projet par rapport à l'état de l'art et liens avec la SNRI / Objectives of the project compared to the state of the art and in relation to the SNRI</b> Erreur ! Signet non défini.	
5.2.1	Présentation scientifique du projet de recherche/ Scientific programme	Erreur ! Signet non défini.
5.2.2	Valorisation, transfert et expertise/ Exploitation of results, transfer and expertise	Erreur ! Signet non défini.
5.2.3	Enseignement supérieur, Insertion / Higher education, Integration into the workplace	Erreur ! Signet non défini.
5.2.4	Gouvernance du Labex/ Governance	Erreur ! Signet non défini.
5.2.5	Attractivité/Attraction	Erreur ! Signet non défini.
<b>5.3.</b>	<b>Stratégie des établissements tutelles/ Strategy of the supervising institution</b> .....	Erreur ! Signet non défini.
<b>5.4.</b>	<b>Relation avec le monde socio-économique/ Connections to the socio-economic world</b> .....	Erreur ! Signet non défini.
<b>5.5.</b>	<b>Effet d'entraînement potentiel/ Pull effect</b> .....	Erreur ! Signet non défini.
<b>6.</b>	<b>JUSTIFICATION SCIENTIFIQUE ET FINANCIERE DES MOYENS DEMANDES / FINANCIAL AND SCIENTIFIC JUSTIFICATION FOR THE MOBILISATION OF THE RESOURCES</b> .....	<b>75</b>
<b>6.1.</b>	<b>Justification des moyens demandés (sur 10 ans) / Justification for the mobilisation of the resources</b> .....	<b>75</b>
6.1.1	Projet de recherche/ Research project	75
6.1.2	Projet pédagogique/ Educational project	76
6.1.3	Valorisation/ Exploitation of results	77
6.1.4	Gouvernance/ governance	78
<b>6.2.</b>	<b>Autres ressources / others resources</b> .....	<b>78</b>
<b>7.</b>	<b>ANNEXES / APPENDICES</b> .....	<b>78</b>
<b>7.1.</b>	<b>Références bibliographiques de l'état de l'art/State of the art references</b>	<b>78</b>
<b>7.2.</b>	<b>Références bibliographiques des partenaires/Partners' references</b> .....	<b>81</b>
7.2.1	CSNSM Publications	81
7.2.2	IAS Publications	87
7.2.3	IPhT Publications	94
7.2.4	CPhT publications	101
7.2.5	IPNO Publications	105
7.2.6	IRFU Publications	108
7.2.7	LAL Publications	120
7.2.8	IMNC Publications	130
7.2.9	SERMA Publications	134
7.2.10	LLR Publications	135

7.2.11 LPT Publications

148

7.2.12 IRSD Publications

125

**7.3. Devis/Estimate ..... 148**

## 1. RÉSUMÉ / SUMMARY

The goal of the P2IO LabEx is

- to create a dynamics of interdisciplinary pioneering researches on the hottest issues in theoretical and experimental physics of the infinitely small and infinitely large aspects of our Universe, pushing the associated questions about the Origins up to the conditions for the appearance of life
- to strengthen this dynamics by common researches and developments for innovative instruments to produce, detect and analyse radiations; these new technologies will allow to access new frontiers in probing and observing the Universe
- to increase the impact of these sciences and technologies on society by stimulating common applications to nuclear medicine and nuclear energy.

The P2IO LABEX is taking advantage of the unique concentration on Paris-Saclay Campus of world leading laboratories covering a broad disciplinary spectrum ranging from particle physics, astroparticle and nuclear physics to astrophysics, experiment and theory, accelerator science, instrumentation and associated interfaces. All the actors in these fields on the Campus are joining their forces in this challenging LABEX project: 9 laboratories and 3 teams from 3 other labs. P2IO partners represent a very large fraction of the national effort in this field ranging from around 25% in origins physics, 40% in subatomic physics and 90% in accelerator science. 489 permanent researchers form P2IO workforce, together with a similar contingent of PhD students and postdocs and of high level engineers. More important than the numbers, the quality and the international recognition of the various labs and teams joining their forces in P2IO is the asset for this interdisciplinary project. For example, P2IO concentrates 13 ERC grants, numerous recipients of prestigious awards and medals and many principal investigators, spokes persons and leaders of space missions and international collaborations. P2IO will create a world leading actor and attractor for these sciences and technologies and the associated interdisciplinary researches.

The scientific goals of P2IO labs are to answer fundamental questions about our Universe: what are its structure and evolution, what are dark matter and dark energy, what are the elementary components of our Universe and the laws and symmetries at play, what is the behaviour of nuclear matter in cosmic conditions, how are formed galaxies, stars and planets, and can we identify conditions favourable for the apparition of life elsewhere in the universe,... To address these issues, the strategy is to develop state-of-art instrumentation for space observatories and subatomic physics and for the most advanced particle accelerators. These scientific and technological developments will open creative interdisciplinary applications in biology and medicine, nuclear energy for the future, computing, chemistry, etc.

Given the very broad scientific spectrum of the P2IO members, the LABEX will have the unique opportunity to address coherently the hottest questions which are at the interfaces between the various fields and technologies of expertise of the different teams collaborating in P2IO : the Universe as a laboratory for the elementary structure of matter and forces, the impact of astroparticle, particle and nuclear physics on the understanding of the Universe origin and dynamics, the experimental and theoretical challenges concerning

the mystery of the dark Universe, the emergence of the conditions for life from the nuclear origin of elements to the creation of solar systems, planets and associated soil, water, atmospheres, climate, ...

P2IO members are also developing applications of their science and technologies. The LabEx will foster new collaborations, a deeper sharing of knowledge and know-how, converting laboratory-only based developments into an ambitious collective program. The Paris-Saclay campus will also be a great opportunity to open applications to new partners using interLabex collaborations or with industrial partners. The developments of new technologies, the construction of innovative instrumentation and the strengthening of applications and interfaces will provide new opportunities of co-development and transfer to the industry. Both the cutting-edge scientific research and the engineering development offered by the P2IO project will benefit to the formation offer and attractiveness to the Paris Saclay Campus students and from abroad.

P2IO research project is based on three pillars : Explore, Transform, Structure.

**Explore** will be performed through strong support for innovative interdisciplinary initiatives and new collaborations in the most promising topics in P2IO scientific objectives. Four exciting research have been selected: symmetries in the subatomic world, dark components of the Universe, strongly coupled nuclear matter, formation of stellar systems and conditions for the emergence of life. 3 technology-oriented themes have also been identified as the most promising collective developments: innovations in accelerator science and their related spinoffs, advanced sensors and spinoffs, data mining and simulation. Finally, 2 interdisciplinary topics: nuclear energy for the future; health, new methods in imagery and therapies. The P2IO international scientific panel will review these choices after an initial period of 3 years. P2IO support will mainly take three forms: new human resources at the PhD, post-doc and senior levels, targeted upstream R&D, and operating support for the relevant P2IO technological platforms.

**Transform** will be performed through a new vision of the collaboration between P2IO members. Up to now, all P2IO units rely upon a very strong vertically integrated structure. Each P2IO unit is able to define to a large extent its own scientific policy and to carry it out using its own resources. This model has led to the very high degree of recognition of P2IO laboratories in the national and international scenes, where they play a leading role in most of the experiments in which they participate. This model is therefore a clear asset but stronger horizontal collaboration across the P2IO partners would bring along a large added value. Joining forces between P2IO labs to create common technological platforms will foster new world-class facilities, boosting P2IO research to unprecedented levels. The P2IO Labex, in prefiguration of the P2IO pole of the new Plateau de Saclay campus, will favour the emergence of one of the five largest subatomic centers in the world with one of the highest degree of excellence and recognition. The tools for this transformation action will be the targeted action towards common technological platforms and a new user policy, and the LABEX governance.

**Structure** will stem from the integrated governance and its role as a contact point for internal and external collaborations. Within the Plateau de Saclay IDEX, P2IO will be the natural partner of other LABEX with which there are strong scientific interactions. For example, coordinating at P2IO level the various "Physics and medicine" partnerships will bring a strong added value to the IdEx. At the international level, such as EU calls, proposals supported by the P2IO LABex will have a greater impact than individual responses.

In a similar manner, the formation and training project of P2IO will be quite ambitious, so as to best exploit the remarkable human and technological potential of the P2IO partners. 2/3 of P2IO labs are already integrated within Paris XI University and in the Ecole Polytechnique. All P2IO labs host a large number of PhD students and post-docs. The creation of the P2IO LabEx will be an opportunity to further involve researchers and engineers in existing formations, to transform the action of each of the labs into a global training program and to develop new teaching structures and training opportunities building on the thematic evolution of P2IO fields. Undergraduate, doctoral and post-doctoral training will strengthen new developments and applications. New contacts will be made to take into account the arrival on the Plateau de Saclay of several large engineering schools to which P2IO state-of-the-art technological platforms can bring many benefits and opportunities. One of the EquipEx proposed in the framework of P2IO is already directly involving one of the "Instituts Universitaires de Technologie" of PXI. The P2IO Labex will offer grants at the M2 level to increase its international attractiveness.

P2IO laboratories are developing new tools and technologies that are well suited to technology transfer. P2IO, in close relationship with the relevant structures at higher levels (FCS, operators), will target the difficult transition between a technical development and its patenting or marketing. P2IO will dedicate the human and financial resources to convert the most promising research prototypes into an industrial product. P2IO will then rely on the IDEX valorization service. P2IO will in addition develop privileged relationships with a selected set of industrial partners through joint R&D programs. It should be noted that P2IO partners are already strongly involved in the development and construction of large scale infrastructures and space experiments in collaboration with the industry (LHC, ISEULT, XFEL, ESS, Planck/HFI...). Acting collectively in the P2IO context will be a way to strengthen the links with industry during the preparation and construction of large scale facilities based on innovative technologies mastered only in our laboratories.

All publications based on work specifically funded by P2IO grants will contain mention of P2IO support in the acknowledgments. A comprehensive record of P2IO publication will be accurately maintained.

P2IO is proposing an integrated governance scheme based on an overview board formed the P2IO stakeholders representatives, an executive structure (steering committee) and an International Scientific Council. The Steering committee is constituted of a chairman, (named by the overview board) who represents the Labex at the "Initiative d'excellence" level, and the directors of the partner laboratories. The steering committee will nominate a bureau of 4 members including the P2IO director which will prepare the work and the agenda for the steering committee. The International Scientific Committee is named by the overview board upon proposal by the steering committee. Once a year, this council will meet so as to formulate recommendations on the scientific strategy of P2IO to be implemented by the steering committee. Partner Labex-s on the Plateau de Saclay may be invited to sit on this Council so as to foster consistency. The P2IO steering committee will form pluridisciplinary selection board(s) in charge of choosing the best projects proposed by P2IO members in answer to P2IO calls for proposals. These selection boards will be mostly formed by a panel of P2IO members with some national and international membership. P2IO director will regularly report to the overview board and to the IDEX Council on P2IO budget, actions and orientations.

P2IO will be fully integrated in the Plateau de Saclay strategy. Thanks to the very strong international character of P2IO programs and the level of recognition and excellence of P2IO teams, it will be a leading

actor in promoting international visibility of the Plateau de Saclay. P2IO will serve as a unique interface for the many interLABEX collaborations involving P2IO teams. Optimized access to P2IO technological platforms will be offered to other Plateau de Saclay members. Considering the high level technologies developed by P2IO and their broad interdisciplinary use, P2IO capabilities, tools and knowledge are an asset for different fields within the IdEx project. Formation strategy will also be consolidated at the IDEx level since many LABEX intervene in the various Physics and engineering cursus of interest to P2IO. The strong mixing between science and technologies will be an opportunity to connect various teaching and training activities of physicist and engineers. Finally, the strong instrumental aspects and the associated innovations, the large panel of technologies pushed to the highest level of performance, the unique R&D platforms, the direct links with industry, will be a strength in the industrial strategy of the Campus of Paris-Saclay.

## 2. CANDIDATURE AUX ACTIONS DU PROGRAMME INVESTISSEMENTS D'AVENIR/APPLICATION TO THE ACTIONS OF THE PROGRAMME « INVESTISSEMENTS D'AVENIR »

In this section, are listed the proposals submitted by the FCS Paris Saclay with which the P2IO Labex will build a close relationship including 7 other LABEX, 6 EQUIPEX (including 2 submitted by P2IO (THOMX and COGIS) and one with a very strong P2IO involvement CILEX) , as well as the IRT and SATT structures. In addition, P2IO proposed 6 other EQUIPEX with support from its stakeholders.

Nom de l'action	Acronyme du projet (préciser si le projet est déposé ou envisagé)	Nom du coordinateur	Consortium /partenariat impliqué
IDEX : Campus Paris Saclay		Paul Vialle	FCS, AgroParisTech-CNRS-CEA- Ecole Centrale Paris- Ecole Polytechnique-ENS Cachan- ENSAE ParisTech- ENSTA Paristech - HEC-IHES - INRA-INRIA-Institut Telecom- IOGS ParisTech- Mines ParisTech - ONERA- Pres Paristech - Pres UniverSud Paris -Supélec- System@tic Paris Région - Université Paris-Sud 11 – Université Versailles-Saint -Quentin
LABEX : Interface Physique- Médecine Interface Physics- Medicine		Jacques BITTOUN	CEA - CNRS – FCS – INSERM - Université Paris-Sud 11 - Université Paris-Diderot



LABEX : Institut Pierre Simon Laplace	IPSL	Herve LETREUT	CEA – CNRS – CNES - ENS - Ecole Polytechnique - FCS IRD - Université Pierre et Marie Curie - Université Versailles St. Quentin - Université Paris 12 - Université Paris-Diderot
LABEX : Défis en Sciences et Technologies de l'Information et de la Communication Saclay challenging actions in ICST	Digitex	Maurice ROBIN	CEA – CNRS – ECP - Ecole Polytechnique - ENS Cachan ENSTA – FCS – INRIA - Mines Paristech - Institut Telecom Supelec - Université Paris-Sud 11 - Université Versailles St. Quentin
LABEX : Fondation Mathématique Jacques Hadamard, Campus Paris-Saclay Jacques Hadamard Mathematic Foundation, Paris-Saclay campus	FMJH	Yve LASZLO	CEA - CNRS - Ecole Polytechnique - ENS Cachan - ENSTA ParisTech – FCS -IHES - INRIA - Institut Telecom - Université Paris-Sud 11
LABEX : Physique des deux infinis et des origines Physics of the 2 infinities and of the origins	P2IO	Guy WORMSER	CEA –CNRS - Ecole Polytechnique -FCS - Université Paris-Sud 11
LABEX : Chimie des Architectures des Molécules et des Matériaux Multifonctionnels Chemistry of the Architectures of Multifunctional Molecules and Materials	CHARMM M	Jean-Pierre MAHY	FCS, ICMMO/Univ. Paris Sud, ILV/Univ. Versailles Saint Quentin, LHC/Ecole polytechnique, LSO/Ecole Polytechnique, LPICM/Ecole Polytechnique, LPMC/Ecole polytechnique, ICSN/CNRS DR4, LPPSM/Ecole Normale Supérieure de Cachan, SCBM/IBITEC-S/DSV/CEA, LCCEf/SIS2M/IRAMIQS/DSM/CEA, LSPM/Ecole Centrale Paris, LAMBE/Université Evry Val d'Essonne, EPEC/LCP/Univ. Paris Sud,

LABEX : Physique: Atomes, Lumière, Matière Physics : Atoms, Light, Matter	PALM	Marc MEZARD	CNRS – CEA - Ecole Centrale Paris Ecole Polytechnique -ENS Cachan ENSTA –FCS –ONERA -Institut d’Optique - Synchrotron Soleil - Thalès -Université Paris-Sud 11 -Université Pierre et Marie Curie
LABEX : Nano Saclay	Nano Saclay	Claude CHAPPERT	CEA – CNRS - Ecole Centrale Paris -Ecole Polytechnique ENS Cachan -FCS –IOGS – ONERA - INRIA - UVSQ SOLEIL – Thales - Université Paris-Sud 11 – Université Versailles St. Quentin
EQUIPEX : Infrastructure haute performance pour la visualisation interactive et collaborative High performance infrastructure for interactive and collaborative visualization	Digiscope  Dossier Soumis	Michel BEAUDOUIN- LAFON	CNRS - INRIA - Ecole Centrale Paris - ENS Cachan – FCS Digiteo-Triangle de la physique - Institut Telecom - Supélec - Université Paris-Sud 11 – Université Versailles St. Quentin
EQUIPEX : Centre Interdisciplinaire Lumière Extrême Interdisciplinary Centre for Extreme Light	CILEX  Dossier Soumis	François AMIRANOFF	CEA- CNRS - Ecole Polytechnique - ENSTA ParisTech – IOGS - Université Paris-Sud 11
EQUIPEX : Centre d’Opération des Grands Instruments de recherche de Saclay Large Instrument Operation Center of Saclay	COGIS  Dossier Soumis	Jean-Pierre MEYER	CEA - CNRS – Ecole Polytechnique - Université Paris-Sud 11

2010

DOCUMENT SCIENTIFIQUE B /  
SCIENTIFIC SUBMISSION FORM B

EQUIPEX : Centre d'Accès Sécurisé Distant aux données confidentielles Development and building of a Secure Remote Access Centre for confidential microdata	CASD  Dossier Soumis	Antoine FRACHOT	INSEE- ENS Cachan - Ecole Polytechnique – HEC - GIS Réseau Quetelet
EQUIPEX : Reconstuction et prédiction des dynamiques multi- échelles in toto Reconstruction And Prediction of multi- Scale Overall DYnamics	Rapsody  Dossier Soumis	Paul BOURGINE	AgroParistech – CNRS - Ecole Polytechnique - INRA - INRIA
EQUIPEX : Source X monochromatique compacte Monochromatic compact X-ray Source	THOMX  Dossier Soumis	Alessandro VARIOLA	CEA- CNRS – ESRF – SOLEIL – THALES - Université Paris-Sud 11- Université Bordeaux 1
IRT : SYSTEM X	SYSTEM X  (Réponse AMI)	Dominique VERNAY	AgroParisTech, CEA, CNRS, Ecole Polytechnique, Ecole Centrale Paris, ENS Cachan, ENSAE ParisTech, ENSTA ParisTech, HEC, IHES, INRA, INRIA, Institut Telecom, IOGS, Mines ParisTech, ONERA, Supélec, Université Paris-Sud 11, Université Versailles Saint-Quentin, Universités Paris 6 et Paris 7
SATT :	Projet	Dominique VERNAY Françoise FABRE	AgroParisTech, CEA, CNRS, Ecole Polytechnique, Ecole Centrale Paris, ENS Cachan, ENSAE ParisTech, ENSTA ParisTech, HEC, IHES, INRA, INRIA, Institut Telecom, IOGS, Mines ParisTech, ONERA, Supélec, Université Paris-Sud 11, Université Versailles Saint-Quentin,

Table of the EQUIPEX projects submitted by P2IO with support from its stakeholders

<i>Nom de l'action</i>	<i>Acronyme du projet (préciser si le projet est déposé ou envisagé)</i>	<i>Nom du coordinateur</i>	<i>Consortium /partenariat impliqué</i>
EQUIPEX	PH2ELICE-Déposé	R. Cornat	LLR, LAL, IPNO,IRFU, IMNC
EQUIPEX	Cryocube-Déposé	A. Daël	IRFU, IPNO, IUT Orsay
EQUIPEX	Cryomatrix-Déposé	S. Marnieros	CSNSM, IAS, IRFU
EQUIPEX	PAM-Déposé	P. Debu	IRFU, LSI, CSNSM
EQUIPEX	ANDROMEDE-Déposé	S. DellaNegra	IPNO, CSNSM, IRFU
EQUIPEX	XUV-Déposé	A. Chardin	IAS, IRFU
EQUIPEX	Couches minces radioactives envisagé	C.O. Bacri	IPNO,CSNSM

### 3. ORGANISATION DU PARTENARIAT / MANAGEMENT OF THE PARTNERSHIP

#### 3.1. COMPOSITION DU PARTENARIAT / COMPOSITION OF THE PARTNERSHIP

Nom du partenaire	Affiliation	Effectifs / Catégorie de personnel (chercheurs, ingénieurs, doctorant ...)
Fondation de Coopération Scientifique Campus de Paris Saclay		
LAL	CNRS-IN2P3/U PSud	C 64 I 82 T 133 D 34 PD 19
CSNSM	CNRS-IN2P3/U PSud	C 36 I 8 T 39 D 12 PD 7
IAS	CNRS-INSU/U PSud	C 42 I 60 D 26 PD 16
IMNC	CNRS-IN2P3/U PSud	C 15 I 2 T 4 D9 PD 7
IPNO	CNRS-IN2P3/U PSud	C74 I 91 T122 D29 PD17
IRFU	CEA/DSM	C 168 I 243 T 210 D 76 PD 75
LLR	CNRS-IN2P3/Ec. Polytechniq	C 28 I 25 T 22 D 12 PD 20
LPT	CNRS-INP/U PSud	C 30 I 2 T 6 D 15 PD 10
CPhT-Equipe	CNRS-INP/Ec. Polytechnique	C 11 I 1 D 5 PD 9
IPhT-Equipe	CEA/DSM	C 21 I 0 D PD
IRSD	CNRS-INP	C0 I 6 D 0 PD 0
SERMA	CEA/DEN	C4 I3 D0 PD 0

#### 3.2. QUALIFICATION DU COORDINATEUR DE PROJET / RELEVANT EXPERIENCE OF THE PROJECT COORDINATOR

Guy Wormser, 54 years old, is one of top senior HEP physicists in France and one of the best known on the international scene. He has since about 10 years, managed (or participated to as French representative) very high level projects and structures and is therefore well qualified to lead the P2IO Labex and has paid during all that period a specific attention to As a Deputy Director of the French Funding Agency IN2P3 from 1999 to 2003, he was deeply involved in the strategic discussions held at that time to propose a joint structure between IN2P3 laboratories and DAPNIA, IRFU predecessor. It is under his leadership that was then created the first joint IN2P3-CEA committee on accelerators, a key component for P2IO. It is also during that period and partly under his responsibility that started the intense development of astroparticle physics leading to the founding concept of Physics of the two infinities. From 2005-2010, he directed LAL, the largest CNRS laboratory devoted to particiel physics and cosmology and in this position has to daily confront many issues relevant to P2IO LABex. He co-founded in 2007 with Jean-Loup Puget, its first director, P2I, a structure similar to P2IO in many respects regrouping all 19 laboratories involved in subatomic physics and cosmology in the greater Paris area and was a member of P2I bureau from 2007 up to now. He has been named to be next P2I director.

G. Wormser is the father of the French Grid effort which he created and lead during ten years. He served as the French representative in the successive grid projects management boards . He founded in 2007 and

directed up to 2010 the CNRS Grid Institute. He founded the GIS France Grilles recently established as the French National Grid Initiative and played similarly a key role in establishing the European Grid Initiative (EGI).

Guy Wormser is or has recently member of many international committees such as ICFA, HEPAP, DESY scientific council, European Strategy group of large laboratory directors, CERN RRBs, OECD Global Forum.

He is therefore quite knowledgeable on all the relevant issues that P2IO LABex will have to confront.

## 4. DESCRIPTION DE L'EXISTANT / DESCRIPTION OF THE EXISTING

### 4.1. PRESENTATION DES PARTENAIRES

#### 4.1.1 PARTENAIRE 1 / PARTNER 1 : FCS PARIS SACLAY / LAL

The coordinator partner of the P2IO is the "Fondation de Cooperation Scientifique Paris Saclay" which is described in this chapter together with the laboratory of the scientific coordinator, the Laboratory of the Linear Accelerator (LAL), a joint research unit between CNRS-IN2P3 and Paris Sud University, two main founding members of the Fondation.

The Scientific Cooperation Foundation (FCS)<sup>1</sup> was created in 2007 to provide two government-approved Advanced Research Thematic Networks (RTRA)<sup>2</sup> with a legal personality: one deals with information and communication technologies (DIGITEO), and the other with physics (the so-called "Triangle of Physics"). At that time, these networks involved 9 "founding" establishments and their associated partners. It is in this context that the FCS fosters collaborations, on behalf of these institutions:

- Collaborative research projects and Chairs, which are selected according to a standard method (call for projects and selection by peers). The foundation was thus able to receive funds intended to stimulate scientific cooperation projects in the Plateau de Saclay area, for a yearly expenditure of the order of 8 M€. Its management, which is clearly distinct from scientific governance, is simple: the foundation transfers funds to the beneficiary institutions, but may also hire researchers directly when a fast response is required.
- Coordination of communities. The Digiteo and Triangle of Physics have over time built community networks, which unite researchers who did not necessarily know each other.
- Actions for the exploitation of research results. The Digiteo network funds "technology maturation" actions, which consist in transforming a technology into a final product (market analysis, technological development, canvassing of industries). It is also implied in the European network for "Fostering Interregional Exchange in ICT Technology Transfer" (FITT).

The foundation will soon be involved in a third sector, that of mathematics, through the Jacques Hadamard Foundation of Mathematics on the Paris-Saclay Campus Paris-Saclay.

In 2009, the foundation expanded its field of activities by becoming a promoter for the "project Paris-Saclay Campus", on behalf of twenty-two institutions: research organizations, higher education and research establishments, a competitiveness cluster and two Research and Higher Education Clusters. *It is in this*

---

<sup>1</sup> Acronym for the French « Fondation de Coopération Scientifique »

<sup>2</sup> Acronym for « Réseau Thématique de Recherche Avancée »

*context that the foundation promotes the project of Excellence Initiative for the campus and the associated projects of the Laboratories of Excellence.*

These three activities (DIGITEO, Triangle of physics and Campus Project) presently involve twenty persons. A third step, to take place at the end of 2010, will amend the statutes of the FCS by fully including the additional mission of promoting the Paris-Saclay campus project. Its objective will be to create, over time, an institution with the aim of federating large programmes, which are transverse to the constituent establishments, in terms of training, research, and innovation, organised according to specific themes or subjects selected by mutual agreement. These programmes would be places where the communities thus brought together would coordinate their scientific work, and where sector-specific policies and large programmes would be designed and developed, based on highly innovative projects.

It is in this new framework that the foundation submits an Initiative of Excellence (IDEX3) project, the aim of which is to integrate Laboratories of Excellence which are to be initially selected, and to interconnect these with other possibly selected structures, devoted to the so-called Investments for the Future: University-Hospital Institutes (IHU)<sup>4</sup>, the Society for the Acceleration of Technology Transfer (SATT)<sup>5</sup>, the Institute of Excellence for Low-Carbon Energies (IEED)<sup>6</sup>, etc.

#### 4.1.1.1 RECHERCHE ET INNOVATION / RESEARCH AND INNOVATION

##### Laboratoire de l'Accélérateur Linéaire

The Orsay Laboratory of the Linear Accelerator is the largest CNRS laboratory devoted to particle physics and cosmology. Its total workforce consists 340 people, 120 researchers and 220 engineers and technicians. Its evaluation by AERES end 2008 gave extremely good results: the laboratory is ranked A+ along all criterias and its teams and groups are also all ranked A+, placing LAL among the best ranked laboratories nationwide. LAL has also been ranked first laboratory in physics in France (and 8<sup>th</sup> overall) according the amount of grants received by the National Research Agency in the period 2005-2008. LAL, together with IRFU, a partner member of 2PIO, is member of the very restricted club of large European laboratories part of the European Strategy group and having an ex-officio seat in ICFA.

LAL has a very large numbers of researchers having or having had in a recent past very large responsibilities' and prizes. The list is given below:

Prize Winners		Responsibilities	
A.-M. Lutz, V. Brisson	EPS HEPP Prize 2009 (Gargamelle)	E. Auge	IN2P3 Deputy 2007-2010 IN2P3

<sup>3</sup> Acronym for Initiative d'Excellence

<sup>4</sup> Acronym for l'Institut Hospitalo-Universitaire

<sup>5</sup> Acronym for Société d'Accélération du Transfert de Technologie

<sup>6</sup> Acronym for Institut d'Excellence dans le Domaine des Energies Décarbonées

E. Augé, D. Fournier, L. Iconomidou-Fayard, A.M. Lutz O. Perdereau, A. Schaffer, L. Serin	EPS HEPP Prize 2005, (NA31 Coll.)	F. Lediberder	IN2P3 Deputy Director IN2P3 2004-2008 BABAR spokeperson 2008- 2010
J. Lefrançois	CEA Prize , 1998 Lagarrigue Prize 2006	G. Wormser	IN2P3 Deputy Director 1999-2003
J.F. Grivaz	Joliot Curie Prize 1991	B. D'Almagne	IN2P3 Deputy Director 1997-1999
D. Fournier	CNRS Silver medal 1993	F. Richard	ILC WWS director
D. Zerwas	Thibaud Prize 2008	M. Davier	ILC IDAG chair
M. Davier	French Academy of Science, 1996 Lagarrigue Prize 2010		

• **LAL publication record for the period 2005-2009 is:**

Total number of publications : 1544

In peer-reviews journals : 772

Conférences : 694 (348 with proceedings, 346 without proceedings)

Books : 5

Others (PhD thesis, « HDR » diplomas) : 73

300 publications have been cited more than 10 times (and are listed in Appendix 7.2),

150 more than 20 times and 6 more than 200 times.

LAL research program is composed of three main scientific branches : particle physics, cosmology and accelerator science. In particle physics, it is of course the CERN based large Hadron Collider who dominates the scene presently and the next ten years. LAL teams participate to the ATLAS and LHCb experiments in which they had major responsibilities in their design and construction. The key concept of the ATLAS central piece, the liquid argon calorimeter was invented by the LAL group led by Daniel Fournier, while LHCb trigger relies quite heavily on the pioneering work of the LAL group. The ATLAS and LHCb teams are now fully involved in the data analysis chain and the physics extraction, where they also play a major role. They represent about 50% of the LAL physics workforce. Significant R&D effort is also presently engaged in future upgrades of these experiments, concentrating on new 3D Si design for ATLAS pixel detectors and faster electronics read out for LHCb.

LAL teams are also involved in the D0 experiment at the Tevatron collider where there is now enough data to strongly constraint the Higgs Boson and even maybe to discover it in the coming years, in the final analysis of BABAR and H1 experiments and in the preparation of the SuperB and ILC/CLIC projects.

On the cosmology front, PLANCK is LAL flagship project with many similarities with LHC in term of discovery potential, LAL role in its conception and construction, and implication in the physics analysis. VIRGO and its upgrade, AUGER and its future "view-from-above" version JEM-EUSO, and LSST are the



other LAL projects in this field with a common goal to better understand the dark components of our Universe and its structure.

LAL has a rich program devoted to accelerator science and related R&D, with a mixture of construction activities ( responsibility of the delivery of all 640 XFEL power couplers), operation of a local machine (PHIL, LAL photo-injector testbed), participation to advanced R&D platforms (ATF-2 low emittance tests, CTF3 platform to demonstrate two-beam acceleration) and development of new ideas (ThomX compact X-ray source, plasma wakefield acceleration). In addition to its various projects, LAL hosts several important interdisciplinary platforms with national or international participation: PHIL will provide a very high quality low energy electron beam for various users, CALVA is a optical test bed for high finesse Fabry-Perot cavity locking of high interest for the gravitational wave community and beyond, OMEGA a very strong microelectronics inter-laboratory structure designing and providing state-of-the start (and beyond) chips to many customers, GRIF a very active Tier2 node for the European Grid. A new major platform will start being built in 2011 : THOMX, a compact X Ray source based on Compton scattering of unprecedented performances. THOMX should deliver from 2013 onwards  $10^{13}$  monochromatic photons per second in the 50-100 KeV range for medical and cultural heritage applications.

#### 4.1.1.2 VALORISATION / EXPLOITATION OF RESULTS

LAL has an active policy towards all aspects of valorization. From the exploitation of a small but active and developing patent portfolio, to very large contracts to big industrial companies (a recent example being a ~15 M€ contract for XFEL couplers) which has a very beneficial effect in injecting new technologies and stringent requirements in their technologies, LAL uses many different ways to collaborate with industry. LAL performs R&D upon request from some companies, such as in the case of developing new powerful electronics chips for the Siemens company, readout electronics for detectors of the PHOTONIS company, transfers cloud chamber technology to the ACMEL company, hosts for two years a high level THALES engineer part time to develop the THOMX project. Another example is a joint R&D venture with ALCATEL in the framework of the Pole de competitivité SYSTEMATIC where LAL expertise on grids and high speed networks was essential to the success of the CARRIOCAS project.

A LAL engineer D. Breton won in 2005 the Y. Rocard Prize of valorization of French Physical Society for his work on analog memory a patented circuit now heavily used in commercial oscilloscopes (3 licences).

To conduct its valorization policy, LAL has a "Valorization correspondent" who, in collaboration with the SPV (Service Partenariat et Valorisation) of CNRS, assists LAL physicists and engineers in the building of patenting files, partnerships with Industrial companies and research collaboration with other academic institutes.

LAL policy is to further increase these collaborations and contracts by the flexible and pragmatic use of the various collaborating tools and channels.

#### 4.1.1.3 ENSEIGNEMENT SUPERIEUR / HIGHER EDUCATION

LAL is deeply involved in the higher education program of the Paris Sud University at all levels. LAL professors have the responsibility of the Physics Magistère (M2 level) (P. Puzo), of the M2 NPAC and of the corresponding Ecole Doctorale (A. Stocchi), important responsibilities in the MIPEGE Ecole doctorale (P. Puzo) and of the PolyTech engineering institute (E.Auge, F. Zomer), in the Nuclear Engineering Master (A. Lounis). LAL physicists have served in the University Management Board (P. Puzo) and Scientific

Council (A. Cordier, D. Monnier). They also chaired the local Commission de Spécialistes (A. Cordier) and responsible for the overall PhD supervision (délégué aux thèses) (M. Davier, R. Ansari). LAL impact in the University life is therefore quite strong but is not limited to the role of its professors since in addition, more than 10 LAL high level engineers are also involved in teaching activities at various levels and in various courses. Computing classes, accelerator and electronics courses to several engineering schools are typical examples where LAL unique expertise contribute to higher education in a very effective way.

#### 4.1.1.4 ORGANISATION / ORGANISATION

LAL is a Joint Research Unit (UMR8607) belonging to the CNRS National Institute for Nuclear and Particle Physics (IN2P3) and to the Paris Sud University, located on the Orsay Campus with an occupancy of 17 611 m<sup>2</sup>. LAL has a total of 340 employees, 64 researchers out of which 12 have University positions, plus 11 researchers with an emeritus status, and 7 on a temporary contract, 82 high level engineers, 133 technicians, 34 PhD students.

LAL is organized along 14 physics groups, of size ranging from 40 for the ATLAS group to 3 for the smallest, 5 technical services (mechanics, electronics, computing, infrastructure and accelerators), one administrative service covering personnel, finances, travel and technical and scientific information, 4 transverse units : training, quality, technological transfer and engineering computation. The Accelerator Department has been recently created to federate all the work pertaining to accelerators performed in the various groups and services. Finally, LAL hosts a microelectronics pole OMEGA, formed by LAL and serving LAL and several laboratories in the Paris region. The direction team is composed of a director, a deputy director, an administrative director and two technical directors, in charge respectively of strategic and operational issues. LAL has 3 formal internal instances : the laboratory council (LC), the Scientific Council (SC) and the Health and Safety Committee. LC main task is to approve the annual budget and to give a formal advice for the nomination of the lab director. The leaders of all groups and services meet monthly to discuss all matters of the laboratory day-to-day life. LAL is reviewed every 4 years by a high level international visiting committee, under the aegis of AERES. LAL is one of the leading laboratories of the closely knitted IN2P3 laboratories network and therefore works in close contact with IN2P3 direction. LAL also participates to many University instances on the Orsay Campus.

LAL consolidated annual budget is 22 M€, on average over the last 5 years, including 15 M€ of manpower. 3 M€ come from various contracts ("resources propres") with various entities (European Union, National Research Agency, CNES, Ile de France region, CERN, DESY,...). LAL manages all its budget through XLAB, the CNRS middleware which is manually interfaced with the University package SIFAC. All types of resources can therefore be managed by LAL.

#### 4.1.2 PARTENAIRE 2/ PARTNER 2 : CPHT

##### CPHT-Polytechnique

#### 4.1.2.1 RECHERCHE ET INNOVATION / RESEARCH AND INNOVATION

CPHT - Polytechnique, the Centre de Physique Théorique de l'Ecole Polytechnique, is a Joint Research Unit (UMR7644) belonging to the CNRS National Institute for Physics (INP) and to the Ecole Polytechnique, located on the Palaiseau Campus. The team "Fundamental interactions" has a total of 26 employees, 25

researchers out of which 10 have CNRS positions and 1 has a Polytechnique position, plus 9 researchers on a temporary contract, 1 technician, 5 PhD students.

The research activities of the P2Io team at CPHT follow three main directions:

1. Strong interactions at high and medium energy: this group investigates the partonic structure of the proton in the high-energy limit, and the phenomenology of high-energy proton-proton and nucleus-nucleus collisions.
2. Particle physics beyond the standard model: this group investigates in particular the mechanisms of supersymmetry breaking and the construction of new supersymmetric models, with particular emphasis on the nature of dark matter
3. Progress towards a quantum theory of Gravity, in the framework of String theory and in a new approach within non-commutative field theory.

#### 4.1.2.2 VALORISATION / EXPLOITATION OF RESULTS

Last AERES evaluation (February 2008) concludes on ... « un nombre important de percées et de progrès scientifiques particulièrement remarquables. Le comité estime que le laboratoire occupe une place d'excellence sur le plan international. »

#### Outstanding researchers:

E. Dudas, member of ERC Advanced Grant "MassTeV"

S. Munier, médaille de bronze CNRS, 2009.

In the period 2005-2009, the CPHT P2Io team published around 180 papers in international refereed journals or international conference proceedings, which represent over 2300 citations (source: SPIRES database). The most significant publications are listed below in 7.2.

#### 4.1.2.3 ENSEIGNEMENT SUPERIEUR / HIGHER EDUCATION

E. Dudas and M. Petropoulos have part-time teaching positions (professeur chargé de cours) at Ecole polytechnique and K Kopper has full time teaching position at Ecole polytechnique.

#### 4.1.3 PARTENAIRE 3/ PARTNER 3 : CSNSM

##### Centre de Spectrométrie Nucléaire et de Spectrométrie de Masse

#### 4.1.3.1 RECHERCHE ET INNOVATION / RESEARCH AND INNOVATION

CSNSM is a joint research unit of Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), an institute of the French National Centre for Scientific Research (CNRS) and Université Paris Sud. CSNSM is rated A+ by AERES and has about 40 permanent researchers and 40 permanent engineers and technicians, and in addition about 25 non permanent personnel (PhD, postdocs, project engineers).

Multidisciplinarity is an essential characteristic of CSNSM. Its research covers a very large range of topics: structure of the nucleus and fundamental interactions, astroparticle physics and astrophysics, solid state physics, irradiation of matter, elementary and isotopic investigation of the components of the Earth and the Universe.

CSNSM is also open to the outside world through several collaborations in France (the laboratories of CNRS, CEA and CNES) and on all continents. The pursuit of a strong interaction with industry (EDF, Alcatel, AREVA...) on both fundamental and applied topics is one of the major axis of orientation of the research programme of CSNSM. Public and private enterprises call upon the skills and facilities of the CSNSM on the road to industrial exploitation.

In fundamental nuclear physics, the CSNSM SNO group (Structure du Noyau) has developed major contributions to the next generation of multi-germanium detector AGATA, and to the SPIRAL-2 program, with contributions to the DESIR and S3 facilities, in particular. The CSNSM nuclear physics team has proposed and led several tens of experiments over the last few years in all the major nuclear physics facilities. It has also developed an important expertise in the development of ion traps, and in mass spectrometry techniques, in particular for unstable short-lived nuclei. The team has also the responsibility of the evaluation of nuclear masses.

The solid state physics group (PS) of CSNSM has developed a first level expertise in systems with correlated electrons in low dimensionality, and in innovative sensors at low temperatures. The group has obtained a key position in the EDELWEISS and the EURECA Dark Matter searches, at the forefront of a very active international competition. This key position has been obtained through the development of innovative cryogenic detectors, of unprecedented sensitivity, energy resolution and particle identification. The group has also developed an important expertise, in collaboration with several other French laboratories (APC-Paris, Néel-Grenoble, IPN Lyon, IEF-Orsay, LPN-Marcoussis, IRFU-Saclay, etc.) in the development and fabrication of matrices of cryogenic detectors. The CSNSM PS group is coordinating the CRYOMATRIX Equipex proposing to establish a national platform of fabrication and testing of cryogenic detectors, essential for the next generation of satellite experiments in the X-ray, CMB and infrared domains.

The AS (Astrophysique du Solide) group in CSNSM has an outstanding experience in micrometeorites and cometology. Its researchers have important responsibilities in the Stardust and the ROSETTA programs. The group has also gathered a unique collection of more than 2000 micro-meteorites, collected in Antarctic near the Concordia station, and studied using the SIMS technique, a technique invented by G. Slodzian, who is an active member of the AS group. The group has recently evidenced a new class of ultracarbonated micrometeorites of cometary origin, of great potential importance for the comprehension of the origin of carbonated life on our planet.

The AN (Nuclear Astrophysics) group of CSNSM is internationally known for its expertise in primordial and stellar nucleosynthesis, essential to the comprehension of nuclear element production and reprocessing in our universe. In collaboration with APC and IRFU, the AN group is involved in the INTEGRAL satellite gamma-ray observatory. In collaboration with the major european expert teams in gamma-ray astronomy (MPE-Munich, APC, IRFU, etc.) the group is developing a new generation of Compton gamma-ray telescope that could allow the observation of galactic sources in the Virgo cluster.

The Semiramis group of CSNSM has an outstanding expertise in ion beam physics. The group has developed the JANNuS-Orsay facility, presently unique in its capabilities to irradiate in a dual ion beam mode with coirradiation by an electron beam of a TEM. JANNuS-Orsay installation allows in situ and real-time observation at the single atom level (0.2 nm resolution) of the structural modification of materials under irradiation. The installation is open by international calls to experiments proposed in the fields of material science (in particular nuclear and fusion materials, and nanostructuration of matter under irradiation).

Semiramis is also a component of the Minerve nanofabrication facility with its FIB (Focused Ion Beam) facility, presently unique in Ile-de-France region for its nanostructuration capabilities. CSNSM has the codirection of the EMIR national platform gathering the French facilities of material irradiation, and ensures the direction of the PACEN interdisciplinary program (Programme sur l'Aval du Cycle et l'Energie Nucléaire). The Semiramis group is also operating the only present electromagnetic isotope separator in Europe, and has expertise in production of isotopically pure targets and of standards of implantation. Two physics groups, PCI and PS2, are benefiting from the Semiramis and JANNuS facilities, and develop important activities in nuclear and fusion materials, with support from european programs such as F-BRIDGE or PERFORM-60, and the EFDA fusion material programs. The main objectives are the study of materials under irradiation, comprising not only the structural changes induced by irradiation under joint nuclear and electronic energy loss regimes by using irradiations with light energy or/and high energy heavy ions and also the behaviour (Migration, agglomeration) of fission products (Cs or rare gases) in some of these materials.

In addition to the Cryomatrix project coordinate by the CSNSM, the CSNSM team participates in four other equipex projects: Cogis, Andromede and PAM.

High level scientists at CSNSM:

Gabriel Chardin, CNRS Silver Medal, 2007

Jean Duprat, Grand prix film de chercheur, Nancy 2008

Hubert Flocard, Director of the PACEN program, national interdisciplinary program of the CNRS

Michel Maurette, Leonard Meteoritical Society Prize, 2007

Grant Raisbeck (for the CSNSM partner), Descartes Prize, 2008 (EPICA project, led by Jean Jouzel)

#### 4.1.3.2 VALORISATION / EXPLOITATION OF RESULTS

CSNSM accelerators (Aramis, Irma and Sidonie) are an important tool in the fields of ion beam assisted synthesis, implantation/irradiation induced modification of materials and characterization of irradiated solids and surfaces. Various contracts have been developed with industry (III V Lab Alcatel Thalès, 3s photonics, CEA ...) in these fields.

Since 2009, the JANNuS-Orsay platform installation enlarges these studies to the international scientific community.

Some nanostructuration studies are also performed using the FIB (Focused Ion Beam) facility, presently unique in Ile-de-France.

CSNSM contributes to the organization of various international workshops and conferences such as "IIIrd International Conference REHE, 2009" and "International Conference on Advanced Technologies for Communications, ATC'2008 IEEE".

During the 2005-2009 period, CSNSM team published more than 400 papers in peer review journals and 280 in international conference proceedings. They contributed also to 9 books. The most significant publications are listed below in Part 7.2.

#### 4.1.3.3 ENSEIGNEMENT SUPERIEUR / HIGHER EDUCATION

CSNSM is a major player in teaching. Thirty percent of tenured staff scientists hold university positions and are involved in teaching at all levels at the University Paris-Sud 11 mainly in lectures belonging to the 28 and

29 committees of the French CNU (National Committee of Universities). The research and technical staff of CSNSM is strongly involved in masters and at doctorate level courses relevant for fundamental concepts for physics, nuclear physics, modelisation and instrumentation for physics. They hold specialities of three second-year Masters courses (M2). Since 2007, lectures of the "Physique et Environnement" M2 are given in CSNSM. Twenty-one PhD theses and HDR diplomas (Habilitation à diriger des recherches) were defended during the 2005-2009 period.

In addition, CSNSM team is very active in terms of physics diffusion to teachers or juniors: Nepal conferences, associations as "Objectif Science", competition committees for young scientists as "C.Génial" and the 2009 edition of the EUCYS contest in Paris (European Union Contest for Young Scientists).

#### 4.1.3.4 ORGANISATION / ORGANISATION

CSNSM is a joint research unit of Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), an institute of the French National Centre for Scientific Research (CNRS), and Université Paris Sud. The director is nominated by agreement between the two operators after getting the advice of a search committee. He is assisted by a deputy director, an administrator and a technical director, and three formal instances: a laboratory council and a scientific council, which have an advisory role on science and budget issues, and a health and safety committee. The staff is organized in five topical scientific teams and in six technical scientific specialities.

#### 4.1.4 PARTENAIRE 4/ PARTNER 4 : IAS

The Institut d'Astrophysique Spatiale (IAS) focuses on the development and exploitation of science experiments on space mission. It benefits from an excellent international reputation for this type of activities. IAS is involved in all phases of the evolution of an experimental project from the conception and development to testing and calibration, science operations, implementation of the data pipeline leading to data analysis and finally scientific exploitation. This major axis is complemented by experimental activities in the laboratory as well as by modeling activities. Since 2001 IAS is an "Observatoire des Sciences de l'Univers" which provides archiving and data access from space experiments as a service to a large scientific community.

#### 4.1.4.1 RECHERCHE ET INNOVATION / RESEARCH AND INNOVATION

The scientific themes are structured within three scienceteams ("interstellar matter and cosmology", "solar system and exoplanetary systems", "solar and stellar physics"), complemented by a pluridisciplinary one ("astrochemistry and origins") with science goals overlapping that of the first twoteams. These activities have been developing at a fast rate over the last 10 years. The space missions with a scientific involvement of IAS are providing first rate science data, in particular Mars Express (ESA) / MRO (NASA), Corot (CNES), Spitzer (NASA), SOHO (ESA/NASA) / Stereo (NASA), leading to many published papers with high citation rates, including 33 in "Science" and "Nature" since 2004, with 18 as 1st author (see 7.1). The success of the joint launch of Planck and Herschel by ESA in May 2009 has given a new impetus to this trend: IAS has led the large international consortium responsible for the HFI experiment, which maps with unprecedented

accuracy the Cosmic Microwave Background (CMB), and our laboratory is strongly involved in the science exploitation of Herschel (submm observatory, ESA). The first series of articles from HFI is being prepared for presentation at the international conference organized in January 2011. The fly-by of asteroid 21 Lutetia by the ROSETTA mission (ESA) has demonstrated the remarkable capabilities of on-board experiments before the rendez-vous with comet P/Churyumov Gerasimenko in July 2014. IAS has a leading role for science on the comet with the "Philae" lander and is participating in two experiments on board the orbiter.

The next major steps will be the launch of BepiColombo (ESA/JAXA) toward Mercury in August 2014 then that of JWST (NASA/ESA), the next generation space telescope, scheduled for 2015. The instruments developed for major space missions make it possible to be involved in opportunities such as the HECOR rocket flight (solar physics), an experiment on board MSL, the large NASA rover to be deployed on Mars in 2012, or a Russian mission to Phobos, a satellite of Mars. Laboratory experiments dedicated to astrochemistry and detection of dark matter have also obtained excellent results. On this basis, the science activities of IAS were awarded an "A+" ranking by AERES in 2009. The high success rate for new tenured positions (7 in 2009-2010, a 15% increase in 2 years) also testifies to the excellence of research at IAS.

Institut d'Astrophysique Spatiale is very active in the preparation phases for the "Cosmic Vision" program of ESA, which will include two "medium class" missions and one "large class" mission to be launched in 2017-2020. Three experimental contributions are considered for Solar Orbiter, one of the "medium mission" candidates. IAS is a partner in the consortium providing the science payload of Euclid (dark matter / dark energy medium mission candidate). There is also a scientific participation in Plato (exoplanets). Two of these three proposals will be selected in September 2011. IAS is also strongly involved in proposals for the science payload of EJSM/Laplace, a joint ESA/NASA mission to the system of Jupiter which is under consideration as one of the three "large mission" candidates (selection in 2012).

IAS operates two major technical platforms:

- The IAS calibration station is a French national facility supported by CNES, CNRS/INSU and University Paris-Sud XI. It provides state of the art calibration and test capabilities in clean rooms. IAS is leading an "Equipex" proposal ("XUV") which, if successful, would provide a new test facility in 2013 at SOLEIL. The calibration station is the largest platform within a collaboration on test facilities for space instrumentation in the Paris area ("Groupement d'Intérêt Scientifique" MoteSpace) between IAS, IRFU/SAp (a partner in P2IO with IAS) and LESIA (Observatoire de Paris)
- The "IAS Data and Operation Center" (IDOC) provides high level tools for managing science operations, data analysis, archiving and access to the data for the French and international science community. IAS is participating in the "COGIS" equipex proposal. If it is selected, "COGIS" will provide new computational and storage capabilities to IDOC.

#### 4.1.4.2 VALORISATION / EXPLOITATION OF RESULTS

Institut d'Astrophysique Spatiale organizes major workshops and conferences such as the International Planck Conference to be held in Paris in January 2011. It is very active in terms of outreach, with 40 to 50 contributions/year in the media and 15 to 20 general interest conferences/year. The "IDOC" center plays an important role in providing data from space experiments to the international scientific community, and

IDOC/MEDOC is being labeled as the French data center for solar physics by CNES. The interaction with industry is strong with collaborations on Research and Development programs and contracts issued by IAS for major developments (e.g. the cryogenic system of Planck/HFI contracted to Air Liquide). As a result, several PhD students are partially supported by industry.

#### 4.1.4.3 ENSEIGNEMENT SUPERIEUR / HIGHER EDUCATION

IAS is a major player in teaching. 55% of tenured staff scientists hold university positions and they are involved in teaching at all levels at the University Paris-Sud XI. The research and technical staff of IAS is strongly involved in masters and at doctorate level courses relevant for astrophysics and space technology (2nd year of Masters, Astrophysics doctorate school). 8 PhD theses supervised by IAS scientists are defended on average each year. IAS hosts each year around 30 students at bachelor and masters levels from scientific and technical curricula.

#### 4.1.4.4 ORGANISATION / ORGANISATION

IAS is an UMR ("Unité Mixte de Recherche") managed jointly by two operators (Université Paris-Sud XI and CNRS). The director is nominated by agreement between the two operators. He is assisted by two deputy directors and a technical director. A laboratory council has an advisory role on science and budget issues. The scientific staff is organized in three topical teams and a pluridisciplinary team. The technical staff is organized with a matrix architecture, by technical specialties and by projects.

High level scientists at IAS (criteria specified by a government decision, "décret", 20/01/2010)

Jean-Pierre Bibring (prix Ernest Deschelles 2007 de l'Académie des Sciences)

François Boulanger (ERC Senior Grant, 2010)

Louis d'Hendecourt (médaille d'Argent du CNRS 2003)

Philippe Lemaire (prix André Lallemand 2007 de l'Académie des Sciences)

Jean-Loup Puget (membre de l'Académie des Sciences)

8 other scientists at IAS have received prizes from international science societies, « bronze medals » from CNRS or positions at "Institut Universitaire de France"



#### 4.1.5 PARTENAIRE 5/ PARTNER 5 : IMNC

### LABORATORY Imagerie & Modélisation en Neurobiologie & Cancérologie

#### 4.1.5.1 RECHERCHE ET INNOVATION / RESEARCH AND INNOVATION

Created in 2006, the IMNC laboratory (UMR8165) is jointly supported by IN2P3-CNRS and both Paris Diderot and Paris Sud universities. It incarnates challenging and successful scientific interdisciplinary projects guided by a spirit and a method. We develop mono-disciplinary skills in physics and biology to answer crucial questions of therapeutic issues in cancerology and neurobiology combining latest imaging and modeling approaches. The unit gathers 38 highly skilled collaborators and 5 research teams which mobilize physicists, methodologists, biologists and engineers. The research projects are developed along two scientific axis :

- imaging in neurobiology axis focused on the exploration of the cellular basis of the cerebral energy metabolism and brain plasticity (team#1 Métabolisme Imagerie Olfaction: H.Gurden) and the in vivo multimodal neurofonctionnal imaging (radioisotope and optical) on small animals (team#2 Imagerie du petit animal: P.Lanièce)
- imaging and modeling in cancerology axis focused on the development of compact multimodal imagers for the diagnosis and the therapy of tumors (radioguided assistance for the surgery, monitoring response to chemotherapy : team#3 Imagerie Per Opérateur: Y.Charon) and development of associated quantitative methodologies (tomographic reconstruction and estimate of the physiological parameters in PET: team#4 Quantification en Imagerie Moléculaire : I. Buvat). The topic of modeling is focused on the study of process guiding the migration of tumors, in particular high-grade brain tumors (team#5 Modélisation du Vivant et systèmes dynamiques : B. Grammaticos).

These research projects are also based on a broad network of international collaborations (of which some have IMNC's members as speakers such as OpenGate) and is built on two transversal topics of physics. First topic rely on instrumentation and aims at the development of new methods of photo-detection for the imaging (IMNC is partner of the EquipEx project PHE2LICE on silicon PM). The second topic rely on theoretical physics aiming at the study of behavior of dynamic systems that bring new insights into biological complex mechanism such as tumor growth. Thanks to this organization and in order to reinforce impact of its projects, the development strategy of IMNC combines both internal synergies within the UMR (which enhance scientific creativity) and close coupling with upstream physics (IMNC is partner of P2IO LabEx). This double approach is essential for the long term competitiveness of IMNC researches.

Among recent scientific successes of IMNC, one can put forward the key-role of astrocytes in the cerebral energy metabolism and functional neuroimaging thanks to combined optical imaging techniques, the validation of the per-operative imagery for radio-guided surgery of breast cancer (national protocol of 162 patients) and the first very promising results for the modeling of the cerebral tumors at multi-scales levels. The AERES evaluation ranked IMNC A+ in 2009 (*full report available on <http://www.aeres-evaluation.fr/Etablissements/UNIVERSITE-PARIS-11>*)

- High level researchers : - prizes & distinctions : I. Buvat (bronze medal CNRS) - grant owners : H.Gurden & L.Ménard (ANR young researcher) P.Lanièce (ANR), I. Buvat (ANR & FP7), Y.Charon (PNR INSERM)
- Publications (2006-2009) : 80 peer-reviewed publications, 28 peer-reviewed conference proceedings, 7 PhD thesis,
- Grants (2006-2009) : 5 ANR programs, 1 FP7 program, 1 ARC program, 1 PNR INSERM
- Available platforms : in vivo small animal multi-modal imaging, rodent housing facility, scientific incubator

#### 4.1.5.2 VALORISATION / EXPLOITATION OF RESULTS

**INDUSTRIAL TRANSFER:** Since its creation in 2006, the unit has deposited two international patents and signed two license agreements. In addition, many of its current projects are developed in collaboration with companies (in particular within the cluster of competitiveness MEDICEN). Lastly, IMNC also puts forward its engagement of valorization through the success of professional insertion of its PhDs in the industrial business.

#### 4.1.5.3 ENSEIGNEMENT SUPERIEUR / HIGHER EDUCATION

**TEACHING AND PhD FORMATION:** IMNC is highly involved in teaching. Our manpower gathers a majority of professors and CNRS researchers who intensely participate in training classes in universities. IMNC also host the head of two Masters specialties and until 2008, the director of the principal graduate school learnt with P2I. The current average flow of doctoral fellows is about 9 PhDs. IMNC also wants to participate in bridging the gap between science and society: we built a specific program to host students from high schools located around our university.

#### 4.1.5.4 ORGANISATION / ORGANISATION

IMNC mobilizes 38 collaborators including 15 researchers and 2 engineers. It is organized along five research teams. The laboratory is managed using the standard organization of an UMR (namely a scientific council and a laboratory council) and thanks to a steering committee which gathers together weekly, the direction, team leaders and support services. IMNC also implements a structure of scientific incubator which allows to host temporarily teams willing to develop a specific project in a reactive way consistent with the lab research.

#### 4.1.6 PARTENAIRE 6/ PARTNER 6 : IPHT SACLAY

##### Institut de Physique Théorique

#### 4.1.6.1 RECHERCHE ET INNOVATION / RESEARCH AND INNOVATION

The Institute of Theoretical Physics (IPhT) is located at Orme des Merisiers, near Saclay, it hosts approximately 50 faculty members whose research activities cover most areas of contemporary theoretical physics. This P2Io project only includes 19 out of these 50 members, who work in the field of particle physics and cosmology. It is interesting to note that 9 out of these 19 faculty earned their PhD outside France, which reflects the international stature of the team.

The research activities of the P2Io team at IPhT follow five directions:

1. String theory, with emphasis on black hole physics, and the low-energy limit of string theory, which makes contact with the observable world.
2. Precision calculation in gauge theories. This group aims at making predictions for collider experiments, in particular for the LHC at CERN. Precision calculations are also used for testing the AdS/CFT correspondence between string theory and gauge theories.
3. Primordial cosmology: this group investigates the physics of the early universe, as can be probed through the cosmic microwave background, the large scale structure of the universe, non-gaussianities, gravitational lensing, primordial magnetic fields and gravitational waves.
4. Particle physics beyond the standard model: this group investigates in particular the nature of dark matter, the physics of neutrinos, and signatures of cosmological phase transitions. Items 3 and 4 have close links.
5. Strong interactions at high energy: this group investigates the partonic structure of the proton in the high-energy limit, and the phenomenology of high-energy proton-proton and nucleus-nucleus collisions.

The IPhT P2Io team boasts an impressive number of external fundings: 5 of its 19 members have been awarded grants from the prestigious European Research Council (ERC), see list below. To date (Nov. 2, 2010), the Saclay P2Io team coordinates 8 projects funded by the French national research agency ANR: 2 junior excellence chairs, 2 young researcher grants, 4 generic “blanc” projects. Thanks to these external funds, our team has been able to hire a large number of young collaborators: 18 postdocs and 11 PhD students (as of Nov. 2010), so that the total number of young researchers largely exceeds the number of faculty.

#### Outstanding researchers

- Iosif Bena (CEA), ERC Starting Grant
- Jean-Paul Blaizot (CNRS), Prix Langevin 1995, Prix Ricard 1997, ERC Advanced Grant
- Mariana Grana (CEA), ERC Starting Grant
- David A. Kosower (CEA), ERC Advanced Grant
- Geraldine Servant (CEA), ERC Starting Grant

In the period 2005-2009, the IPhT P2Io team published 364 papers in international refereed journals, which already total over 11000 citations (source: SPIRES database). The most significant publications are listed below in 7.2.

#### 4.1.6.2 ENSEIGNEMENT SUPERIEUR / HIGHER EDUCATION

IPhT organizes series of lectures at the PhD level every Friday. These lectures are part of the doctoral programme of « Ecole doctorale de Physique de la Région Parisienne (ED 107) ». The schedule can be found at the following address

[http://iphht.cea.fr/Phocea-SPhT/ast\\_visu\\_sphht.php?id\\_ast=572](http://iphht.cea.fr/Phocea-SPhT/ast_visu_sphht.php?id_ast=572)

A total of 11 students are preparing their PhD within the Saclay P2Io team as of Nov. 2010. F. Bernardeau and J.-Y. Ollitrault have part-time teaching positions (professeur charge de cours) at Ecole polytechnique, and F. Gelis teaches at the NPAC Master programme at Orsay.

#### 4.1.6.3 ORGANISATION / ORGANISATION

The Institute of Theoretical Physics (IPhT) at Saclay is an independent institute within DSM (Direction des Sciences de la Matière) of CEA. It is associated with CNRS (URA2306). The P2Io team contains roughly one third of the faculty of IPhT (8 CNRS, 11 CEA).

#### 4.1.7 PARTENAIRE 7/ PARTNER 7 : IPNO

##### L'Institut de Physique Nucléaire d'Orsay

#### 4.1.7.1 RECHERCHE ET INNOVATION / RESEARCH AND INNOVATION

The Institute of Nuclear Physics of Orsay (IPNO) is the largest joint research unit of the CNRS/IN2P3 and the University-Paris Sud 11 that pioneered many of the research fields related to nuclear physics and accelerator based research activities in our country. The laboratory is composed of 74 permanent researchers (21 of them are employed by the University), 213 engineers and technicians and about 65 PhD students, post-docs and visitors. The Institute forms students through research and actively contributes to the emergence and development of multidisciplinary activities for which the laboratory has competences. Its evaluation by AERES end 2008 gave extremely good results: the laboratory is ranked A+, placing IPNO among the best ranked laboratories nationwide. The director of IPNO is member of the European NuPECC committee (Nuclear Physics European Coordination Committee) of the ESF (European Science Foundation) for the coordination of the European Strategy in the domain.

IPNO has a very large numbers of researchers having or having had in a recent past very large responsibilities at national and international levels and prizes.

Prize Winners		Responsabilities	
E. Khan	Bronze Medal CNRS 2003	A. C. Mueller	IN2P3 Deputy Director IN2P3 2004-2010
J. L. Biarrotte	Laclare Prize SFP 2008	F. Azaiez	LEA Colliga Italy France Director 2008-2010
S. David	Joliot Curie Prize SFP 2004	A. C. Mueller	I3 EURONS FP6 Scientific Coordinator 2003-2008
Y. Blumenfeld	Joliot Curie Prize SFP 2002	Y. Blumenfeld	EURISOL design Study FP6 Director 2006-2009
D. Guillemaud Muelle	Doctor Honoris causa	E. Simoni	Director of Research

	Chalmers University Göteborg Sweden		Univ Paris-Sud 11
R. Guillaumont	French Academy of Science	F. Azaiez	ECOS European Network, Chairman

IPNO publication record for the period 2005-2009

Total number of publications: 1214

In peer-review journals: 632

Conférences: 410 (338 with proceedings, 72 without proceedings)

Books: 3

PHD thesis and 'HDR' diplomas: 59

A selection of the 100 most cited publications of IPN is given in Appendix 7.2

The scientific program covers a broad range of topics in nuclear physics, radiochemistry, and astroparticle physics as well as applications of subatomic physics to different multidisciplinary fields. The main research subjects are:

- Nuclear structure far from the valley of beta stability as well as nuclear dynamics
- Structure of the nucleon and hadronic matter studies
- Innovative approaches to nuclear power generation and transmutation of nuclear wastes
- Ultra high energy cosmic ray studies
- Ion-matter interaction experiments and finally
- Theoretical studies of nuclear and hadronic matter

All these activities are carried out within strong national and international collaborations involving high-quality students and post-doctoral researchers. Studies in Cosmic rays, radiochemistry, electronuclear cycle and physics with clusters are the proof of the complete integration of multi disciplinarity in the Institute.

IPNO carries out important R&D activities in accelerators. The Accelerator Division consists of a group of 42 engineers, 49 technicians and 3 physicists. The accelerator Division provides its technical support for the design and construction of European high power accelerators also contributes to the development of major new radioactive beam projects. This division operates also two platforms, the accelerator platform ALTO and the Supratech one.

The two technological poles concentrate the R&D activities which are specially extended in the field of expertise of the cryogenic technology related to the superconducting radio-frequency cavities (pole Supratech) and to the development of radioactive ion beam sources (pole ALTO). These two poles are interfaced with a mechanical design group and a theoretical and computation group. The electronic staff completes this organization. It has in charge the accelerator instrumentation, the high frequency sources and the power supply devices.

The ALTO facility houses two accelerators: the 15 MV Tandem producing stable beams and clusters and the 50 MeV electron linac dedicated to the production of radioactive beams by the isotope separator on line (ISOL) method. This facility offers a unique opportunity to have in the same building, both beams of ions

and electrons delivered to the experimental beam lines for multidisciplinary physics, astrophysics and nuclear

The 50 MeV linac is coupled to the ISOL device PARRNe. Four lines of radioactive ion beams are associated with PARRNe. Three types of ion source operating at high temperature are developed for the production of radioactive beams: a surface ionization ion source, a laser ion source and a hot plasma ion source. A laboratory installed in a nuclear controlled area is dedicated to the development of uranium carbide targets. An off line isotope separator is also available to test ion sources including laser ion sources with a second laser system.

These facilities are part of the new Integrated Infrastructure IA ENSAR in the FP7 and recognized as one of the seven European TNA (Trans National Access) for the running of experiments in nuclear and applied physics.

The SUPRAtech platform includes all the equipments necessary to test superconducting radiofrequency cavities (SRF). Many projects of linear accelerators of high intensity protons are based on this new cryogenic technology. This is the case for instance for the steering of future reactors dedicated to the transmutation of nuclear waste (XADS / Eurotrans, Myrrha), for the production of radioactive ion beams (EURISOL) or pulsed protons beams for neutrino sources and spallation neutrons source.

Cryogenic cavities operate at higher gradient, lower AC power, and they offer a great flexibility in beam dynamics and reliability compare to the normal conducting resonators. The long term future of this technology applied to linear colliders or high intensity proton linacs is definitely based on these superconducting radiofrequency systems.

Studies on superconducting cavities continue their progress and can be considered as an alternative for the medium or low energy part of the future SRF Linac machines. In particular excellent performance of the "spoke" cavity, allows extend the use of superconducting cavities to the low energy as well as to the high energy side of the accelerator.

The activities of the Accelerator Division are related to project structure management. Each project has its own organization and follow-up. A general coordination insures to manage the human resources and investments between the different projects.

The more important contributions of the Accelerator Division concern the SPIRAL 2 project aiming at producing radioactive ion beams (RIB) using the ISOL technique and the European programs like CARE and EUCARD (6<sup>th</sup> and 7<sup>th</sup> PCRD) for the development of superconducting RF acceleration systems, EURISOL the design study for the future RIB accelerator (fission target, proton accelerator design, super conducting cavity development, coordination task, beta beam studies...) EUROTRANS in the continuity of the PDS-XADS. This program devoted to nuclear waste transmutation consists in the design of a driver accelerator coupled to a sub-critical nuclear reactor. The MYRRHA project in Belgium will be the demonstrator of this new concept.

SLHC PP: Preparatory phase for the future LHC upgrade.

THATEA: Thermoacoustic technology for energy applications

The Accelerator Division has increased its technical potential by massive investments in recent equipments. The Supratech platform has achieved the installation of the chemical etching area. The helium liquefier and the clean room are now fully operational. At ALTO, the off line separator completes the online PARRNE separator for the RIB R&D studies. These entire equipments provide a high level technical center for the development of future accelerators.

The Instrumentation Division objective is to increase the technical organization for better answering the implications of the laboratory in the instrumentation for experimental setups whose size and complexity have largely increased. This trend leads to a request for a diversity of qualifications not only to cope with technological changes in the work done in the laboratory but also to ensure a fruitful dialogue with other laboratories and companies. This evolution leads also to the necessity of long phases of R&D which could imply different knowledge and various technologies. As for example, one can mention the need for simulations not only to evaluate the sensitivity to the physical parameters but also to consider the performances of real detectors with their mechanical and electronic constraints. One can also think of the thermal problems coming from the increase of the number and density of the electronic channels which require compromises between detection, electronics, mechanics and cooling. The regrouping in a same division makes easier the collaboration of personnel of complementary competences and allows taking in charge projects asking for several technical aspects.

The Instrumentation Division includes a Detector Department (19 persons), a Department of Electronics (19 persons) and a Mechanical Construction Department (5 persons). A strong connection is established with the Data Acquisition Group of the Software Department. This allows to strengthen capabilities in detectors, mechanics and electronics. The main works and the future orientations are related to gas detectors and photo detection. The focus is put on the mechanics (feasibility studies, structural analyses, manufacturing drawings, assembly, tests) with integration of the implementation of the electronic circuits. Detector studies (simulation and tests) are also undertaken along with the associated analogical electronics: high voltage bias, preamplifiers, signal processing.

IPNO is also participating in the R&D for calorimeters within new projects like PANDA and EXL in FAIR at GSI. It is also strongly involved in the new set up around SPIRAL2 like the new PARIS calorimeter or the GASPARD device.

Finally, the instrumentation division is an active member of the microelectronics pole OMEGA, hosted by the LAL laboratory. This platform is highly specialized in analog and mixed-signal microelectronics design and ensures the training of young engineers to weave new scientific collaborations and favors the dissemination of new circuits in adjacent fields such as medical imaging.

In the domain of computations, IPNO is also part of the grid GRIF, a joint initiative from 5 CNRS/IN2P3 laboratories and CEA/IRFU all located in Paris region, in order to build a major grid resource. Driven by the needs of LHC experiences, GRIF is largely opened to many other communities like biomed, earth sciences, chemical chemistry, astrophysics...and benefits largely to the different programs carried out by the scientific teams of IPNO

#### 4.1.7.2 VALORISATION / EXPLOITATION OF RESULTS

IPNO is conducted valorisation is different domains. Nevertheless the two main activities are dosimetry and protection against radiation.

The dosimetry service at IPNO is a laboratory approved by the Ministry of Employment for providing individual monitoring of external exposure of workers subjected to ionizing radiation. The laboratory is accredited by the French Accreditation Committee (COFRAC) according to the ISO 17025 (General requirements for the competence of testing and calibration laboratories). The service offers include : the provision of dosimeters on site, analysis of dosimeters, the return of results, advice and technical assistance. The technical platform of the service allows for monitoring of external exposure in mixed radiation fields of gamma-rays, neutrons and/or beta particles using passive dosimeters. The "whole body" surveillance is achieved using radio-photoluminescence dosimeters (RPL). This allows for measurement of the personal dose equivalents down to Hp (10) and Hp (0.07), respectively, for the estimations of the effective dose and the equivalent skin dose. Assessment of risk of neutron exposure is taken into account by associating a solid-state nuclear track detector to the RPL dosimeter. For the extremity dosimetry, additional RPL dosimeters are used for the wrists and Thermoluminescence Dosimeters (TLD) for the fingers. The performance of dosimeters are regularly evaluated through inter comparisons organized by the National Institute of Radiation Protection and Nuclear Safety (IRSN).

Concerning safety against radiation, the service mission is to watch over and contribute to the respect of the ALARA principle. Application of the general principle of human protection is the main purpose of the Radiation Protection Group RPG, which means to maintain the individual and collective radiation exposures as low as reasonably possible.

Involving the laboratory direction liability and in collaboration with the Health & Security comity, the group is charged to watch for the respect of protection rules concerning workers, public and environment against ionizing radiations risks. Its various tasks are: follow-up of the exposure levels of the different lab rooms, non-contamination controls (checking of absence of undesirable radioactive substances), post analysis of exposed workers, as support for the preventive medical group, solid and liquid sample analysis by gamma spectrometry, information and training about radioprotection of the exposed staff, radiation shielding calculations and simulations. Jointly with the Security, Quality & Environment group, the RPG warrants traceability of production, movement, transfer and loan of radiation sources. The RPG is homologated by the government to proceed to external controls about radiation exposures of any staff according to the public health and work laws. Universities, INRA, CNRS and GDF, among others, benefit of the group abilities.

#### 4.1.7.3 ENSEIGNEMENT SUPERIEUR / HIGHER EDUCATION

IPNO is highly involved in teaching through its professors and assistant professors but also through its CNRS researchers who intensively participate in training classes in universities. IPNO is hosted part of the two Ecoles Doctorales MIPEGE (Modelisation, Instrumentation in Physics, Energy, Geosciences et Environment) and PNC (Particle Nuclei and Cosmology) and share the responsibility of the following masters : Physics and Environment, Radiation and Energy, Nuclei, Particles, Astroparticles and Cosmology, Radiochemistry. The international master " Nuclear Energy " was created by B. Berthier physicist at IPNO. IPNO is also always hosted students from high schools located around our university.



#### 4.1.7.4 ORGANISATION / ORGANISATION

IPNO has 3 formal internal instances: the laboratory council (LC), the Scientific Council (SC) and the Health and Safety Committee. LC main task is to approve the annual budget and to give a formal advice for the nomination of the lab director. The laboratory is divided in four departments: the department of research, the department of instrumentation, the department of R&D on Accelerators and the administrative department. Their directors meet weekly to discuss all matters of the laboratory day-to-day life. IPNO is reviewed every 4 years by a high level international visiting committee, under the aegis of AERES. IPNO is one of the leading laboratories of the closely knitted IN2P3 laboratories network and therefore works in close contact with IN2P3 direction and is also involved in many instances of the Paris-Sud 11 University.

IPNO consolidated annual budget is of the order of 26M€ , on average over the last 5 years, including 20M€ of manpower. 1.6M€ come from various contracts (“ressources propres”) with various entities (European Union, National Research Agency, Ile de France region, Essonne regional Council).

#### 4.1.8 PARTENAIRE 8/ PARTNER 8 : IRFU

##### **Institute of Research into the Fundamental laws of the Universe**

IRFU is an institute of the Commissariat à l’Energie Atomique operating researches in the fields of astrophysics, nuclear physics and particle physics and driving the construction of instruments for large research infrastructures and Space scientific missions.

##### 4.1.8.1 RECHERCHE ET INNOVATION / RESEARCH AND INNOVATION

The scientific program of IRFU is focused on four fundamentals questions:

- What are the ultimate constituents of matter? To test the standard model and its extension, 60 physicists of IRFU are involved in D0 experiment at Fermi lab and in CMS and ATLAS experiments at CERN. The neutrino physics program consists of participation in the T2K and DOUBLE CHOOZ experiments to measure the parameters of the mixing matrix. IRFU is also playing an important role in experiments devoted to the study of the hadrons structure contributing in both COMPASS and CLAS experiments at CERN and Jefferson Lab.
- What is the energy content of universe? To address this question, IRFU is developing a wide research program which extends from direct dark matter detection to the measure of universe geometry with various probes as CMB, Supernovae, BAO or Weak Lensing. IRFU is collaborating with several laboratories including CSNSM in the EDELWEISS experiment and plays a leading role in the preparation of the EUCLID mission in collaboration with IAS.
- How is the universe structured? The study of the universe structure from big bang to planets is one of the major research themes of IRFU. Violent phenomena in the universe are explored with space missions as FERMI or ground observatories as HESS. IRFU has a leading role in the preparation of the French-China SVOM mission devoted to the detection of Gamma Ray Bursts and has joined the CTA collaboration to prepare the next High Energy Gamma ground observatory. New messengers are also explored with the ANTARES undersea high energy neutrinos observatory. The study of the

formation of Stars and Galaxies is the main part of the program with an important role in HERSCHEL and in the construction of the Mid IR Instrument for the JWST.

- How is nuclear matter organized? The IRFU nuclear physics teams have proposed and led several tens of experiments over the last few years in all the major nuclear physics facilities to study the structure of exotic and super deformed nuclei. IRFU plays an important role in the preparation of the Spiral 2 physics program with a leading role in S3 experiment and a large contribution to AGATA. IRFU is also involved in the study of nuclear matter phase transition with participation in PHENIX and a large contribution to the ALICE experiment at CERN.

To perform its scientific program, IRFU has developed large technological skills in accelerator technology, superconducting magnets, detectors, electronics, Space technology, simulation and data processing. Without being exhaustive, some of the strong technological axes of IRFU are listed below:

- In the field of accelerator technology, IRFU has a research program addressing both intensity and energy frontiers. The institute is developing a research program in high intensity sources with very large responsibilities in SPIRAL 2 injector and IFMIF-EVEDA prototype accelerator. The institute has recently acquired a world class integration platform which allows the fabrication of large cryomodels and which will be used for SPIRAL 2, XFEL and ESS projects. IRFU is also involved in world wide collaborations with other institutions as CERN, DESY, FERMILAB and KEK to develop high field gradient superconducting cavities. Together with LAL, the institute is a member of CLIC and ILC collaborations.
- IRFU is one of the world leading laboratories in the field of superconducting magnets. The institute had very large responsibilities in the construction of LHC magnets for the accelerator (quadrupoles) and for the detectors (Atlas toroide and CMS solenoid) as well. Today, the institute is responsible of the GLAD spectrometer for the R3B collaboration at GSI and has in charge the construction of a large MRI 11.7T solenoid in the frame of the ISEULT project. The institute has also developed large technological platforms for testing superconducting magnets which has been used for the qualification of the Wendelstein W7X stellarator and which are planed to qualify the JT60SA Tokamak magnets in the framework of the broader approach for ITER.
- In the field of space technologies, IRFU has the ability to lead integrations of space instruments and has delivered the flight model of the PACS photometer for HERSCHEL and very recently the Mid IR Imager for the JWST.
- Detectors technology is one of the strong technical axes of IRFU. The concept of Micromegas, one of the most promising micropattern gaseous detectors, has been developed within the institute. Irfu is playing a leading role in this field, participating in AIDA FP7 program and in RD51 collaboration at CERN. A second important axis is the development of spectro-imaging devices for spatial applications. In collaboration with industry, Irfu has developed very innovative concepts for CdTe imagers and leads a R&D program on bolometers in the sub-mm range. All these development take benefit from a strong electronics group which is involved in several active R&D programs as cryogenic electronics supported by an EU FP7 contract and which is based on an outstanding expertise in analog microelectronics.

- In the field of data processing, thanks to the ERC Senior Grant awarded to J.L. Starck, IRFU has created a new lab devoted to the research of new concepts in image and information processing as compressed sensing. IRFU has also a strong involvement in Simulation for Astrophysics which is also supported by 4 ERC starting grants.

IRFU takes benefits from its insertion in Commissariat à l'Energie Atomique which is one of the most important technological research institutions in the world. As an example, a very close collaboration with LETI in Grenoble has led to the development of high tech bolometers which have been used in the frame of the INTEGRAL and HERSCHEL missions. On the other hand, the other divisions of the CEA also benefit of IRFU technologies and several research programs are involving collaborations with the fusion community and the life science division of CEA. IRFU is also linked with local CNRS laboratories in coordination structures as SUPRATECH, with LAL and IPNO, in the field of accelerators and MOTESPACE, with IAS, in the field of Space technologies. IRFU with LAL, IPNO and LLR is also contributing to the GRIF project which aims to build a large grid resource in Paris region. 2PIO "labex" and the related "Equipex" like COGIS, PH2ELICE, CRYOMATRIX, CRYOCUBE and XUV will allow transforming these coordination structures into jointly operated World Class Platforms.

IRFU has been evaluated in 2007 by an international visiting committee and will be evaluated by AERES in 2012-2013 during "vague D".

IRFU is contributing to 14% of CEA publications with a total amount of 550 publications per year. Over the period 2005 to 2009, IRFU researchers have published 14 articles in Nature, 22 in Science and 301 Physical Review Letters [See list of publications].

A large numbers of IRFU's researchers have had in a recent past large responsibilities and prizes. The list of prizes is given below:

Joël Feltesse, Helmholtz-Humboldt Forschungspreis, 2005

Jean Zinn Justin, Prix Pécot du Collège de France, 1974; Prix Langevin de la Société Française de Physique, 1977; Prix Ampère de l'Académie des Sciences, 1980; Loeb lecturer, Université de Harvard, 1989; Prix Gentler-Kastler des sociétés française et allemande de physique, 1996; Harris visiting scholar du MIT, 1998; Schrödinger Professor Université de Vienne, 2001; Prix Humboldt-Gay-Lussac, 2003.

Daniel Denegri, John Hopkins University Society of Scholars, 2006.

Jacques Paul, Prix Cospar Massey, Royal Society, 2002.

David Elbaz, Prix Henri Chrétien, American Astronomical Society, 2000.

Michel Spiro, Prix Joliot Curie, 1983; Prix Thibaud, 1985; Prix Felix Robin, 1999.

Roy Aleksan, Prix Joliot Curie, 1997.

Christian Cavata, Prix Joliot Curie, 2000.

Gauthier Hamel de Montchenault, Prix Joliot Curie, 2005.

Eric Delagnes, Prix Yves Rocard, 2005.

Robin Ferdinand, Prix Jean-Louis Laclare, 2003.

Philippe Chomaz, Prix Jean Perrin, 2003.

Roland Lehouq, Prix Jean Perrin, 2004.

Ioannis Giomataris, Prix Jaffé, Académie des sciences, 2002

Marc Lachièze-Rey, Prix Moron de l'académie française, 2004.

Vanina Ruhlman Kleider, Médaille d'argent du CNRS, 2003.  
Marc Virchaux, Médaille d'Argent CNRS, 1999.  
Gabriel Chardin, Médaille d'Argent CNRS, 2007.  
Monique Arnaud, Médaille d'Argent CNRS, 2010.  
Thierry Lasserre, Médaille de Bronze CNRS, 2010.  
Emmanuelle Perez, Médaille de Bronze CNRS, 2002.

Over the three past years, IRFU researchers have obtained important successes in ERC grant programs. Five starting grants and one Senior Grant have been awarded and are listed below:

Jean Luc Starck, ERC Senior Grant, 2007  
Alan Sacha Brun, ERC Starting Grant, 2007.  
Emmanuel Daddi, ERC Starting Grant, 2007.  
Frédéric Bournaud, ERC Starting Grant, 2010  
Sébastien Fromang, ERC Starting Grant, 2010.  
Alexandre Obertelli, ERC Starting Grant, 2010

Since 2005, 28 ANR and 51 contracts with the EU commission have been signed by IRFU for a total amount of 26M€.

#### 4.1.8.2 VALORISATION / EXPLOITATION OF RESULTS

Owing to the fact that IRFU is part of CEA, the institute has a long and strong tradition of cooperation with industry either by direct subcontracting or by common R&D programs. In a recent past, partnerships have been established with large French or European companies (Siemens, Sagem, Thalès, Air Liquide, Alstom...) and with several SMEs (Pantechnik, CAEN...). The institute has an active technology transfer policy including patenting and licensing. Over the past four years, 4 patent applications have been filed per year for a total portfolio of 32 international active patents.

#### 4.1.8.3 ENSEIGNEMENT SUPERIEUR / HIGHER EDUCATION

The increase of doctoral and post doctoral positions is a priority of the institute which hosts 76 PHD students and 75 postdocs in 2010. More than 75 researchers and engineers are teaching in "M" and "D" level courses relevant for nuclear physics, particle physics, astrophysics and related technologies.

#### 4.1.8.4 ORGANISATION / ORGANISATION

IRFU is located at Saclay and gathers 620 permanent staff people consisting of 168 researchers, 243 engineers and 210 technicians. The institute is organized along 3 physics division (nuclear physics, astrophysics, particle physics) and 3 technical divisions (detectors, electronics and computing, magnets and accelerators, engineering). 2 small additional services are dedicated to the specific activities of IFMIF-EVEDA and to the conception and the decommissioning of nuclear installations.

IRFU director is nominated by the Director of the Physical Science Division of CEA. He is assisted by two deputy directors.

Transverse to this organization, a strong project management allows to focus the technological capabilities of the Institute on common objectives defined at the institute level.

IRFU consolidated annual budget is of the order of 80M€, on average over the last 3 years, including 48M€ of manpower. 17M€ come from contracts (“ressources propres”) with several entities (CNES, European Union, National Research Agency, Ile de France region, Essonne Council, ISEULT Project). 7 M€ are devoted to the Broader Approach program (IFMIF EVEDA and JT60SA projects).

#### 4.1.9 PARTENAIRE 9/ PARTNER 9 : IRSD

##### **Ingénierie Radioprotection, Sûreté et Démantèlement**

#### 4.1.9.1 RECHERCHE ET INNOVATION / RESEARCH AND INNOVATION

During the exploitation of the LURE facilities from the commissioning in the middle 50’s to the dismantling in 2010, we acquired professionals skills in the radioprotection and safety fields. In order to avoid the loss of these competences, the CNRS created a unit (IRSD – Ingénierie Radioprotection, Sûreté et Démantèlement) which regroup the former agent of the LURE who were in charge of safety and radioprotection.

The IRSD, put in the service of the CNRS, will meet the needs of facilities, projects and laboratory in the following fields:

- Studies and assessment in safety and radioprotection
- Preparation and follow-up of operation file for regulatory requirement (Autorité de Sûreté Nucléaire, Agence Nationale des Déchets Radioactifs...)
- Shielding of accelerators, targets and irradiation facilities. We use Monte Carlo code for the modeling and design of accelerator shielding system including electron, proton and ion accelerators, spallation sources and several different type of facilities such as synchrotron radiation, free electron lasers, very hi-intensity laser...

The IRSD will also be in charge of the safety and radioprotection of CLIO (free electron laser) and PHIL (electron accelerator) located in nuclear area of the LURE.

#### 4.1.10 PARTENAIRE 10/ PARTNER 10 : LLR

The « Laboratoire Leprince-Ringuet » (LLR) is a joint research unit of CNRS/IN2P3 and Ecole polytechnique. It is the largest laboratory of the Ecole polytechnique research center, located in Palaiseau. The laboratory is devoted to particle and astroparticle physics, and is ranked A+ by AERES

Prize Winners		Responsibilities	
L. Kluberg	CNRS Silver Medal 1989	Y. Sirois	CMS-France Coordinat
B.Degrange	CNRS Silver Medal 1997	H. Videau	ILC-France Coordinat ILE Steering committe
M.Gonin	CNRS Silver Medal 2000	G. Fontaine	IN2P3 Deputy Direct 1992-1999 HESS International Bo

			Chair
O.Drapier	Thibaud Prize 2000	J.C. Brient	CALICE Spokesperson 2002-2008
M. Hagenauer	Prix Valorisation IN2P3 2007		
L.M.Chounet, B.Degrange, M.Hagenauer, L.Kluberg	EPS HEP Prize 2009 (Gargamelle)		

#### 4.1.10.1 RECHERCHE ET INNOVATION / RESEARCH AND INNOVATION

The largest research group of the laboratory is working on CMS at CERN LHC, for which the LLR has developed and installed the ECAL front-end and « trigger concentrator » cards for both the barrel and the end caps. The carbon fiber structure of the ECAL has also been designed and built at LLR. The CMS team mainly studies electron reconstruction and particle flow analysis in proton-proton collisions. It also plays a leading role in the study of heavy ion collisions, continuing the researches performed precedently in the laboratory within the PHENIX experiment at RHIC. Among the responsibilities taken by group members, Y. Sirois is the manager of CMS-France, P. Paganini has been coordinator for the ECAL trigger (and A. Zabi took over in 2010), and R. Granier de Cassagnac is co-convenor for heavy ion physics, and recently received an ERC « starting grant » for this activity. B. Wyslouch (Professor at M.I.T., presently visitor at LLR for one year) is responsible for CMS operation with heavy ion beams.

The T2K (Tokai to Kamiokande) group works on neutrino oscillations. For this experiment, the laboratory has designed the « INGRID » detector and built its mechanical structures. This 14x10 ton detector aims at measuring the position and angle of the muon neutrino beam produced at JPARC, before the neutrinos can oscillate and be measured as electron neutrinos in the Super-Kamiokande detector, located 295 km downstream.

The ILC/ILD team works on future developments for the International Linear Collider. Among the different topics involved, research and development are performed for a new calorimeter concept, based on fine granularity detectors interleaved with heavy converter. A prototype of Si-W calorimeter has been designed and built, within a collaboration (CALICE) initiated by LLR. The team also studies the integration and cost estimate of ILD, future detector for the ILC. These developments have received financial support from the FP6 EUDET and from ANR. LLR is now taking part in the FP7 AIDA program. The software group of LLR has developed a tool for simulation, used for detector concept as well as prototype in test beam. It is now used worldwide in the LC community.

Gamma-ray astronomy is another important field of research at LLR, with groups participating in HESS, CTA and FERMI experiments. HESS consists of 5 Cherenov telescopes located in Namibia, in which LLR has been responsible for the design and construction of the mechanical structures of the multi-PMT (1024 to 2048) cameras. The next step in this field is the preparation of the large international CTA (Cherenkov Telescope Array) collaboration. Two LLR researchers (M. De Naurois and B. Khelifi) are convenors for work packages in this project. The team is also involved in the FERMI space telescope experiment, the calorimeter

mechanical structure of which has been designed and built at LLR. This satellite has collected more than 1400 gamma-ray sources in one year data taking, and the second year catalog is in preparation.

LLR also studies a novel technique for particle acceleration, based on laser induced plasma waves. A spectrometer has been developed and built for this experiment, performed in collaboration with other laboratories at Ecole polytechnique. Very encouraging results have been obtained, showing electron acceleration around 200 MeV with a very small energy dispersion. This research has been financially supported by the EUROLEAP project.

All the programs described above have benefitted from the expertise developed by LLR in mechanics for carbon fiber composite structures and quality standards needed for satellite experiments, and in electronics for large bandwidth signal processing and data transmission. In addition to these, the computing group successfully operates GRIF\_LLRL, a node of the « GRIF » (« Grille de Recherche d'Ile de France ») computing grid. This facility serves as a « T2 » for CMS and comprises about 100 (16-core) worker nodes and 600 Tb of disk storage.

#### 4.1.10.2 VALORISATION / EXPLOITATION OF RESULTS

LLR has recently developed a new concept for beam counters dedicated to hadrontherapy. These beam profilers, designed, built and tested in the laboratory, now equip the «Centro Nazionale di Adroterapia Oncologica» located in Pavia (Italy). The team involved in this development received the «Prix de la valorisation IN2P3» in 2007.

#### 4.1.10.3 ENSEIGNEMENT SUPERIEUR / HIGHER EDUCATION

Members of LLR are involved in higher education at many levels, in particular at Ecole polytechnique : G. Fontaine is the director of the selection and admission process, M. Gonin is professor, and many researchers have part-time teaching positions either at Ecole polytechnique (V. Boudry, M. De Naurois, B. Giebbels, A. Specka), at «Ecole Centrale Paris» (R. Granier de Cassagnac) or at «Ecole des Mines de Paris» (P. Miné, O. Drapier).

#### 4.1.11 PARTENAIRE 11/ PARTNER 11 : LPT

##### **Laboratoire de Physique Théorique (UMR8627)**

#### 4.1.11.1 RECHERCHE ET INNOVATION / RESEARCH AND INNOVATION

The Orsay Laboratory of Theoretical Physics (LPT) is a joint unit of CNRS and Université Paris-Sud. It provides a multidisciplinary framework for research in Particle Physics, Cosmology, Mathematical Physics and Statistical Physics. The largest part of its activity is at the heart of the P2IO themes « Dark components of the Universe » and « Symmetries in the subatomic world », deeply intertwined with the experimental progress, and will benefit from a closer exchange between experimental and theoretical laboratories involved in this LABEX project.

Particle physicists at LPT develop two main lines of research closely connected with existing and future collider facilities and non-collider experiments. First, they are oriented towards an accurate description of the strong and electroweak sector of the Standard Model, as an object of study in itself as well as a background for New Physics. Second, they build models and explore different possibilities beyond Standard Model (supersymmetry, supergravity, extra-dimensions ... ) including their impact in cosmology and astroparticles (dark matter, neutrinos, matter-antimatter asymmetry of the Universe, cosmic background, ...). The competences of the group will be crucial for the interpretation of forthcoming results of experiments at colliders (LHC, Tevatron), astroparticle (FERMI, XENON) and neutrino (Double-Chooz, SuperNEMO). The research activities of the members of the cosmology group also combine theoretical and observational aspects. On the theoretical side they study cosmology in theories with extra dimensions, non-Gaussianities and quantum effects in inflation theories, and black holes. On the observational side they are involved in the Planck space mission and in a proposal for a follow-up mission. The Mathematical Physics group investigates more formal aspects of fundamental interactions linked with the structure and symmetries of space-time (group field theory, quantization of gravity, non-commutative geometry).

The laboratory hosts 36 researchers, 15 PhD students, 1 engineer, 6 administrative staff members and a number of visitors. It has been ranked at the highest level (A+) by the evaluation agency (AERES) and the quality of its projects has also been recognized by the french national funding agency for research (ANR) : 9 grants were attributed in the period 2005-2008, 6 more then. Moreover two International "Blaise Pascal" Chairs have been granted to the lab (Gabriele Veneziano, Mikhail Shifman). In recent past members of LPT have received important prizes:

- DJOUADI Abdelhak, Medaille d'argent CNRS, 2007; Humboldt Prize (2007).
- HILHORST Henk, Grand Prix Aniuta Winter-Klein de l'Academie des Sciences, 2006

In the period 2004-2008 the laboratory has produced 371 publications in peer-reviewed journals. For the P2IO themes, more recent publications in peer-reviewed journal are given in appendix. Software tools have also been developed and made available to the Particle Physics community in the domains of strong interaction, higgs physics and supersymmetric models.

#### 4.1.11.2 VALORISATION / EXPLOITATION OF RESULTS

Since LPT is a laboratory mainly dedicated to theoretical aspects of particle physics and cosmology, its research have only limited interactions with industry. However, some of the research led in the laboratory require massively parallel data processing. This situation led LPT to become an active partner in the ANR PetaQCD project. It gathers two industrial partners (CAPS-Entreprise, Kerlabs) as well as seven laboratories, among which LAL and Irfu.

#### 4.1.11.3 ENSEIGNEMENT SUPERIEUR / HIGHER EDUCATION

Members of the laboratory, professors and CNRS staff, are involved in Higher Education at all levels in the curriculum. In particular they participate to the master2 "Noyaux, Particules, Astroparticules et Cosmologie" and "Concepts Fondamentaux de la Physique" and to the doctoral schools ED107 and ED517.

In the period 2004-2010 28 PhD and 7 habilitations thesis have been defended. Currently 15 post-graduate students are preparing their PhD in the laboratory.



#### 4.1.11.4 ORGANISATION / ORGANISATION

The organisation of the LPT is a standard one for a CNRS-University UMR with a director, a deputy director, a laboratory council and a scientific council. According to the AERES procedures, it is reviewed every 4 years by an international visiting committee.

#### 4.1.12 PARTENAIRE 12/ PARTNER 12 : SERMA

##### Reactors Studies and Applied Mathematics Section

#### 4.1.12.1 RECHERCHE ET INNOVATION / RESEARCH AND INNOVATION

**Research & Innovation areas:** *The Reactors Studies and Applied Mathematics Section (SERMA)* is in charge of particle transport and depletion/generation method, modelling and code development devoted to nuclear reactor and fuel cycle facilities. In addition, the SERMA activity in advanced studies and **benchmarking calculation/analysis** is crucial. SERMA R&D is characterized by both deterministic and stochastic approaches which led to produce several codes as Apollo2 and Apollo3 deterministic transport codes and Tripoli-4, a general purpose Monte Carlo transport code (neutrons, photons, electrons). These codes are validated for applications in the fields of core physics, radiation shielding, dismantling and criticality/safety. A part of the future research works is focused on the couplings between the Monte Carlo 3D particle transport and a deterministic solver as the generalized Bateman equations to deal with the nuclide depletion/generation in nuclear devices. Several scientific and technical challenges can be pointed out related to the large dimensions of the facilities of interest (PWR, BWR, ITER, ...) which address several topics namely: variance reduction techniques, parallelization of applications, uncertainty propagation calculation, ...).

**International collaborations:** *Europe* (member of several expert working groups of the OCDE/Nuclear Energy Agency, European Commission NURISP Project, ITER Project, ...), *Japan* (JAEA, Tsukuba University, Tokyo University, Tokyo technological institute, USA (LANL, ORNL, Penn State University, ...).

**Publications in international journals:** Due to the relatively limited neutronics community and to the industrial partnership our number of open publications can be appeared low comparing to other disciplines. About 50 papers are listed in appendix 2, being published in about ten level international reviews since 2002 up to now. Several searchers of SERMA are international journal reviewers and Richard Sanchez is an advisory editor of *Annals of Nuclear Energy*. Searchers of SERMA participate to international conferences steadily and some of them as main co-organizers too.

**Recent Awards:** 2009 *American Nuclear Society Pomraning Memorial Award (Richard Sanchez)*, *Grand Prix SFEN 2009 (Stéphane Bourganel et al.)*

**Technology transfer:** This transfer to our industrial partners (AREVA, EDF, ANDRA, IRSN) has taken place for many years in areas such as expert analysis and support, calculation scheme recommendations, computer code transfer (Apollo2, Tripoli-4, ...), validation and training. Fruitful collaborations/exchanges with academic and research institutions must be highlighted too: INRIA, CNRS, PACS / IPN: Paris Sud 11 University, Paris 6 University, Lille University, Versailles Saint Quentin University.

#### 4.1.12.2 ENSEIGNEMENT SUPERIEUR / HIGHER EDUCATION

**Higher education programs and courses:** SERMA participates strongly to program content definition, teachings/trainings in High Engineering Schools (ENSTA, ECP, X, ...), Universities (Paris Sud 11, Paris 6), INSTN and also in an international frame : *International Master of Sciences Nuclear Energy, International School in Nuclear Engineering, Neutronics for Light Water Reactors, INRIA/EDF/CEA Summer School* (SERMA co-organizer in 2009). In other respects, students are welcomed in SERMA for their internships or PhD thesis preparation. Postdoctoral subjects are also proposed.

#### 4.1.12.3 ORGANISATION / ORGANISATION

The SERMA is a multidisciplinary section of about 80 searchers. The SERMA belongs to the *Structure and System Modelling Department* (DM2S) offering a multidisciplinary environment. The head structure is the *Nuclear Energy Division* (DEN) of CEA. SERMA is located in the CEA/Saclay Center. Both industrial and scientific oriented programs are carried out according to the *DEN Program Managements*.

### APPENDIX 1: PERSONS INVOLVED in SERMA

International level experts working in laboratory:

First Name	Last Name	Employer	Rank	Activities
Richard	Sanchez	CEA	Research Director	Transport theory, Transport in stochastic media, Nuclear reactor physics
Cheikh	Diop	CEA	Research Director	Radiation shielding, Monte Carlo method , Nuclear reactor physics
Fausto	Malvagi	CEA	Senior Expert	Particle transport with Monte-Carlo method, Nuclear reactor physics
Eric	Dumonteil	CEA	Searcher	Monte-Carlo method, Uncertainty propagation, Parallel applications
Alain	Mazzolo	CEA	Searcher	Transport theory, Transport in stochastic media
Mireille	Coste-Delclaux	CEA	Senior Expert	Nuclear data processing,, Self-shielding modelling
Christophe	Calvin	CEA	Senior Expert	High performance computing, Reactor physics

#### 4.2. COLLABORATIONS EXISTANTES / EXISTING COLLABORATIONS

Nuclear physics, particle physics, astroparticles and cosmology, astrophysics and exobiology need very large scale infrastructures, from accelerator based labs to satellites, which require a high level of international collaborations. Collaborations are therefore organized at different levels from individual actions to global coordinations:

- International, European and National coordinations
- European organization and large scale infrastructures

- International collaborations
- International and National networking

High level of international coordination and integration

---

At the international level the coordination of the P2IO fields is/was done under the auspices of OECD or ad-hoc committees. This is for example recently the case for astroparticle for which an OCDE working group recently concluded on the need for global coordination. The European coordination is performed through European organizations such as ESA for space observatories, ESO for ground observatories and CERN for particle physics or through specific committees (eg APEC for astroparticle or NuPECC for nuclear physics) now reinforced by the ERANET FP7 initiative (eg ASTRONET for astrophysics, ASPERA for astroparticle and NUPNET for nuclear physics). At the national level a coordination committee (CCT PNHE) is in charge of the nuclear and particle physics while for space activities the CNES is animating an inter-organism committee (CIO CNES). Those committees discuss international and national collaborations and future projects and associated roadmaps. Irfu is directly represented in all these committees while the other P2IO labs are represented either by IN2P3 or INSU. Acting coherently is an opportunity for P2IO to influence the orientations of its fields of interest at the highest international level.

Critical role of international organizations and large scale infrastructures

---

The experimental progresses on P2IO fundamental questions require large scale infrastructures. P2IO partners are directly collaborating both scientifically, defining and developing the physics cases, and technically, designing and procuring high-tech pieces of equipment, with the main actors at the world level.

For particle physics, with the recent start of the LHC, the center of gravity has now shifted to Europe around the complex of CERN accelerator at the expense of FERMILAB and SLAC Chicago. For neutrino physics, Japan is taking the pole position, with the Tokai complex (JAEA and KEK). Whereas the United States, in particular NASA, remains the major player in space experiments, European structuring around ESA provides an important counterweight and new players like Japan and China have emerged more recently. As far as ground astrophysics is concerned, ESO is a strong actor with the Chile observatories and the future ELT (Extremely Large Telescope). Nuclear physics provides a balance between the three major geographic regions with SPIRAL2 GANIL and GSI-FAIR in Europe, Jefferson Lab and Michigan State University in the United States and Riken in Japan. China invests heavily in particle physics and astroparticle with IHEP in Beijing and nuclear physics with the IMP in Lanzhou. Finally within the ESFRI framework new large infrastructures are under discussion/construction.

P2IO partners are directly collaborating with all these organizations and infrastructures. For example IPNO, Irfu and LAL are working for the CERN accelerator complex, for SPIRAL2, for FAIR, ESS and XFEL. It should be noticed that LAL and Irfu are 2 out of 7 members of the committee of large laboratories working with CERN. For example, ATLAS and CMS superconducting magnets, which are the largest and the more powerful magnets ever built, have been designed by Irfu for CERN. Irfu and IAS are working for ESO, ESA and NASA and are collaborating with Japan and China. As part of CEA's participation in the Broader

Approach around ITER, IRFU is constructing and coordinating parts of IFMIF / EVEDA and JT-60SA. Different P2IO Labs are participating in large projects and European preparatory phases such as Auger, Virgo, CTA, KM3... Two French infrastructures should be stressed here: the reactor neutrino laboratory Double Chooz and the underground Modane Laboratory. Irfu is directly involved in the Financing boards or steering committees of those large scales infrastructures while the other P2IO labs are represented through IN2P3 or INSU. The creation of P2IO will be a great opportunity to act as a single partner of all those international organizations, increasing the visibility, the role and the influence of P2IO and France.

#### Large international collaborations and strong involvement into FP7 program

Large scale infrastructures and space program need large international collaborations to define the physics case, specify the performances, contribute to the design and construction and finally to scientifically exploit the experiment. P2IO teams are major actors of key experiments in P2IO disciplines. Irfu, LAL, LLR and IPNO have strongly contributed to the 3 large LHC experiments: ATLAS, CMS and ALICE. P2IO partners are constructing part of the detectors needed for FAIR, SPIRAL2, JLab, ... Irfu and IAS members are PI (principal investigators) on major ESA missions of interest for P2IO objectives : Mars Express (conditions for the apparition of life), PLANCK (cosmological microwave background), Herschel (sub-mm astrophysics), ROSETTA (in-situ studies of a cometary nucleus), JWST (next generation space telescope), ExoMars (exobiology), EUCLID (dark energy).

P2IO partners are also strongly involved in the FP7 programs of all kind. A large number of them are coordinated by members of one of the labs forming P2IO. Because of their involvement in large scale infrastructure, P2IO members are involved in Design Studies (DS) and the preparatory phase (PP) of ESFRI infrastructure (EURISOL, KM3NeT, CTA-PP, TIARA, SPIRAL2, ...). Researchers of various partners are also heavily involved in the Integrated Initiatives (I3) (AIDA, EURON, HP, HP2, ENSAR, ...). IPhT, Irfu, IAS and LLR have been very successful in the recent excellence program of the European Research Council, with 5, 6, 1 and 1 ERC grants received in 2 years.

The creation of the P2IO Labex will be a way to increase the impact of the partners through new synergies and better use of the coordination potential. Being member of a common structure will give access to a broad ensemble of collaborations and results to P2IO scientist, strongly increasing the scientific return of large experimental investment and allowing innovative combinations of results.

#### International and national networking at various scales

Exchanges of researchers are primarily motivated by the quest for scientific excellence, even if other concerns such as preparing for the future, are also important. By the reception of foreign researchers at post doctoral or senior level, the P2IO partners are committed to strengthening their scientific impact and to establish international links especially with emerging countries. The P2IO partners have actively participated in the

creation of several international laboratories with Asia (Japan, China, India, Vietnam) or Eastern Europe (Poland, Russia). Acting as a group of laboratories will strengthen the position of P2IO in the international networks and the critical mass effect may allow initiating new international networks.

At the national level, the P2IO labs are also strongly involved in collaborations with funding agencies such as ANR or CNES. They are also participating in many networks and collaborations such as the P2I, Supratech and Motespace and national program such as the national program of cosmology. In the future we can imagine creating networks between various Labex focused on similar scientific issues.

The partner laboratories of P2IO are involved in a huge number of collaborations at the individual or team level. Those are the essence of the research activity in the fields of interest for P2IO. This ensemble of links might be a basis to develop more formal relations at the P2IO level when many collaborations are involving the same partner.

Moreover the strong mixing of theory and experiment within the P2IO project might be a way to create new collaborations between experiment and theory at the international level. These new connections are new assets for the increase of the scientific impact of P2IO over the medium and long term.

#### Interdisciplinary collaboration

---

The different members of P2IO are widely open to other fields and have strong collaborations on interdisciplinary subjects with other labs and institutes. These collaborations range from research with lasers on plasma for astrophysics and new accelerator technologies, to technological development on nuclear magnetic resonance for medicine and condensed matter studies, from the construction of high field magnets for fundamental research to innovative accelerators for material investigations and new light and neutrons sources. These collaborations are often performed on the basis of local initiatives from the various teams or labs forming P2IO. The creation of P2IO will introduce coherence between the various actions leading to an increase of the impact of P2IO on interdisciplinary researches. This is particularly true for the technological researches presented in the P2IO project and for the 2 fields of applications put in first priority: therapy and diagnostic in medicine and nuclear energy with both fusion and fission.

The creation of P2IO will also benefit to other field of interdisciplinary researches, P2IO being a good framework for individual expertise's and ideas to cluster by joining forces into a structured research project. Moreover, the P2IO Labex will be a new partner at the campus level and on the national and international scene able to initiate new prospective studies and discussions with other fields.

In particular, it is foreseen to implement close ties between this LABEX initiative and other proposed LABEX structures such as PALM, with strong emphasis on laser and plasma physics and PIM, at the physics and medicine interface.

P2IO will be a new structure open to new collaborations and new interdisciplinary researches. It will have the critical mass to bring its knowledge and technologies to other fields and to initiate common activities.

## 5. DESCRIPTION SCIENTIFIQUE ET TECHNIQUE DU PROJET / TECHNICAL AND SCIENTIFIC DESCRIPTION OF THE PROJECT

### 5.1. ETAT DE L'ART / STATE OF THE ART

P2IO laboratories cover a large interdisciplinary spectrum with nuclear physics, particle physics, astrophysics and astroparticles studies. They encompass all aspects of these fields: theory, experiment and technology. They are involved in all major experiments for these fields: using accelerators and cosmic rays with observatories on the ground, underground, under the sea or in space. This clustering of sciences and technology is unique in France and has rare equivalents around the world. Joining the research forces from so different point of views will allow addressing the most challenging problems of the infinitely large and the infinitely small Universe, from the Big-Bang to the future of the Cosmos, from the origin of matter to the conditions for the emergence of life. Moreover, all P2IO partners are involved in the development of the applications of their knowledge and know-how. P2IO will be the opportunity to strengthen this opening to other fields and societal issues by acting collectively and gathering expertise from various labs. Among this very rich scientific portfolio, P2IO has selected a small number of themes with most promising potential for discovery thanks to the collaboration between P2IO labs. P2IO international scientific panel will review these choices after an initial period of 3 years regarding the emerging P2IO interdisciplinary themes.

P2IO program is focused on 4 hot scientific issues: (S1) symmetries in the subatomic world, (S2) dark components of the Universe, (S3) strongly coupled nuclear matter, (S4) formation of stellar systems and conditions of emergence of life. To address these issues in future experiments 3 technology-oriented themes have been identified: (T1) innovative accelerator, (T2) advanced sensors, (T3) data mining and simulation. Science and technology mastered and developed by P2IO labs will be applied to two interdisciplinary topics within the SNRI: (I1) nuclear energy for the future, (I2) health: new methods in imagery and therapies.

A set of general references for each of the P2IO Labex thematics is given in section 7.1.

#### 5.1.1 S1 SYMMETRIES IN THE SUBATOMIC WORLD

Symmetries are the most powerful tools to build theories describing the structure and the dynamics of the subatomic world. The major achievement of this approach is the Standard Model which has passed an impressive amount of tests. The only piece still missing is the Higgs particle, although experimental bounds from LEP and Tevatron have restricted the allowed region for its mass to a narrow window. The hunt for the Higgs will be a major task for the LHC. P2IO partner laboratories are forefront players in these activities.

Nevertheless the Standard Model is not satisfactory: it is unable to explain the observed matter/anti-matter asymmetry, it has no dark matter candidates, no description of neutrino masses, no link to gravitation... To go beyond the Standard Model, different theories have been proposed using new symmetry structures (Grand-Unification, supersymmetry, extra-dimensions ...). Although the constraints coming from the high precision tests of the Standard Model are already very stringent, experimental inputs are clearly needed to restrict the speculations and to help the realization of the next breakthrough. Another realm with symmetry at its heart is the study of CP violation. Strong experimental and theoretical efforts have been devoted to this topic. Investigated from high precision tests in kaon physics, to the study of the B mesons (BaBar, Belle), this field, also very active at the Tevatron, will be extended at LHCb.

The searches for supersymmetry and CP violation are also of relevance for the large scale in the Universe. Supersymmetry can provide candidates for the Dark Matter and CP violation is a key ingredient for the matter/anti-matter asymmetry. P2IO laboratories are experts on these topics on both scales.

To reveal New Physics or to analyze CP violations from experiments, a good control of the strong interaction is required. Besides, the strong interaction sector has a very rich dynamics, due to its gauge SU(3) symmetry, and the confinement and as well of high energy cross-section, remain open problems. P2IO laboratories are involved in various aspects of the strong interaction (QCD plasma, diffractive physics ...). Analytical tools, massive numerical simulations or approach based on new (conformal) symmetry are mastered by teams within P2IO, at the highest international level.

In nuclear physics, a key question is: *What are the origins of simple patterns in complex nuclei?* These features reveal dynamical symmetries, of the mean field and of the residual interactions among the particles.

### 5.1.2 S2 DARK COMPONENTS OF THE UNIVERSE

Astroparticle physics and cosmology are rapidly expanding interdisciplinary fields. Amazing discoveries have been obtained recently on the primordial Universe using the cosmological background radiation, on the geometry and expansion of the Universe using supernovae as standard candles and baryonic acoustic oscillation (BAO) correlations and on violent events in our Universe with the development of gamma-ray, neutrino and ultra-high energy cosmic ray astronomies. The dark components of the Universe, Dark Matter and Dark Energy, which represent 95% of the Universe energy density, remain mysteries.

The impressive vitality of this field is related to a new generation of experiments in strong relation with phenomenological and theoretical analysis. This is particularly true of astroparticle physics and cosmology in France, which lies at the forefront of international competition. P2IO labs are major actors of this field.

In Europe, the ASPERA and ASTRONET roadmaps have defined the scientific priorities for Astroparticle physics, with seven top-priority projects. The P2IO laboratories have developed important contributions to these leading projects: the very high energy gamma-ray astronomy with CTA (Cerenkov Telescope Array), the ultra-high energy cosmic-rays with AUGER, the Dark Matter direct detection with EDELWEISS and EURECA (a 1-ton Dark Matter detector), the determination of the electron neutrino mass and properties with a 1-ton double beta decay experiment, the neutrino telescopes ANTARES and the KM3.

The P2IO labs also study Dark Energy. Its nature and properties remain unknown. This question is now central in cosmology, as testified by ambitious space missions in the Cosmic Vision programme of ESA (EUCLID) and in the US decadal survey. Dark energy can be constrained from the distribution and properties of cosmological structures and galaxies at redshifts between 1000 and 10. Pioneering studies of the dark matter distribution have been performed using the gravitational weak lensing effect on elliptical galaxies. These ideas are at the origin of the EUCLID mission, which has been proposed by P2IO members.

P2IO partners have developed the formalism and tools to correlate cosmological structures (as observed in the fluctuations of the cosmic background in the microwave but also in the infrared, to include galaxies) to tracers of baryonic matter like IR, X-Ray and Sunyaev-Zeldovich emission of galaxy clusters. These studies show that these correlations can simultaneously constrain the cosmological parameters and the distribution of dark energy. These methods have been applied by the P2IO partners to the preparation of future EUCLID missions, e.g. to constrain the sensitivity and wavelength coverage of the instruments.

The dark components of the Universe are among the top priorities of international roadmaps. In the following, we focus on this topic, where the contributions of the P2IO partners will have the most visible impact and will represent one of the most significant actions of the P2IO LabEx.

### 5.1.3 S3 STRONGLY COUPLED NUCLEAR MATTER

The strong interaction, which is described mathematically by the theory Quantum Chromo-Dynamics (QCD), is the force which binds protons and neutrons together to form the atomic nucleus and also, at a smaller scale, the force that holds quarks and gluons together to form protons, neutrons and the other particles called "hadrons". Understanding nuclear and hadron structure and all the complex phenomena and dynamics to which QCD gives rise is one of the big challenges of today's research. P2IO aims at conducting experimental programs at the forefront of this research domain covering some of its facets:

**Nuclear structure:** A real challenge is the understanding of nuclei very far from stability. Nowadays, these nuclei constitute the *terra incognita* and efforts are made to achieve the ambitious goal of understanding the limit of stability. With new Radioactive Ion Beam facilities and innovative experimental techniques, nuclear research stands on the verge of a new era, where a wider range of proton-, neutron-rich and super-heavy nuclei will be accessible. These new research challenges have led to growing connections between nuclear physics and other fields, particularly nuclear astrophysics. In fact, many nuclear astrophysics problems are intimately connected to nuclear structures and reactions: i) The origin of chemical elements and the various paths of nucleosynthesis from the Big-Bang to massive stars explosions; ii) The study of dense nuclear matter in neutron stars and proto-neutron stars. These phenomena are also studied in P2IO from the astrophysics point of view allowing new possible synergies with observations and simulations.

**Nuclear Dynamics:** The understanding of excitation properties of nuclei requires the modeling of the dynamics involved in the excitation process. Major advances are being made in nuclear theory in this regard. However, there is presently a real need to build a consistent microscopic theoretical framework unifying the description of bulk properties, nuclear excitations and reactions. Light nuclei and nearly bound resonances play an important role, because their structure and reactions can be modeled using a variety of theoretical approaches, including exact quantum many-body calculations using realistic nucleon-nucleon forces. For heavy nuclei this approach is not yet possible. Other methods which are based on effective forces (nuclear energy-density functional) are becoming increasingly more refined, thanks to theoretical and computational advances. These methods need stringent experimental tests to improve the predictive power of the theory.

**Nucleon structure:** This domain is vigorously studied using medium energy high luminosity electron, muons or antiproton beams in the USA (Jefferson Laboratory) and in Europe (CERN/compass experiment and FAIR/PANDA facility). One aims in particular at extracting Generalized Parton Distributions (GPDs) and Form Factors in nucleons from elementary exclusive reactions. GPDs, whose formalism has emerged only 10 years ago, provide a sort of tomography of the nucleon and describe its quark and gluon structure in an unprecedented way. They also allow to access the contribution of quarks to the orbital momentum of the nucleon which is a fundamental quantity completely unknown today. Form Factors, which are integrals of GPDs, are also essential quantities to be measured: they reflect the spatial distribution of electric charge and magnetism in the nucleon due to the quarks and gluons. Form Factors will be measured with high precision in a largely unexplored kinematical region both at JLab and PANDA in the near future.



**Quark Gluon Pasma:** The study of QGP, a state of matter where quark and gluons are deconfined, will allow us to understand how the elementary components of the matter can form hadrons. It provides also a test of the QCD at very high energy density. This physics is studied at RHIC and LHC at unprecedented high energies with ultra relativistic heavy ion collisions. RHIC experiments have shown that a state called sQGP for strongly interacting QGP was created. The sQGP has the particularity to be the lowest viscosity state of the matter ever seen. Now the LHC has delivered its first collisions with energy ~15 times higher than RHIC. P2IO is involved in ALICE and CMS. These studies have important consequences on our understanding of matter at very high energy densities, which can be encountered in the center of neutron stars or during the first microseconds of our Universe, allowing new synergies with Astrophysics within P2IO.

#### 5.1.4 S4 FORMATION OF THE PLANETARY SYSTEMS AND CONDITIONS FOR THE EMERGENCE OF LIFE

Together with the origin of the universe described above, the origin of the solar system and the emergence of life is an essential quest. The last 10-15 years have brought major breakthroughs:

- a) Increasingly sophisticated investigations of star formation regions in the near and middle IR have provided new insights on molecular clouds and star formation processes. Improved spatial resolution provided by Hubble and ground-based interferometers, and extension of the observed spectral windows towards millimeter range, have made it possible to monitor all stages of star formation from dense globules to proto-stars then young stars. Spectroscopy detection in the IR, sub-mm and radio wavelength ranges resulted in a drastic increase of the diversity and complexity of molecules observed in astrophysical environments. Gas-grain interactions are now considered to play a major role in the chemical evolution of the matter in galaxies. Laboratory simulations and spectrometry experiments have played a major role in identifying new molecular signatures.
- b) The discovery of circumstellar disks then of the first exo-planet in 1995, demonstrated that planetary formation is a common occurrence around stars. 500 exoplanets are presently known. Even taking into account the observational bias in favor of large planets close to their star, it is clear that exoplanetary systems can present characteristics which markedly differ from the solar system ("hot Jupiters", elliptical orbits). Our understanding of the photometric and spectral variability of the central star has proven to be a main limiting factor for decreasing the size of discovered planets and obtaining the first spectroscopic characterizations of transiting planets. In parallel, advances in dynamical modelisations of protostellar disks have demonstrated that planets can end up much closer to their stars than their birthplace.
- c) The first in-situ investigations of comets (Giotto and Vega in 1986, then Deep Space 1 in 2001, Stardust in 2004 and Deep Impact in 2006) confirmed that comets have primitive characteristics such as the presence of a large complement of water and organic material. The analyses of the grains returned to the Earth in 2006 by Stardust cast a new light on mixing processes within protoplanetary nebulae, as few of these grains could be considered as candidate pre-solar grains having survived the early phases of the condensation process. In parallel, studies of micrometeorites collected in Antarctica demonstrated a broad range of composition, with strong evidence for particles with a cometary origin.
- d) European and American missions to Mars have recently demonstrated that liquid water was present on the surface for several hundred million years in the early history of the planet, strengthening the case for the independent emergence of life on another planet than the Earth. The possible discovery of fossil life on Mars is a question of fundamental scientific and philosophical importance, as it would demonstrate that the emergence of life is likely on any planet in the universe with similar favourable conditions.

These discoveries have set the stage for a worldwide pluridisciplinary effort addressing the formation of stars and planetary systems as well as the development of conditions favorable for the emergence of life (liquid water, complex organic molecules). P2IO partner laboratories have played a major role (see references in 7.1). IRFU/SAp and IAS have been strongly involved in the first space IR observatory, ISO (ESA, launched in 1995) then in the exploitation of data from Spitzer (NASA, launched in 2003) and very recently in the preparation and first operations of two major ESA missions at sub-mm wavelengths : Planck and Herschel. Exoplanetary research is very active at IAS, with a strong involvement in the Corot mission (CNES-ESA, detection by transit, launched in 2006) and IRFU/SAp has made it a priority for development in the perspective of JWST, the space telescope replacing Hubble. IAS has played a key role in cometary exploration from Giotto and Vega to Stardust then the Rosetta mission (see 5.2). CSNSM is involved in Stardust and Rosetta, and is a leading laboratory for research on micrometeorites. IAS and IRFU/SAp have strong programs of experiments and numerical simulations to interpret the results of on-going programs and prepare the next steps. IPN have developed powerful relevant analytical techniques. IAS has played a leading role in Mars exploration, with the responsibility of IR imaging spectrometers which have provided breakthrough results on the history of the planet, and IRFU/SAp is also very active in planetary science. P2IO laboratories have developed top level capabilities and they have secured high level science responsibilities on missions constituting the next major steps in this research area. They are therefore ideally placed to undertake the collaborative science program which will be described in section 5.2

#### 5.1.5 T1 INNOVATIVE DEVELOPMENTS IN ACCELERATOR SCIENCE AND RELATED SPINOFFS

The state-of-the art of accelerators for research is based on the superconducting technology. Progress remains to be made in that field as the physical limits have not been reached. To go beyond present limitations, new ideas have to be developed. A promising one is the plasma wake field acceleration. Electric field developed in a plasma can reach values orders of magnitude higher than those possible in cavities. That would reduce dramatically the size and cost of accelerators. Two ways are possible: generation of the plasma by a laser (LWFA, Laser Wake Field Acceleration) or by electron bunch (PWFA, Plasma Wake Field Acceleration). The idea was proposed in 1979. If in the beginning, the produced beams had characteristics too far from a possible use, nowadays several groups have made remarkable progresses. Among these research groups, some are in the Plateau de Saclay vicinity and are at the forefront of the race. Laser proton acceleration has a great potential, in particular in medicine with protontherapy, the Curie Institute Protontherapy facility being on Orsay Campus, synergies are possible. The potential of interdisciplinary innovation is very large and new very promising concepts, such as a energy-tunable source of photons based on the Compton scattering of electrons (ThomX) can be adapted to many use: antique objects analysis; medicine or nuclear physics. However, a vigorous R&D, mobilizing specialists of accelerator and laser, is necessary before these new techniques can be operational. Opportunities are widely open for applications: physics, medicine, material analysis... P2IO can be a focus point for these developments and applications.

#### 5.1.6 T2 ADVANCED SENSORS AND RELATED SPINOFFS

Radiation detectors are essential parts of astrophysics, nuclear and particle physics experiments. In return, these scientific fields are very active in the quest of new sensors with increasing performance in terms of sensitivity and precision. The mastering of the physical basis and of the technology of detectors appears as a key asset in international competition which guarantees a high visibility inside physics collaboration and

allows building instruments with the best scientific performances. The challenge also consists in the integration of innovative sensors in complex environments with severe requirements: mass, thermal dissipation, integration density, radiation hardness or cost. These developments offer large opportunities for other scientific fields like biology or medicine. As an example, the PET scan technique can directly benefit from the discovery of new scintillating materials and of new data acquisition concepts.

P2IO partners have a significant potential in detector technologies dedicated to space instruments, ground observatories or accelerator experiments. More than 120 researchers and engineers are directly involved in innovative instrumental developments with a high international visibility in bolometer techniques, gaseous micro pattern detectors, silicon based calorimeters, X/Gamma ray spectro-imagers or high performance front end electronics. P2IO researchers and engineers are largely involved in ANR and FP7 programs dedicated to instrumental research for future experiments. Many programs are coordinated by P2IO members (CESAR, GET, NECTAR, VITESSE, PMM2...). The P2IO teams have developed several collaborations with high level European technological platforms like IMEC, LETI, MINERVE and intend to take benefit from the creation of DIGITEO and NANOINNOV platforms.

P2IO has a strong potential of synergies between laboratories and cross-fertilizations between the various scientific fields. For example, cryogenics electronics developed for space applications can benefit to dark matter underground experiments and vice versa. 3D or deep submicron microelectronics studied for the next generation particle-physics experiments can find new applications in space detectors. In this spirit, partner laboratories of P2IO have proposed to build new technological platforms as CRYOMATRIX and PH2ELICE in the frame of the EQUIPEX call for proposals. Other EQUIPEX proposed by P2IO as XUV or CRYOCUBE are also directly linked to the sensor field. These projects will reinforce and share the potential of partner labs in the field of cryogenic sensors, silicon based detectors and photodetectors.

### 5.1.7 T3 DATA MINING AND SIMULATION

The experiments in Astrophysics, Nuclear Physics or Particle Physics provide an avalanche of data from which information has to be dug out. These require: 1) a deep understanding of the experiments, acquired from extensive detector simulations, laboratory tests and calibration, 2) sophisticated data analysis tools calling for advanced applied mathematics methods and 3) large computing and storage facilities and associated human resources. The various communities have organized themselves to face these challenges and have developed data centers. For example, particle physicists have developed grid computing for the LHC. This represents an effort of the same order as developing a spectro-imager for a space telescope or a detector for an accelerator. The P2IO partners have been strongly involved in data centers for space missions (SOHO, XMM, INTEGRAL, FERMI, HERSCHEL, PLANCK...), ground-based telescopes (CFHT/MEGACAM, VLT/VISIR, HESS...), nuclear or particle physics experiments (AGATA, ALICE, Babar, D0, ATLAS, CMS...).

High performance computing is now considered as the third pillar of modern science, together with theory and experimentation/observation. This has been fully recognized and important investments are made in France (cf GENCI, "*Grand Equipement National de Calcul Intensif*") and at the European level in (PRACE, Partnership for Advanced Computing in Europe). High performance computing is playing a major role in astrophysics, with growing importance over the last decade. P2IO partners have pioneered the field and organized the French community, cf the Horizon project to simulate the "structuration of the Universe".

### 5.1.8 I1 ENERGY : NUCLEAR ENERGY FOR THE FUTURE

From the beginning and all along its history, nuclear science and technology have stimulated and fertilized research and applications in a variety of other fields. The growing interest of these interdisciplinary researches is boosted by the relevance of the domain and by new possibilities offered by recent developments of nuclear techniques. The coming century may see the end of standard fossil fuels, coal, gas and oil, which represent today 80% of the world energy production. Moreover, their use contributes to the emission of the greenhouse gas CO<sub>2</sub>. In this context, nuclear power appears as an important energy source available today, able to respond significantly to the growing world energy demand. Some scenarios consider a nuclear energy production of around 5 GTOE/y in 2050, which would represent 20% of the total produced energy. But this goal requires the development of innovative systems, minimizing the need of natural resources, the production of waste, and increasing the safety and resistance to proliferation.

Research in nuclear energy concerns the simulation of the neutronics and safety of different innovative systems as well as experimental measurements of nuclear data and reactor physics. Different reactors or fuel cycle are presently explored in terms of breeding capacities, waste production and safety constraints: fast critical reactors (sodium, lead, gas), hybrid systems dedicated to minor actinide transmutation, thorium cycle (water moderated reactors, fast reactors, liquid fuels, and others.), fusion reactors with the development of high field superconducting magnets and the development of new materials resistant to the high neutron flux. New methods of simulation, based on deterministic or stochastic codes must be improved to ameliorate the accuracy of calculations concerning fuel evolution, power distribution, material activation and damages, and sensitivity to nuclear data. Safety aspects require the coupling of three-dimensional neutronics and thermal hydraulics codes, as well as fuel modeling in nominal or accidental conditions. All these issues can benefit from nuclear science and technologies. Several P2IO partners are strongly involved in this activity.

Nuclear data activities are organized 1) in France through the coordination GEDEPEON, 2) in Europe in the JEFF and the FP projects, 3) and worldwide through the OECD-NEA and the UNO-IAEA. The most important cross-sections to be measured or re-evaluated are listed by several expert committees (OECD-NEA). The European Commission has also guaranteed its continuing support to these activities through the recently started FP7 project ANDES. P2IO has teams and experts involved in all these activities, and is in a unique position to bridge the gap between nuclear physics research and technology and nuclear engineering.

### 5.1.9 I2 HEALTH CARE : INSTRUMENTS AND METHODS FOR THERAPY

Throughout of its history, nuclear and particle physics has always deal with interdisciplinary applications towards Biology and Health. These contributions has led to development of instruments, methods and facilities which, besides giving access to a better understanding of biological processes, have a large impact on health-care systems. Despite this success story, the scientific and technical potential of particle and nuclear researches remains widely underexploited. That is the reason this physics community decided to bring at a higher priority level the Health/Life Science (HLS) interface. This strategy is growing up worldwide (US DOE and NIH are jointly working on that topic). The IN2P3-CNRS recently decides to include the HLS interface among its scientific axis by creating and funding IMNC laboratory and hosting an open national network "nuclear tools and methods for the cancer therapy". The IRFU-CEA has also an important activity in the application of nuclear science and technologies to biology and medicine. Using its

expertise on the superconducting magnets and on radio frequency Irfu is involved in different innovative NMR systems including the flagship of the 11.7 Tesla full body ISEULT magnet.

Another axis of involvement concerns fundamental biology for which instruments and methods for small animal in vivo imaging have also been developed by P2IO teams, especially for neurosciences research. The development of an innovative TeP is done at Irfu. Thanks to unique intrinsic sensitivity and promising developments of new high specificity radio-tracers, molecular and functional imaging remains a powerful tool for clinical diagnoses and for therapy monitoring purposes. Current trends in HLS interface with nuclear physics put forward integrated and compact multi-modal imaging systems, innovative and compact accelerators for radiotherapy and development of accurate quantitative methodologies ensuring the best efficiency of these instruments with respect to the patient. In order to address these issues successfully and when compared to others sites worldwide, P2IO combines a unique concentration of high-level skills in physics and technology and efficient structures of interface with HLS leading to a competitive project.

## **5.2. OBJECTIFS DU PROJET PAR RAPPORT À L'ÉTAT DE L'ART ET LIENS AVEC LA SNRI / OBJECTIVES OF THE PROJECT COMPARED TO THE STATE OF THE ART AND IN RELATION TO THE SNRI**

### **5.2.1 Présentation scientifique du projet de recherche/ Scientific programme**

As explained in 5.1, the P2IO project is focused on the most important questions about the Universe at the smallest and the largest scale and about the associated key issue of the origin of the world up to the creation of the condition for the emergence of life. This quest is broken down into 4 hot scientific questions: (S1) symmetries in the subatomic world, (S2) Dark components of the Universe, (S3) Strongly coupled nuclear matter and (S4) Formation of the stellar systems and conditions for the emergence of life. To answer these questions P2IO focuses on 3 key Technological developments (T1) Innovative developments in accelerator science and related spinoffs, (T2) Advanced sensors and related spinoffs and (T3) Data mining and simulation. Two interdisciplinary applications are directly related to P2IO science and technology (I1) Energy : nuclear energy for the future and (I2) Health : new developments of imaging and therapy. Both are priorities of the national research and innovation strategy (SNRI).

These 9 items offer promising and novel research opportunities with the P2IO labex thanks to the complementarities and synergy i) between experimental approaches developed in different laboratories often associated with a high level of leadership, ii) between the different disciplines and in particular between subatomic physics and astrophysics and iii) last but not least between experiment and theory.

The bulk of the P2IO budget will be invested in two calls for proposals to support these very exciting themes. These calls will favor the inter-laboratory collaboration to build on complementarities and synergies. They will focus on the very upstream (preliminary and very exploratory R&D) or very downstream (data exploitation and valorization) segments of the various projects since only the core of the projects is really well covered by P2IO funding agencies. This is why we expect a strong scientific impact of this LABEX initiative even if it represents an overall small fraction of the total P2IO projects funding. A first call, with a budget of 500 k€ par year, will be based on human resources (HR call) at the post-doc, PhD and senior levels and will be based on a critical analysis of projects around the criteria mentioned above. The second call with 1090 k€ annual budget will address targeted upstream R&D (RD call), and operating support to the relevant

P2IO common technological platforms. The main selection criteria will be the potential of innovation and the impact of the projects on the technological and scientific competitiveness of P2IO.

The P2IO Labex added value, in addition to the funding in critical issues described above, will stem out of the new dimension of inter-laboratory and interdisciplinary collaborations brought by the P2IO structure.

A very intense scientific animation will be organized in P2IO Labex with support from the various partners. P2IO Labex education actions are innovative and will result in a much stronger collaboration between P2IO partners. They address all levels of education from L1 to PhDs.

- *S1 Symmetries in the subatomic world*

The understanding of the subatomic world is at a turning point with the beginning of the new accelerator at CERN and with the new sources of neutrinos. Considered as a whole the P2IO labs cover all major experiments. Putting together the forces and competences both in experiment and theory should allow P2IO to address this question globally participating to the main discoveries and initiating innovative analysis or combinations of experimental results. Symmetries which always play a fundamental role at the elementary level will structure our research program. This development may have a strong impact on S2.

P2IO will focus its efforts on two of the most crucial symmetries and their violation in particle physics: the electroweak symmetry and the matter-antimatter symmetry. The quest for the Higgs boson and the corresponding detailed understanding of the electroweak symmetry breaking will be at the heart of the program of this next decade (see 5.1). The search for new symmetries such as super-symmetry, a hypothesized symmetry between bosons and fermions, will be central in that respect since the Standard Model does not explain the stability of the Higgs boson mass with regard to radiative corrections which is on the contrary implicit in these models. Since the strength of the P2IO LABEX lies in its composition which mixes theory and experimental teams at the highest international level, P2IO actions in this field will take the form of joint proposals to explore further the impact of the results that will be coming from the LHC and Tevatron colliders. P2IO teams will join their forces to improve through targeted calls the combining tools they have already developed such as CKMfitter, UTfit, or Sfitter. Improved constraints for Standard model Higgs boson, supersymmetric Higgs, or Higgsless models will result from these phenomenological work which will include both the searches for new particles and the precise measurements of the properties of the W boson and top quark, all topics in which P2IO teams play a leading role in ATLAS, CMS and D0 experiments. P2IO calls will reinforce the experimental and theoretical synergies and enable to “embed” young theorists in experimental groups to make optimum use of the existing expertise.

Towards the second end of the decade, the calls will also cover the role and impact of a future linear collider which will become much more concrete by then. A few very high potential R&D projects covering both LHC detector upgrades and LC detectors will also be eligible in connexion with (T2).

On the matter anti-matter front, the experimental situation is complex since many projects with a strong P2IO participation and leadership will attack this question in the quark sector (SuperB factories, LHCb upgrade, rare K decays) and in the lepton sector (rare muon decays, double beta decay, neutrino experiments). P2IO actions will therefore be project oriented with dedicated support to the most innovative R&D ideas, to promising emerging international collaborations and to phenomenology-oriented initiatives described above. The unique experimental expertise gathered by P2IO teams in all these projects will enable a very fruitful dialogue with theorists. In addition, for both groups, the constraints coming from the “infinitely large” scheme and from QCD and lattice QCD results will be integrated in the best possible way

thanks to the presence within P2IO teams of the expertise in all these fields. As an example, neutrino mass constraints from analysis of the PLANCK satellite results should be very stringent and therefore will require in-depth analysis (see S2). P2IO will organize workshops and dedicated actions on these forefront topics.

- *S2 Dark Components of our Universe*

The most mysterious aspect of cosmology is that 95% of the energy content of the Universe is unknown: 70% of dark energy and 25% of dark matter. This scientific question has been placed in top priority of the European and American roadmaps. Considering the complementarity of the researches and expertise of the P2IO partners, P2IO have a strong potential to trigger major progresses on this challenging issue.

Concerning **Dark Matter**, the P2IO program covers both direct and indirect detection. The former puts emphasis on prototyping and, in a second stage, construction of the next generation of dark matter experiments, the present main contenders being EURECA and XENON-1ton. P2IO partners CSNSM, IAS and IRFU have leading contributions in experiments that should reach soon the required sensitivity to test models of supersymmetric particles. Both the European and the US agencies are expected to take a decision on future large scale dark matter experiments around 2013 and the collaboration induced by P2IO LabEx will greatly benefit to the impact of the P2IO partners on this issue. P2IO partnerships create the potential to develop ambitious R&D programs in order to increase the sensitivity for the next generation of detectors. In particular, the CRYOMATRIX and the PH2ELICE platforms proposed in the context of the EquipEx call will structure the activities of innovative developments in cryogenic detectors and photodetectors (see T2 below).

In parallel, new synergies will be developed within P2IO between particle physics studies and Universe observations. Indeed, to search for supersymmetric particles an intense experimental and theoretical activity is developing around the LHC, with key contributions from P2IO labs (see S1). On the other hand, important programs astrophysics and astroparticle with strong participation of P2IO partners (FERMI/LAT space mission, HESS-2 observatory and its successor CTA, Antares and its successor km<sup>3</sup>) may provide indirect constraints on of dark matter and on the nature of supersymmetric candidate particles. The creation of P2IO will strengthen the contribution to the above projects and the synergies between them. P2IO will also benefit from strong theory groups (CPT, IPhT, LPT), which will work on optimizing the analysis tools and the detection strategy of dark matter particle candidates.

The added values of P2IO will be i) to foster a coherent program through the HR and RD calls including all the ways to constrain dark matter, in order to provide a global picture about this key issue ii) to initiate new synergies between the various detection strategies and between experiment and theory

Concerning **Dark Energy**, P2IO partners will focus on the development of ambitious observation programs through stronger and broader collaborations and through the combination of information coming from various experiments, taking advantage of the important role of P2IO partners in different programs. The first asset of P2IO is the important role of P2IO partners in the Planck mission. The creation of P2IO will reinforce the collaboration and impact of P2IO partners on the physics of the cosmic microwave background, an essential observable to constrain the geometry and cosmological parameters of the Universe. The P2IO group also has the potential to strongly contribute to the study of Baryon Acoustic Oscillations (BAO), a powerful tool to constrain dark energy, with BOSS and new generation projects such as BigBOSS. The same dynamics also applies to the ambitious US program LSST (Large Synoptic Survey Telescope) project. Moreover, P2IO will allow the sharing and transfer of the knowledge and expertise between the various experiments and approaches. For the future, the EUCLID space mission is the most important European

dark Universe program. IRFU and IAS have a leading role, at the PI level, in EUCLID, which focus on weak lensing effects and BAO. The creation of P2IO will strengthen this collaboration and open it to all partners.

This ensemble of experiments will collect unprecedented amounts of data with very complex observables. Data treatment and data mining will be key issues (see T3), a strategic topic addressed by the COGIS EQUIPEX proposed by P2IO. The analysis of this data will involve a strong link between P2IO experimental and theory groups, a high priority of the HR call. P2IO also has the ambition to be a first player in simulations. This activity is already strongly developed and recognized, as demonstrated by the ensemble of ERC grants received for simulation. To strengthen the data analysis and the progress of theory, P2IO will make this expertise available to all experiments. Combining the various experiments with the theoretical developments and simulations, P2IO will have a direct impact on the extraction of the cosmological information and on the control of systematic errors.

The S2 domain relies very heavily on novel sensor technologies, the main goal of the T2 RD call (see below).

- *S3 Strongly coupled nuclear matter*

New experimental tools can bring nuclear matter in unprecedented level of stress: highly radioactive with the new beams of exotic nuclei or highly excited with the heavy ion collisions at CERN. These states of matter play an essential role in the Universe from the early time of the Big Bang to the nucleosynthesis. The important added value of P2IO is to bring together complementary experimental approaches as well as experiment and theory. It will allow new connections with astrophysics with a possible impact on S4.

**Quark-Gluon Plasma and hadronic matter:** The study of energetic nucleus-nucleus collisions at LHC will push our experimental understanding of the QGP back to about a nanosecond after the Big Bang. Central questions are the understanding the symmetry breaking mechanisms that determine the properties of various phases, for example the masses of quarks and the masses of hadrons, via chiral symmetry breaking (see S1). The experimental program with ALICE and CMS at the LHC has just started. Important groups of P2IO are involved with a high level of responsibility and international recognition in both experiments. A lot of expertise related to the previous programs (eg RICH) is also present in P2IO labs. A senior and a junior ERC grants have been attributed in 2010 to a P2IO theoretician and an experimentalist. P2IO has thus a strong potential to make major breakthrough on the QGP question. P2IO will support new synergies in this domain between experimental groups and between experiment and theory. P2IO RD calls will also help to prepare the detector upgrades for the next decade.

On the low energy side of the QGP phase transition is hadronic matter. The perturbative treatment of the interaction between quarks and gluons starts to fail when the distance between quarks becomes comparable to the size of the nucleon. In this case, the interaction becomes so strong that very complex phenomena emerge. A consistent description of hadron properties, such as their spin, has still to be achieved from the experimental and theoretical point of view. This will be studied in future experiments at the upgraded COMPASS and the Jefferson Lab (JLAB) 12GeV facilities using electron or muon-scattering on nucleons. From such experiments, one can obtain 'snapshots' of the position or momentum distributions of the quarks inside a hadron. P2IO laboratories are strongly involved in these projects. P2IO will be an opportunity to strengthen collaborations and to start phenomenological work to combine data in different kinematical regimes with a joint work between theory and experiment. Unexpected spectroscopic results at e.g. BELLE have recently challenged the picture of hadrons being composed of quark-antiquarks or three quarks only. They indicate a much more complex structure of perhaps multi-quark or quark molecule character. One of



the most promising experiments to search for these exotic hadrons in the future will be PANDA at FAIR. P2IO HR calls can boost the connections between theory groups and PANDA, COMPASS and JLAB teams.

**Exotic nuclei:** Significant efforts are being taken to make inroads into the uncharted territory of exotic nuclei that hide the keys to our understanding of the structure of nuclei. Indeed disappearance of shells, spontaneous symmetry breaking, new tensor forces, weakening of spin-orbit terms ... are new phenomena which can only be addressed through the detailed study of exotic nuclei. This field will be soon revolutionized by the new radioactive beam facilities (SPIRAL2, FAIR and latter EURISOL). New dedicated facilities delivering high intensity heavy ion beams (SPIRAL2, GSI) will also become available for the synthesis and study of new super-heavy elements. P2IO partners are major actors, often at the PI level, of these new research programs. They are also strongly involved in the development of new experimental techniques and instrumentation. P2IO HR and RD calls will allow to increase the collaborations between P2IO labs and thus to strengthen their leadership in the study of exotic nuclei. P2IO also possesses strong groups in nuclear theory. P2IO HR calls will help in creating joint efforts between theory and experiment and to focus important theory effort on key issues like developments of reaction theory adapted to the most advanced nuclear structure approaches (possibly microscopic and *ab initio*). Taking advantage of the interdisciplinary aspect of P2IO, links with astrophysics will be also supported both on the nucleosynthesis problem (in link with S4) and on the understanding of the supernovae and neutron stars.

Smaller accelerator facilities are also important for specific experiments requiring long beam times, for developing and testing of new instruments. This will ensure that experiments are carried out on many fronts by a large user community, and, very importantly, will provide training to the next-generation researchers. This is particularly the case for P2IO with the availability at IPNO of the ALTO radioactive beam facility and the tandem accelerator. For instance, the ANDROMEDE EQUIPEX proposal, which emerged within the LABEX P2IO is building a dedicated state of the art high intensity nano-particle and heavy ions accelerator.

- *S4 Formation of stellar systems and the conditions for the emergence of life*

The history of cauterization of matter into stars and planets grouped inside Galaxies is still poorly understood. This quest leads to the question about the possibility of life on other. Considering the exploration and observation tools developed by various labs within P2IO the formation of stellar systems and the conditions for the emergence of life can become an important part of the P2IO Labex program.

The observation of molecular clouds, star formation regions and protoplanetary disks benefits from the opening of the sub-mm wavelength range with the Herschel space telescope (ESA). They will be complemented in 2012 by interferometric observations with ALMA, which will provide a resolution of a few  $\mu$ rad in the mm-wavelength domain. The JWST space observatory, a joint NASA-ESA program, will be launched in 2015. It will improve on performances of the Hubble space telescope in the visible and near-IR, expanding these capabilities to the middle IR with a focal plane instrument under European responsibility, MIRI. The high spatial resolution and spectrometric capabilities of Herschel, ALMA and JWST will make it possible to closely monitor the role of gas-dust interactions in star formation regions and circum-stellar environments. The P2IO laboratories, in particular IRFU and IAS, are involved at a high level of responsibility in Herschel and JWST. The ongoing laboratory simulation programs will be critical for interpreting new spectral signatures from the near-IR to the sub-mm wavelength ranges. The 2010-2020 time frame will also be critical for developing the required technologies for the post-2020 programs, such as new detectors with lower noise and higher quantum efficiency.

These new observatories will for the first time provide direct information on planetary formation processes at scales relevant for the rapidly expanding field of exoplanet detection and characterization. The COROT and Kepler space observatories (transit) and ground-based observations (radial velocities, astrometry,  $\mu$ -lensing) are daily increasing the number and diversity of exoplanetary systems, exoplanets being discovered with sizes ever closer to that of the Earth. The next step for transit detection is Plato, a major mission proposed for a launch in 2018. A major limiting factor on the detection capability of transit methods is our understanding of the brightness and spectral variability of central stars. There is therefore a rapidly developing relationship of exoplanetary research with solar and stellar physics (asteroseismology and coronal physics, IAS). This relationship is becoming even more critical for the spectral characterization of exoplanets, which is required for detecting planetary atmospheres, hence the potential habitability of exoplanets. Numerical modeling efforts in P2IO laboratories will further improve our understanding of the formation and early evolution of planetary systems. The 2010-2020 time frame will also be critical in preparing the post-2020 interferometric programs which will make it possible to obtain direct spectral information on non-transiting exoplanets.

Missions to primitive solar system bodies, comets and asteroids, provide information on planetesimals which have survived the final stages of the formation of the solar system. After the successful fly-by of asteroid 21 Lutetia in July 2010, the ROSETTA mission of ESA will rendez-vous with a comet in August 2014. Several P2IO laboratories are involved in this major mission. IAS has a major science responsibility on the Philae lander which will investigate in-situ the cometary nucleus, with a panoramic camera system and a VIS-NIR microscope for studying cometary samples. It will be possible to directly compare the in-situ and remote sensing results on cometary material with the grains collected by the Stardust space mission during its high velocity fly-by of comet Wild-2 and with micrometeorites collected in Antarctica which include dust particles of cometary origin. The CSNSM Antarctic meteorite collection will be upgraded as a curatorial facility with P2IO support so as to open it to the international community. The interpretation of the results obtained on laboratory samples and with in situ instruments will greatly benefit from the expertise in these analytical methods developed in P2IO laboratories. Shortly after 2020, the BepiColombo orbiter mission to Mercury will provide new insights on planetary formation processes near the central star.

In-situ analyses of cometary material and comparisons with laboratory analogs as well as carbon- and volatile-rich micrometeorites will provide strong constraints on the possible role of extraterrestrial matter in the origin of life on Earth and possibly on Mars. The rapidly developing research field dedicated to the conditions for the apparition of life will strongly benefit from two Mars rover programs launched in 2011 and 2018. The most promising landing sites for these two missions are those where liquid water was present in the early stages of the history of Mars (see 5.1). The next major step will be a Mars sample return program, likely to be scheduled in the 2025 time frame. While it lies beyond the time frame of the Labex, this perspective fully justifies the initiation of upstream research and development programs for developing the sophisticated analytical capabilities required for detecting possible evidence for fossil life. Several P2IO laboratories have expertise which can be exploited in non-destructive and destructive analytical methods. The first developments could be tested on extraterrestrial samples available in the laboratory (e.g. micrometeorites), or samples brought back in 2013 by the Phobos-Grunt Russian mission.

The P2IO Labex will strongly benefit these major science goals by developing the collaborations between partner laboratories, providing opportunities for visiting senior scientists, post-docs and PhD students (HR

call), and supporting up-stream research and development programs which are essential in this research domain (RD call). It has a strong appeal for students, which together with the technology aspects will be a major asset for education programs with P2IO participation.

- *T1 Innovative developments in accelerator science and related spinoffs*

To address key P2IO scientific issues, three frontiers have to be overcome: the high intensity frontier, the high luminosity frontier and the high energy frontier. P2IO partners represent 90% of the French expertise and effort in the development of accelerators from accelerating cavities and sources to magnets for all types of researches: particle and nuclear physics, light sources, neutron sources, material studies, ... The creation of P2IO will bring a high level of coordination and collaboration. It will also allow the development of common R&D such as the Laser acceleration. It will also create the critical mass to pursue a strong effort of valorization and collaboration with industry.

P2IO will provide new opportunities to perform collective research and development on the various frontiers of particle accelerators. Sharing technological platforms is a key point for the development of this technology. This high-tech activity provides opportunities to transfer technology to the industry and to perform common R&D. Accelerator technology has many applications to other basic research fields (eg neutron and light sources) and to nuclear energy and nuclear medicine. A common key point is beam dynamics which should focus both experimental and theoretical effort. The intensity frontier requires also innovations in accelerating structures and in the beam production (sources) of stable or exotic particles as well as antiparticles such as positrons. The high luminosity frontier calls for new cavities and magnets such as high Tc superconducting magnets.

As far as the high energy frontier is concerned, the state-of-the-art of the present accelerators for research is based on the superconducting technology. Progress remains to be made in that field as the physical limits have not been reached. Joining forces and expertises within P2IO will be a way to address the bottleneck of this technology and perform innovative R&D. Alternative technologies to access high field gradients should be investigated. To go beyond present limitations, new ideas have to be developed and one of them is the plasma wake field acceleration. Electric field developed in the plasma can reach values orders of magnitude higher than those possible in conventional or superconducting cavities. The plasma can be created by a laser (LWFA, Laser Wake Field Acceleration) or electron bunch (PWFA, Plasma Wake Field Acceleration). P2IO partners and other laboratories on the Saclay plateau are at the forefront of the race. A R&D platform (CILEX equipex proposal) including a laser and an electron accelerator will enable to study both LWFA and PWFA.

Opportunities are widely open for applications which will benefit from the collaboration between specialists in different fields in the P2IO framework. Laser proton acceleration has a great potential in medicine with protontherapy (Curie Institute Protontherapy facility in Orsay). Irfu is already involved in hadron therapy with the IBA Company on developing new gantry technologies. The ThomX Equipex proposal explores the production of X-rays through Compton interactions between accelerated electrons and lasers (see I2). P2IO RD calls will be highly beneficial for the development of these new techniques.

- *T2 Advanced sensors and related spinoffs*

P2IO can initiate a new dynamics between the sensor activities in the various labs. Considering the diversity and the complementarities of the expertise and equipments of the different partners P2IO may

bring an important added value. This goes from innovative detectors to microelectronics and real time systems. New synergies between space and ground development can be created.

The development of advanced detectors is critical for P2IO research fields. Projects supported through the RD call will focus on upstream developments with the aim of preparing CNES R&T programs or ANR proposals. Some topics can already be identified as short term goals:

- Cryogenic detectors offer a wide field of applications ranging from direct dark matter search to CMB probes. This theme can give rise to innovative projects in active cryogenic devices, detector techniques (bolometers, Transition Edge Sensors) and related ultra-low temperature Front End Electronics.
- Bi-phase noble gas detectors using electron amplifiers in the gas phase and scintillation detection in the liquid are a promising emerging low cost technology for large mass dark matter experiments.
- 3D microelectronics technologies which are still in development at an industrial level offer new opportunities for highly integrated tracking devices or large space sensors combining semiconductor sensors with low noise and low dissipation electronics.
- New scintillators coupled with fast pulse shape analysis offer very promising applications in nuclear spectroscopy and can find direct applications in nuclear medicine.
- Devices operating with picosecond precision range are required for the future particle physics experiments as High Luminosity, High Energy LHC or Super B. This includes Micro Channel Plate phototubes as well as related microelectronics.
- Developments are required for miniaturized photon detection devices on planetary landers or rovers.

By focusing R&T programs on some promising topics and by creating inter-laboratories teams with a critical mass, P2IO Labex will offer new opportunities to answer jointly to CNES, ANR or EU calls for proposals. This criterion together with the number of common publications or patents will be one of the most pertinent indicators to evaluate the impact of P2IO initiative

- *T3 Data mining and simulation*

The disciplines which are joining their forces into P2IO are facing the same challenges for the future: the massive computing both for the simulation of the studied physical process and for the treatment of abundant and complex data provided by new generations of detection systems. P2IO is a great opportunity to put together the various expertise's and experiences on both issues. It will also open the possibility to create a team of experts in computing and signal analysis working hand in hand with physicists and astrophysicists.

The strong involvement of P2IO partners in large space-based instruments, in large ground-based observatories, large project in nuclear physics experiments and in particle physics experiments makes them well prepared to face these challenges. In addition the fact of pooling resources and expertise, as proposed, for example, in the framework of the COGIS EQUIPEX, will strengthen the possibility of involvement in future projects and allows ambitious goals at the international level.

In order to take up these challenges, new computing infrastructures like grid computing have been put in place and evolution of such infrastructures like cloud computing have to be developed. Thanks to important investment at French and European level, we will have access to the next generation of supercomputers, which will reach the Exascale in floating point operations. The supercomputers will be increasingly complex to use and we will have to address great technical challenges to be able to port our current applications on such machines. Beyond the necessary algorithmic developments, we will have to face many paradigm shifts

in the hardware, with the advent of heterogeneous architectures (multi-core nodes, GPGPU) with a small mean time to failure. This will require the necessity to implement new techniques in code optimization, taking advantage of various fault tolerant strategies. Simulations will generate a large amount of data which will be analyzed in conjunction with various observational dataset, requiring a joint effort in data mining and storage. These topics will be the central themes of the P2IO grants in the T3 domain.

To exploit fully the data, sophisticated methods of data analysis are needed, such as methods to detect very faint events embedded in noise, to analyze time series from irregularly spaced observations, to analyze spatially clustering processes, to treat censoring and truncation, heteroscedastic measurement errors. Advanced statistical methodology serves many research communities and is constantly enriching its methodology and capabilities. Astrostatistics today is a growing cross-disciplinary enterprise. It exists officially in few universities in US and England; P2IO has the ambition to further develop this thematic in France through the HR calls. The EQUIPEX COGIS platform project will provide the network infrastructures needed and will be a place to gather expertise and insure an international visibility. Data mining and numerical simulations which are critical for the scientific fields developed by P2IO will have important applications to other domains, such as image processing in medicine.

- *11 Energy : nuclear energy for the future*

The next decade will be crucial for the future of nuclear energy systems. Key questions where P2IO will contribute on this topic fundamental to the ANCRE Alliance (National Alliance for the Coordination of Energy Research) are the sustainability and acceptability of nuclear energy generation. In particular, P2IO efforts will be focused on the following issues: i) accurate nuclear data for the design of new generation reactors, ii) study and modeling of nuclear reactions involved in transmutation processes or new fuel cycles, iii) modern Nuclear Physics tools (accelerators, detectors, modeling techniques, etc.) applied to the design and construction of next generation fission/fusion reactors and incineration factories and iv) material design and testing for the next generation of nuclear reactors and for the confinement of nuclear waste, through their behavior under irradiation (JANNuS facility and EMIR platform). P2IO partners are performing researches and developments along these 4 avenues. P2IO will strengthen this activity promoting stronger collaborations on each subjects and transversally between them.

More accurate data on (epi-)thermal neutron-induced reactions, in particular for major actinides, will help increasing the fuel burn-up and the life time of present reactors. The investigation of neutron-induced capture and fission reactions on actinides will be intensified for designing next-generation fast fission reactors. In addition, data on fission yields and delayed neutron production, and in general a better understanding of the fission mechanism, are also closely related to the safe operation of novel reactors. The characterization of high-energy reactions, such as spallation processes, involved in accelerator-driven systems should also be accomplished. New data on the thorium-fuel cycle will similarly be fundamental to develop innovative options based on fission. P2IO will trigger a collaborative work of the partners on a coherent program on nuclear data and modelization. The fact that some end-users of nuclear data (nuclear energy and nuclear safety research team) are members of P2IO is an asset of this activity giving it more focus.

P2IO will contribute to the elaboration, characterization and validation of new materials (ceramics and metals) for fission reactors of the next generation and fusion reactors. Recognized and supported by the F-BRIDGE, GETMAT and PERFORM-60 European programs, P2IO activities in this field will involve an experimental approach with versatile irradiation tools allowing parametric investigation and comparison

with simulations. The JANNuS irradiation platform, at present unique in Europe, will be upgraded to meet challenges in material science for nuclear and fusion energy development. Then PAM EQUIPEX project could be one of these upgrades. Synergies with the development by one P2IO partner of the IFMIF demonstrator can be one of the P2IO added value.

One of the important contributions of P2IO to nuclear energy generation is the human capital trained in Nuclear Physics that is then transferred to nuclear industry or to governmental bodies linked to nuclear energy. High-level teaching in Nuclear Physics is required to develop advanced nuclear energy options. P2IO is strongly involved in the NPAC and the Nuclear Energy M2 Masters, attracting high-level students and now recruiting a large fraction of their students internationally. This effort will be developed.

- **I2 Health Care: instruments and *methods* for therapy**

Facing the current rise of Life Sciences, one of the most exciting challenges of P2IO LabEx is to address the following question: how to stimulate the huge scientific and technical potential of P2IO research for medicine and biology applications? While including this interface among the scientific priorities of the LabEx, first level of answer of P2IO is to bring Biology and Health issues as close as possible to physics. This strong connexion to the downstream Life Sciences needs will ensure quick developments of accurate tools. The inclusion of the interdisciplinary laboratory IMNC to P2IO is a key element of this strategy. The fact that different P2IO Labs have already important programs in life science applications is an asset for the development of a strong P2IO activity. Second level of answer is the decision of P2IO to focus on a selection of a few well identified medical topics based on instruments and methods for diagnosis and therapy.

The « Health » scientific axis of P2IO will address two major fields of Life Sciences: first, cancerology which federates a majority of current and coming P2IO's projects, second, neurosciences, thanks to strong local synergies, in particular around Neurospin facility. Thus, framework of LabEx research is based on a 3 x 3 matrix crossing health care stages (pre-clinical, diagnosis and therapy) and P2IO skills in physics (detectors, accelerators and methodologies). P2IO will therefore mobilize complementary high level instrumental research for multi-modal biomedical imaging systems (SPEC, PET, optics and MRI scans).

In addition to the development of functional imaging systems, bridging the gap between detected signal, spatial mapping of radioactivity and actual metabolic parameters is a key issue for making the most of these imagers. P2IO will also be competitive in that crucial interface. Working closely with physicians and thanks to simulation tools (GATE platform) and statistical approaches, IMNC develops accurate quantitative methods for image reconstruction and for a reliable estimation of physiological parameters from SPECT or PET scans. In this context, the P2IO LABEX offers an outstanding add-value by federating and combining these talents in order to address efficiently issues in cancerology and neurosciences. As far as cancer treatment is concerned two top priority axes can be identify:

a) Molecular radio-imaging systems for diagnosis and therapy response monitoring: in addition to their value in initial diagnosing tumour tissue, quantitative data delivered by PET scan allow to assess the response of tumour tissue to treatment. Corresponding scientific challenges are spatial resolution and sensitivity enhancement (CALIPSO project), compactness for portable and low-cost imaging systems (MONIPET project), set-up of multi-modal approaches (optics, MRI) and accurate methodologies for quantization of functional processes. Expected results are focused on new strategies for early therapy monitoring and aim at predictive strategy for therapeutic response.

b) The THOMX Equipex proposal (development of a very compact hard X-ray source) has important potential applications for radiotherapy and in-beam dose control and will be the P2IO leading project for these interdisciplinary objectives. P2IO will also focus on radiotherapy through the development of hadrontherapy in collaboration with IBA (Gantry project) and of in-beam dosimetry techniques for protontherapy. This project will be developed in close collaboration with Institut Curie's facility located in Orsay. Both these two axes will be supported by strong relationship with industrial partners (Thales...).

### 5.2.2 VALORISATION, TRANSFERT ET EXPERTISE/ EXPLOITATION OF RESULTS, TRANSFER AND EXPERTISE

These activities will be performed in close collaboration between the pan-LABEX structures that will put in place by the FCS IDEX initiative, by a dedicated P2IO LABEX program and the continued strong support from all the laboratory partners of P2IO.

#### a) Scientific Communication on the LABEX projects

The Scientific Cooperation Foundation<sup>7</sup>, which is the coordinating partner, will act in support of the project and will provide its communication tools, which will have been developed for its website:

1. On the [www.campus-paris-saclay.fr](http://www.campus-paris-saclay.fr) website, web pages will be created, which are specific to each LABEX project (with a portion in English). These will present the LABEX (objectives, members, etc.) publications, salient features, agendas of organised events, while also providing information about the proposed curricula and the competences to which they lead. Particular attention will be devoted to the disclosure of research results to the media and general public.
2. Support to the organisation of national or international events ("open house days", colloquia, etc.). When appropriate, the FCS will organise events common to several LABEX projects.
3. The Foundation will also be an entry point for press relations (calls to journalists, assistance with the preparation of press kits and press bulletins, guided tours, etc.).
4. Creation of communication tools such as descriptive leaflets.

These actions will be implemented in connection with the communication officers of each of the concerned institutions, in order to optimise their synergies.

#### b) General Intellectual properties policy

When a new common project is initiated, the conditions for granting intellectual property and exploitation rights will be governed by the following principles:

- Each of the parties will preserve the property of the "prior knowledge" (information, technical data, whether patented or not, etc.) it has accumulated, prior to the project or independently from the work being carried out on the project.
- The results obtained and produced by a single party within the project (own results) will remain this party's property.
- The results obtained and produced jointly by several parties within the project (common results) will be the common property of said parties. They will be subject to co-ownership rules specifying the division of property, and its exploitation. Any exploitation by any one of the co-owner parties will be subject to payment to the other co-owner parties.

---

<sup>7</sup> Acronym for Fondation de coopération scientifique

- If, in order to exploit its own results, one party needs the own results of another party, the latter will grant said former party a non-exclusive license subject to provisions which must be agreed upon between the involved parties.
- If, in order to exploit its own results, one party needs prior knowledge compiled by another party, the latter party will, subject to its previous commitments, grant said former party a non-exclusive license, subject to provisions which must be agreed upon between the involved parties.

c) P2IO LABEX specific actions

Technology transfer coming from research projects pursued in the laboratories participating in this LABEX has been an important activity for years. Presently, in each laboratory there is a person in charge of conducting this work in conjunction with the corresponding technology transfer unit at CEA or IN2P3, the SPV of the CNRS and FIST SA. Several actions are already part of routine work: patenting [more than 40 active patents], technology transfer through licensing [currently 9 licenses are signed or in negotiation], supply of services including technical assistance (non-exhausted list of implied companies: Canberra Semiconducteur NV, Pyrocontrole, Gaz de France, Snadec, Irelec, Thalès Electron Devices, INEL, CPO) and industrial research contracts like (non-exhausted list of partners: Siemens, Photonis, EADS Astrium, Thales, EDF, Rhodia, Hekyom, Philips, Dosisoft, Biospace Lab, IBA, Guerbet), and even creation of start-ups [a total of 3 within the last years, 2 are still alive].

As a result, our technology transfer efforts can be considered significant; however there is still room for improvements. Indeed, current as well as future technology transfer actions of P2IO are based on an enormous potential in creating new components (e.g. electronics, accelerator physics), innovative prototypes (in particular for the live science sector), sophisticated high tech instrumentation for unique platforms (p.e. cryogenics, irradiation, material characterization and implementations) and software.

The exploitation of this potential suffers from several limits. While platforms are internal developments that attract relatively easily the industrial partners, industrial research collaborations deserve an improved industrial network. But clearly the most critical situation to succeed in technology transfer has to be challenged with innovative prototypes: especially an intermediate structure for semi industrial prototyping is missing. Several measures, an engineer for specification and certification, areas for testing and specific founding are foreseen to overcome this limit. P2IO will thus head for definitively incorporating technology transfer actions as an obligatory part of its scientific work.

To give at least a few concrete examples of future technology transfers: a new platform will be added to the already existing ones, ThomX. This project aims at providing a fully operational hard X-ray CBS source, with a performance between one and two orders of magnitude higher than that of the existing one, ready to be operated in a non-expert environment. The ThomX source will provide industrial partners and the academic community with an open access facility for medical and cultural heritage applications (works of art dating and attribution, primitive sketches detection and underlying drawings non-destructive analysis). Also, the experimental areas of the Supratech platform (including a clean room, chemistry and cryogenic facilities) will become accessible to industrial partners. In collaboration with the National Institute of Meteorology (INM-CNAM), the accreditation COFRAC-LNE of the cryogenic thermometer calibration facility should be operational in 2012. This equipment allows for the calibration of up to seventy thermometers in a single run and thus to disseminate the temperature unit within both the laboratories and the industry.



Concerning licensing, several medical prototypes (TReCam, TRIOP and MONITEP) already developed or under development will be transferred in the coming years, one of which, a handheld gamma camera for surgical cancer treatment already in 2011. In the area of electronics, a new family of high performance data acquisition boards based on ultra-fast analog memories should also be commercialized under license very soon. They should set new references in the domain, especially in the picosecond time measurement with low power and high number of channels. Another concrete licensing action is foreseen in the field of accelerator physics: it concerns downloading of software dealing with accelerator beam simulations.

A new tight network between P2IO and industrial partners will be created. It's somehow the heart of P2IO's technology transfer strategy as explained in detail in section 5.4. In addition, the existing structures will be redefined and new means will be added:

- At the P2IO level, a Steering Committee composed of the persons in charge of technology transfer will monitor the different LABEX valorization projects. Their work will rely on the IDEX IP department and on the other above mentioned entities (SPV, FIST, SAIC and IN2P3/CEA technology transfer cells). During routine meetings, the committee will share experiences, networks and industry contacts. In particular, priorities in the use of the common means are defined here.
- In the laboratories, the persons in charge of industrial transfer will continue the previous work. In addition, they will systematically evaluate together with the scientific project managers all Intellectual Property aspects (patent applications, publication schedule, industrial collaborations, NDAs, etc.) right from the beginning and in the course of the project.
- An attractive web site will describe the technology transfer actions, the technological offers of the P2IO laboratories and the "Industrial Partners Club" called PIGES (see 5.4)
- As completely new means dedicated to industrial transfer actions, P2IO will dispose of engineers, areas for short term public-private collaborations and specific budgets, (see 6.1.3).
- Concerning the technological platforms and the P2IO's unique testing facilities (non-exhaustive list: PHIL, IRFU Tests Facilities (partial) ...), our industrial partners will have priority access (though limited and not free).
- Different services like design study, manufacturing, technical training will also be proposed to industrial partners.

The laboratories will specify the rules regarding confidentiality, intellectual property rights, dissemination and exploitation of the results originating from the LABEX projects through an agreement at the consortium level. Regarding expertise, several laboratories have strong implications in the assistance to projects in the frame of design, decommissioning and exploitation of nuclear installations. Skills and know-how of physicists and engineers teams have shown they could be favourably applied to simulation calculations, radioprotection, safety and waste management studies, together with other societal concerns.

### 5.2.3 ENSEIGNEMENT SUPÉRIEUR, INSERTION / HIGHER EDUCATION, INTEGRATION INTO THE WORKPLACE

As shown above (4.1.1.3.), each of the P2IO partners is strongly implied in teaching and training, from Master to PhD. These trainings are naturally mainly supported by the "Université de Paris Sud 11" and the "Ecole Polytechnique". Thanks to the LMD institution, over the last years, most of the classes dealing with P2IO topics have been modernized. This concerns the « L3 and M1 de Physique Fondamentale de l'Université de Paris 11 » and the following 9 M2: « Noyaux, Particules, Astrophysique et Cosmologie »,

« Astronomie, Astrophysique et Ingénierie Spatiale », « Concepts Fondamentaux de la Physique », « Physique et Ingénierie de l'énergie », « Accélérateurs de Particules et Interactions avec la Matière », « Physique et Environnement », « Physique et Systèmes Biologiques ». « Physique des Hautes Energies (Ecole Polytechnique) », « Radiochimie ».

These subjects, which attract more than 300 students each year, have acquired an excellent national and international visibility; they bring PhD students to many laboratories not only those belonging to P2IO. Most of the M2 quoted above are « co-habilités » by High Schools located in Paris, implicated in the P2I group: a good synergy is therefore guaranteed in the Paris area. Nevertheless, we have to underline that P2IO members are strongly involved in energization and management of these subjects, together with the related "Ecoles Doctorales": Particules Noyaux et Cosmos, Astronomie et Astrophysique d'Ile de France , Modélisation et Instrumentation en Physique, Energies, Géosciences et Environnement , Physique de la Région Parisienne, Ecole Doctorale de l'Ecole Polytechnique.

The P2IO Labex will first of all allow to coordinate the practical organisation (and/or funding) of educational projects coming under several partners (CEA-INSTN, CNRS, Université Paris 11, Ecole Polytechnique,..). Emphasis is put on the need for an attractive Master (and the associated M2), in a first step, and, in a second step, attractive Ecoles Doctorales. The principles of this strategy are the following:

- Projects that need a recurrent funding or a funding which lasts several years.
- Concrete actions suggested by or discussed with the managers for the Masters or Ecoles Doctorales quoted above.
- Annual evaluation of the performance of our actions.

We propose to fund 5 recurrent targeted actions and one more ambitious long term project:

- Recurrent projects: (150 k€ per year)
  - Provide a laptop, in conjunction with University and other implied LABEX, to an important part of the students joining the Physique Fondamentale subject. The pedagogical project will focus on four items: data analysis, access to digital libraries, e-learning, interactive teaching
  - A summer School, each year, on the scientific items covered by the P2IO, for L3 students. Located in the Paris-Saclay campus, this School would be a very good way to bring young students to our laboratories, stimulate their liking for physics in general, and eventually help them in their future specialization.
  - Give grants for M2 students and grants for students during their training periods in our laboratories following the good example of Fondation X (remuneration is mandatory).
  - Pedagogical travels for M2 students so they can discover top level research or nuclear sites such as La Hague, Bure (M2P&E PIE and R), CERN and Ganil (M2 APIM, M2 HEP-X)
  - Students Workshops for L1 and above
- The P2IO long term project (500 k€ over 10 years)

Most of the M2 quoted in this document is made of high level practical works (so called TP), settled in our laboratories. These practical works need advanced, ultramodern material, regularly updated. Part of this material will be shared with M1 trainings. We foresee to bring up to date part of these TPs, create new TPs, and make sure that they will be well maintained over all the laboratories.

The complete funding of the 5 recurrent actions and of the long term project is 200 k€/year and is detailed in section 6 below.

#### 5.2.4 GOUVERNANCE DU LABEX/ GOVERNANCE

- **1° Organisation of governance on the campus**

The campus will be coordinated through the Scientific Cooperation Foundation<sup>8</sup>, the new statutes of which provide for:

- ✓ A governance system, which must be centred, on one hand, on a *general assembly* in charge of bringing together the founding institutions, staff representatives, and various qualified personalities and, on the other hand, on the *Administrative Board*, itself comprised of a dozen members who will closely and efficiently scrutinise the system. Furthermore, the foundation will obtain support from a *Committee for the Scientific and Innovation Strategy*.
- ✓ Departments. The foundation will create between five and ten Departments specialising in major domains (societal implications, disciplines) in which it wishes to become a major driving force of transformation. The departments will be designed as structures providing guidance and coordination and will "host" different projects, including LABEX projects.

The inter-department coordination will be provided by a Board of Department Directors, which will be the place where transverse coordination will occur in order to inspire new synergies and provide dynamics for excellence.

The foundation's role as regards the LABEX projects includes:

- The management of subsidies distributed to the LABEX members, once a project has been accepted by the LABEX Scientific Committee. As regards human resources, the Foundation may recruit people directly when a high speed of response is required. The Foundation, which manages an annual budget of the order of 8 M€ (see section 4.1.1), is accustomed to this type of practice.
- Monitoring and management control of the LABEX project. Indicators and objectives set out by the LABEX need to be monitored, and corrective actions should be prompted by the "Steering Committee",
- Providing support for specific subjects, in particular as regards to communication, to define an overall image of the campus,
- Ensuring optimal integration of the LABEX project within the campus, links with the other LABEX projects, other planned means, such as the "Society for the Acceleration of Technological Transfers", or good practice exchanges,
- The initiative for excellence

This new project is part of the Initiative for Excellence project of the Paris-Saclay campus, which will comprise three components, all linked to the present LABEX project.

A collective coordination: Its goal is to foster, through the intermingling of different scientific communities, the emergence of imaginative ideas, to promote new and transdisciplinary collaborations, to reinforce the site's capacity to exploit and convey new knowledge, and to link upstream with downstream work. This action will be "multiscale". It will involve:

---

<sup>8</sup> Fondation de Coopération Scientifique

- The departmental level, with vast communities (sometimes a thousand researchers or teaching researchers), involved in programmes that are a link with society-related challenges or with large communities working in different disciplines,
- The LABEX projects. These appear to have the right scale for the interfacing of various communities with the campus, as an entry point into the knowledge generated here, and also into ongoing reflections, on one hand, and as a knowledge disseminator, on the other hand. P2IO LABEX is already in close contact with two other FCS LABEx : PALM (atomic, and laser physics) and PIM (Physics and medicine interface) and has a potential to liaise with many other.
- Transverse projects. The campus participants would like act in such a way as to generalise project operation, with flexible, collective and often time-restricted projects. These include scientific projects: funding of emerging ideas, teaching projects related to the dissemination of new knowledge, technological maturation projects. These projects will be assessed according to procedures of the same kind as those used for the LABEX projects (independent experts, separate scientific and management decisions). In this respect, the LABEX may be considered as "pre-funded project package" pertaining to subjects in which the campus participants have decided to invest.

Common transverse structures should be organised in a professional and permanent manner. The Initiative of Excellence project includes

- LABEX support "cells" on issues such as: training (general aspects), international relations, equal opportunities, etc.
- Other "instruments" of general interest concerning in particular the EQUIPEX projects. Special mention should be made of innovation, which is organized at the campus scale: the project for an Institute of Technological Research will be the ideal place for the campus to interface with industry. Also, the SATT project will be responsible for actions relating to the maturation of new technologies. One of the roles of the aforementioned scientific collective coordination will be to create a link between the LABEX projects and these objects.

### **2° Governance of the P2IO Labex**

The governance of P2IO is based on an overview board formed the P2IO stakeholders representatives, an executive structure and an International Scientific Council. In the following, it is assumed that P2IO will be part of a successful "Initiative d'excellence" (IDEX) in the framework of the Paris-Saclay Campus.

The executive structure (steering committee) is constituted of a chairman, (named by the overview board) which represents the Labex at the "Initiative d'excellence" level, and the directors of the partner laboratories. A small staff (executive secretary, webmaster...) provides support to Labex operations. Three topical committees will provide guidance to the steering committee:

- Science projects (visiting scientists, post-doc and doctorate positions, transverse proposals)
- Research and technology, relationship with industry
- Education (support by P2IO of science and technical curricula) and outreach

These committees are constituted by representatives from the P2IO partners and will have to evaluate the responses to calls for proposals defined at the Science Council and Steering committee level. The support decisions are taken by the steering committee of the basis of these evaluations. An evaluation report is prepared as part of the annual report for supporting the annual evaluation of P2IO procedures by the International Science Council.

The International Scientific Council (ISC) named by the overview board upon proposal by the steering committee meets at least once per year. It is constituted of international experts in the science and technology fields relevant for P2IO. While not a member, the chairman of the P2IO steering committee is invited to all ISC meetings. The ISC exerts a posteriori control on the internal management of the P2IO and on the selectivity of its selection processes. It proposes to the executive new themes or evolutions for the calls for proposals relevant to the following year on the basis of the annual report, which will include an evaluation of the responses to the previous calls.

P2IO will monitor its selected Equipex projects through an annual report and will provide guidelines for future activities.

One of the main goals of P2IO is to improve synergies between technical activities of its partner laboratories. This priority is structured around 5 technical networks (Virtual data, Captinnov, Spacetechn, Acceltech, Radiomatter). The technical networks will be strongly involved in providing R&D and industry partnership proposals to the relevant topical committee. They will interact with the Education and Outreach committee in developing training courses for relevant technical and science curricula, and promoting the participation of P2IO engineers to these curricula.

P2IO success criteria after 5 and 10 years are listed in the table below.

Success criteria	2015	2020
<b>1. Academic Excellence</b>		
Number of international scientists attracted to France by P2IO	2	8
Number of national and international contracts awarded to P2IO	5	10
<b>2. "Explore" Activity</b>		
Number of publications after P2IO sponsorship	25	60
Number of colloquia organised by P2IO	5	10
Number of technological breakthroughs	3	8
<b>3. "Transforme" Activity</b>		
Number of shared platforms	4	8
Number of P2IO common bids	3	8
<b>4. "Structure" Activity</b>		
Number of partnership with other LABEX	3	5
Number of interdisciplinary partnerships	2	5
Number of industrial partnerships	2	5

### 5.2.5 ATTRACTIVITÉ/ATTRACTION

P2IO's main asset to attract first class researchers and students relies on its international reputation of world class laboratories where top notch research is performed with a strong technological potential. P2IO strategy can be declined along 3 axis: make the original P2IO concept widely known in the P2IO communities, large diffusion of P2IO calls for proposals and building upon the Plan Campus "Plateau de Saclay"

P2IO members will present in a series of seminars the Plateau de Saclay operation in the major international centers of our fields, with its scientific and practical aspects. A P2IO electronics newsletter will be published regularly and widely circulated.

P2IO Calls for proposals will explicitly insist of the excellence criteria needed to postulate for a position. The international composition of our selection juries will be a important tool in that respect.

We will build upon collective effects within the P2IO recrutees by encouraging them to regularly meet to confront their experience and make it known worldwide through blogs. P2IO will organize internal seminars where they can present their work to a large audience.

Concerning the everyday life of our students, P2IO will rely on existing structures in the Plateau de Saclay to facilitate their social integration. All P2IO laboratories have a very large experience of welcoming foreign students and they will work in close interaction with the overall "Plateau de Saclay" structures that will accompany the Plan Campus building up. The Plateau de Saclay IDEX will be very active in that area and the presence on the Plateau of so many engineering schools will guarantee that all aspects of a student's life will be dealt with in the best possible way.

### 5.3. STRATEGIE DES ETABLISSEMENTS TUTELLES/ STRATEGY OF THE SUPERVISING INSTITUTION

#### 1) Introduction regarding the Mathematics-Physics-Chemistry department

The Paris - Saclay cluster is a site, which over half a century has become a major centre for physics and mathematics. The challenges faced are to improve the structure of this large community, and to even further increase its international visibility. Present in most of Paris-Saclay's institutions, physics now involves approximately 4000 persons of all categories, that is, more than 20% of the national staff. The initial central core has constantly grown and now forms an internationally recognised physics hub, which continuously attracts new partners and has received outstanding recognition. The centre for "physics of the two infinities" (subatomic physics, physics of the origins (astrophysics), and their associated technologies) represents 25% of the national research effort in astrophysics, 40% of that in sub-atomic physics, and 90% of that in particle accelerator physics. It strongly contributes to most of the large European projects. The physics department of the Paris-Sud University, which is only one fragment of the entire cluster, is itself ranked 19th in the world, 4th in Europe and 1st in France, according to the Shanghai ranking.

The strategic goals pursued by the institutions are to develop world-class research, to foster scientific excellence, through collective coordination tools to favour crossbreeding, and to support projects intended to boost the emergence of new fields of research, benefit from the enhanced international visibility to attract the best international talents. The LABEX projects, MATH, PALM, P2IO, CHARMM, and the Jacques Hadamard foundation are the best-suited tools for this purpose.

In addition to their own dynamics, these disciplines contribute significantly to large programmes addressing societal challenges. Mathematics, physics and chemistry are at the heart of these challenges, because of their conceptual contribution, the new instruments they develop, and the evolution of modelling. The organization of the future campus will have a matrix structure to favour interactions between the disciplines related to these major challenges, in particular through multi-disciplinary education, research and innovation programmes.

The synergies between the approaches pursued by researchers and engineers, in public and private research institutions, must be boosted by favouring exchanges between the major scientific and thematic domains of socioeconomic interest through interactions between the academic and industrial worlds on certain teaching curricula, since students are in effect the privileged players of such exchanges, and through partnership research projects, and platforms open to the industry. Optimal use should be made of the structures that are planned at the campus level (Institute for Technological Research and the Society for Accelerating Technology Transfers), and by developing training through research in universities and colleges.

The real estate operations that must be carried out in the mean term, in particular within the Paris-Sud 11 University, according to the Campus Plan, will bring the teams together in common buildings or "thematic" neighbourhoods. These operations will include:

- Bringing the Paris-Sud 11 University, CNRS and CEA closer together, thus forming one of the first world-class clusters in the field of physics "of the two infinities and of its origins", and will also be advantageous for the pooling of major facilities.
- The physics Neighbourhood will offer physicists working at scales ranging "from the atom to condensed matter" a place to live, with the primary objective of promoting scientific exchanges, where research and teaching will combine with the installation of shared structures,
- Creating a biology-health-chemistry cluster will generate strong synergetic effects between chemists from Paris-Sud 11, those from CNRS Gif, and the Pharmacy UFR9.
- Education

The reputation of research is a key feature in the construction of a campus image. It is necessary to capitalise on this reputation and the excellence of the associated curricula in order to develop the site, in particular at an international level. The planned actions include:

- Boosting interconnections between the course offering and cutting-edge research. Developing the campus' excellence in PhD courses, and improving its attractiveness by creating new Master's Degrees targeting international exchanges in particular, whilst keeping in mind their link with the Bachelor's Degrees.
- Developing opportunities and mechanisms to assist students with their integration into the industrial workplace, in particular for those trained through research.
- Creating bridges between the curricula offered in the various institutions.

## 2) Stakeholder specific position concerning P2IO Labex

P2IO Labex has 4 stakeholders, CNRS with 3 participating CNRS institutes IN2P3, INSU and INP, CEA, Paris Sud University and Ecole Polytechnique. In the attached letters of support, the stakeholders confirm that P2IO Labex objectives are fully in line with the generic goals stated above.

P2IO Labex plays in addition a special role because of its very high international standing. It regroups the flagship units in its field. For instance, in particle physics, the only two laboratories represented in international bodies such as ICFA (International Committee for Future Accelerators) or the CERN Council European Strategy group are IRFU and LAL which are key players in P2IO. The same situation is found in nuclear physics with IPNO and IRFU, in space with IAS, etc... By strengthening the ties between these units thanks to P2IO labex, the stakeholders are looking forward an even better French international visibility and influence. This is a strategic asset for the ambitious goals of the stakeholders to be in a position to host future major international facilities on the Plateau de Saclay. The stakeholders will pay special attention to promote the collaboration between the several LABEX that will be selected nationwide in this thematic. The emergence of a few LABEX structures is to be viewed as a positive addition to the vitally needed national coordination and to the close network between all French laboratories of the field.

The stakeholders are also all obviously very strongly engaged in the "Plateau de Saclay" operation of which they represent the main driving force. The importance of having a pole in the future Plateau de Saclay of the

---

<sup>9</sup> Acronym for 'Unité de Formation et de Recherche : Training and Research Unit'

strength, excellence and visibility of P2IO can not be underestimated. The role of P2IO labex in this context is to gradually transform a close collaboration between many strongly integrated vertical structures into a much more powerful network including several top notch horizontal platforms.

It is however quite important for the stakeholders that the role and identity of their laboratories is preserved during that transition phase. P2IO Labex governance must therefore be organized around an executive and operational body formed by the P2IO laboratories directors and an overview body formed by the four stakeholders representatives. The stakeholders also assign to the P2IO LABEX the mission to significantly boost the interdisciplinary and spin-offs actions presently taking place in their laboratories through specific actions supported on the LABEX budget.

In order to help the P2IO labex to accomplish these tasks, the stakeholders will continue to support P2IO members with high priority. Every effort will be made to maintain the huge manpower annual investment (around 200 M€) at the present 2010 level. The laboratories operating budget representing around 10 M€ will also be preserved on the best effort basis. Major equipments already present in P2IO laboratories will be operated, maintained and upgraded while many new facilities are planned, with the help of the EQUIPEX programs. Targeted actions such as the Groupement d'Intérêt Scientifique P2I will be continued in the period 2011 in order to boost scientific activities in the Paris region with P2IO partners as main actors and beneficiaries of these funds.

#### **5.4. RELATION AVEC LE MONDE SOCIO-ECONOMIQUE / CONNECTIONS TO THE SOCIO-ECONOMIC WORLD**

Technology transfer coming from research projects pursued in the laboratories participating in this LABEX has been an important activity for years. Presently, in each laboratory there is a person in charge of conducting this work in conjunction with the corresponding technology transfer unit at CEA or IN2P3, the SPV of the CNRS and FIST SA. Several actions are already part of routine work: patenting [more than 40 active patents], technology transfer through licensing [currently 9 licenses are signed or in negotiation], supply of services including technical assistance (non-exhausted list of implied companies: Canberra Semiconducteur NV, Pyrocontrole, Gaz de France, Snadec, Irelec, Thalès Electron Devices, INEL, CPO) and industrial research contracts like (non-exhausted list of partners: Siemens, Photonis, EADS Astrium, Thales, EDF, Rhodia, Hekyom, Philips, Dosisoft, Biospace Lab, IBA, Guerbet), and even creation of start-ups [a total of 3 within the last years, 2 are still alive].

As a result, our technology transfer efforts can be considered significant; however there is still room for improvements. Indeed, current as well as future technology transfer actions of P2IO are based on an enormous potential in creating new components (e.g. electronics, accelerator physics), innovative prototypes (in particular for the live science sector), sophisticated high tech instrumentation for unique platforms (p.e. cryogenics, irradiation, material characterization and implementations) and software.

The exploitation of this potential suffers from several limits. While platforms are internal developments that attract relatively easily the industrial partners, industrial research collaborations deserve an improved industrial network. But clearly the most critical situation to succeed in technology transfer has to be challenged with innovative prototypes: especially an intermediate structure for semi industrial prototyping is missing. Several measures, an engineer for specification and certification, areas for testing and specific



founding are foreseen to overcome this limit. P2IO will thus head for definitively incorporating technology transfer actions as an obligatory part of its scientific work.

To give at least a few concrete examples of future technology transfers: a new platform will be added to the already existing ones, ThomX. This project aims at providing a fully operational hard X-ray CBS source, with a performance between one and two orders of magnitude higher than that of the existing one, ready to be operated in a non-expert environment. The ThomX source will provide industrial partners and the academic community with an open access facility for medical and cultural heritage applications (works of art dating and attribution, primitive sketches detection and underlying drawings non-destructive analysis). Also, the experimental areas of the Supratech platform (including a clean room, chemistry and cryogenic facilities) will become accessible to industrial partners. In collaboration with the National Institute of Meteorology (INM-CNAM), the accreditation COFRAC-LNE of the cryogenic thermometer calibration facility should be operational in 2012. This equipment allows for the calibration of up to seventy thermometers in a single run and thus to disseminate the temperature unit within both the laboratories and the industry.

Concerning licensing, several medical prototypes (TReCam, TRIOP and MONITEP) already developed or under development will be transferred in the coming years, one of which, a handheld gamma camera for surgical cancer treatment already in 2011. In the area of electronics, a new family of high performance data acquisition boards based on ultra-fast analog memories should also be commercialized under license very soon. They should set new references in the domain, especially in the picosecond time measurement with low power and high number of channels. Another concrete licensing action is foreseen in the field of accelerator physics: it concerns downloading of software dealing with accelerator beam simulations (Toutatis, TraceWin, PlotWin, etc.).

A new tight network between P2IO and industrial partners will be created. It's somehow the heart of P2IO's technology transfer strategy as explained in detail in section 5.4. In addition, the existing structures will be redefined and new means will be added:

- At the P2IO level, a Steering Committee composed of the persons in charge of technology transfer will monitor the different LABEX valorization projects. Their work will rely on the IDEX IP department and on the other above mentioned entities (SPV, FIST, SAIC and IN2P3/CEA technology transfer cells). During routine meetings, the committee will share experiences, networks and industry contacts. In particular, priorities in the use of the common means are defined here.
- In the laboratories, the persons in charge of industrial transfer will systematically evaluate together with the scientific project managers all Intellectual Property aspects (patent applications, publication schedule, industrial collaborations, NDAs, etc.) right from the beginning
- An attractive web site will describe the technology transfer actions, the technological offers of the P2IO laboratories and the "Industrial Partners Club" called PIGES
- As completely new means dedicated to industrial transfer actions, P2IO will dispose of engineers, areas for short term public-private collaborations and specific budgets, (see 6.1.3).
- Access to P2IO technological platforms and unique testing facilities, as well as different services like design study, manufacturing, technical training will be proposed to our close industrial partners, on a pay-per-use basis.

The laboratories will specify the rules regarding confidentiality, intellectual property rights, dissemination and exploitation of the results originating from the LABEX projects through an agreement at the consortium

level. Regarding expertise, several laboratories have strong implications in the assistance to projects in the frame of design, decommissioning and exploitation of nuclear installations. Skills and know-how of physicists and engineers teams have shown they could be favourably applied to simulation calculations, radioprotection, safety and waste management studies, together with other societal concerns.

### 5.5. EFFET D'ENTRAÎNEMENT POTENTIEL/ PULL EFFECT

The P2IO pull effect will develop along five axes: international, national, regional, interdisciplinary and industrial. Internationally, it is expected that because of the greater visibility and increased integration of P2IO partner technical potential, P2IO will be able to attract on its premises large international platforms or projects and increase its participation to major international space missions. One such example is plasma-wake acceleration, where partnerships with CERN, SLAC in the US and KEK in Japan could materialize around the APOLLON laser and the accelerator facilities and instrumentation which will be built by P2IO, as proposed in the CILEX EQUIPEX project in collaboration with the PALM Labex. P2IO LABEX will be a driving force in promoting such collaborations with major international partners.

At the national level, P2IO will implement a strong collaborative structure between CEA, CNRS and Université Paris-Sud 11. P2IO will constitute a major science and technology cluster. Given the existing collaborations with other laboratories, the regional and national structuring effects of P2IO will be important for the scientific community involved in P2IO themes. P2IO will be a natural partner for other LABEX being proposed (Paris, Grenoble, Lyon,..) with science themes related to that of P2IO. One of the instruments foreseen for this coordination at the regional level is the GIS P2I which will be directed in the key period 2011-2013 by the P2IO coordinator. Coordination is also considered with the "ESEP" Labex (Observatoire de Paris) on "origins" science themes, building on the on-going joint activities between IAS, IRFU (P2IO) and LESIA (ESEP) in the framework of the GIS MoteSpace.

Enhanced interdisciplinary actions with many regional/local structures both inside the Plateau de Saclay and outside it will result in P2IO creation because of its position as the very visible entry point to all P2IO partners. Strong partnerships have already been discussed with the Physics and Medicine interface and PALM Labex projects on the Plateau de Saclay. It is expected that these actions will irrigate in a few years significantly beyond P2IO usual partners which will relay P2IO actions in their respective fields. This will be very proactively promoted through preferential access to P2IO platforms. Industrial contacts with large companies and SMEs involved in P2IO themes will be greatly facilitated through enhanced visibility and specific actions carried out at P2IO level, such as P2IO industrial open days. It is important to notice that 3 large industrial companies, Air Liquide, SDMS and Thalès, as well as the PIGES association regrouping many other companies involved in large scientific equipments have expressed a strong explicit support to P2IO labex through a support letter sent together with this application.

Quantitative indicators relative to P2IO pull effects are integral parts of P2IO success criteria explicated in section 5.2.1

## 6. JUSTIFICATION SCIENTIFIQUE ET FINANCIERE DES MOYENS DEMANDES / FINANCIAL AND SCIENTIFIC JUSTIFICATION FOR THE MOBILISATION OF THE RESOURCES

### 6.1. JUSTIFICATION DES MOYENS DEMANDES (SUR 10 ANS) / JUSTIFICATION FOR THE MOBILISATION OF THE RESOURCES

The annual P2IO budget (in k€) is presented in the following table :

	Human ressources	Equipment	Operations	Total
Research	500			500
Teaching/Training	30	50	120	200
Valorisation	100		50	150
Governance	20		20	40
Relations with society			20	20
R&D-Platforms	300	700	90	1090
Management overhead			80	
Total	1050	650	380	2080

The large priority given by P2IO to its R&D and platforms can be readily seen since it corresponds to more than 50% of the budget. The large budget items ( Human resources for research and for R&D, equipment for R&D and platforms) will correspond to calls for proposals that will be organize following the best international standards and practices for the evaluation.

#### 6.1.1 PROJET DE RECHERCHE/ RESEARCH PROJECT

Research oriented funds in P2IO will be distributed almost exclusively through two types of calls for proposals :

- A call "RP" oriented towards temporary research positions to get the best scientific return out of the high priority P2IO scientific themes (S1 to S4)
- A call "RD" oriented towards platforms and R&D support.

The RP budget will be 500 k€ per year and will aim to recruit around 10 postdoc positions at a yearly cost of 50 k€ per year. The length of the proposed contracts will be two years, not renewable and therefore P2IO will issue a RP call every other year. Some flexibility will be possible in the RP call to get instead of a postdoctoral position either a PhD position (3 years at 35 k€ per year, therefore financially neutral wrt to a postdoc position) or an invitation to a senior physicist for a shorter term (typically 1 year at 100 k€). P2IO partners have agreed to cover from their own budget the travel and indirect costs attached to these positions. Our experience with similar calls issued by the GIS P2I shows that the pressure within P2IO teams to get a position will be at least 5, high enough to ensure that only top quality projects are selected.

The RD budget will be of 1 M€ per year, mostly devoted to equipment money (70%), with the remainder used to hire support technical staff. It is foreseen to grant this R&D money to 2 projects only per year, giving each project 350 k€ over 3 years. Based on our experience within similar calls granted by ANR or by the GIS P2I, this amount is important enough to make significant advances on R&D oriented projects or to provide key complementary equipments to P2IO platforms. Manpower of various types (engineer, applied physicist, physicist with competence in another field) will be authorized in the call, on a basis of 1 position per project for 3 years at an average cost of 50 k€.

It is expected that scientific animation costs will be borne by the Plateau de Saclay IDEX initiative if approved or by P2IO partners internal budget if not. Note that in the period 2011-2013, the GIS P2I, a consortium of the 19 laboratories in the whole Paris region, will also contribute to this animation.

P2IO will also allocate 90 k€ per year as its contribution to the operation of the various platforms that will support the projects having received the RP grants.

#### 6.1.2 PROJET PÉDAGOGIQUE/ EDUCATIONAL PROJECT

We present here in details the large scale project and the five recurrent actions of our program presented in 5.2.3. The following table summarizes the annual budget.

A. Labwork Project	500 k€ over 10 years (50 k€ per year)
A1 Preparation of the new lab	115
A2 Computing equipments	150
A3 Modernization	200
A4 Working costs and maintenance	35
B. recurrent actions	150 k€ per year
B1 Computing learning project	45
B2 Two Infinities' Summer School	35
B3 M2 Grants and work experience contracts for students	30
B4 Pedagogical travels	10
B5 Federal workshops and communication	30

To meet the needs in experimental and numerical teaching of the different Masters2 concerned with P2IO, we propose to finance new lab-works, computing equipment for calculus, modernization and maintenance of existing and new lab-works.

A. Among the new lab-works, we selected

- In-beam measurements of nuclear properties
- Si-pad detectors and their use in particle and nuclear physics
- New lab-works for Energy production technologies

B. Secondly, we propose to develop teaching facility for large-scale computation, establishing a small computing centre for Master students to allow them to reach a high level of expertise in numerical

computation for data reduction or simulations or equation solving. Initial equipment for around 90 students, may consist in 3 computing rooms with 15 terminals. Buying software licenses and renewal of machines and storage after 5 years will follow.

C. Modernization of existing lab-works organized by the M2 NPAC and HEP-X needs also investment.

D. Finally, we propose to financially support five recurrent actions :

- Computing learning project.
- ‘Two Infinities’ Summer School (two weeks long) with the aim of transmitting to L3 students knowledge and know-how on P2IO research activities.
- M2 Grants and work experience contracts for students.
- Pedagogical travels to allow students to discover powerful accelerators and detectors in nuclear and particle physics (CERN and GANIL).
- Federal workshops and communication dedicated to PhD students presentations.

### 6.1.3 VALORISATION/ EXPLOITATION OF RESULTS

Valorisation funds are aimed at providing, through a call for proposal, 2 engineering positions to help P2IO teams to transform promising research prototypes into industrial products. These positions, funded at 50 k€ per year will be two years positions. The call will be therefore issued every other year. A small amount (50 k€/year) will be reserved to support these projects with operating money. It is expected that all administrative valorization actions , including patents process, will be supported by the IDEX appropriate structure (SATT) if approved or by our laboratories and stakeholders if not. It is foreseen to increase, probably double, the valorization budget after 4 years since there is a strong expectation that the creation of the P2IO Labex will strongly enhance the valorization potential and therefore generate a corresponding income. In more details, the asymptotic budget is listed below, with the expectation that 50% will come from P2IO budget and 50% from the revenue of the valorization actions.

- Budget for travelling (conferences, visits of industrial partners in Europe, USA and Asia) : 20 k€/year
- 2 engineer positions: one for administrative/secretariat tasks (website, documents drafting, “club” and alumni association secretariat), the other one for the establishment of the technical files (specifications, CE certification action, ..) : 150 k€/year
- 3 equipped areas (desks, computers and network) for the work in collaboration with industrial partners: 60 k€ for renovation of existing rooms in laboratories, 15 k€ for the installation of card access systems, 15 k€ for equipment.
- Budget for market and/or legal surveys (as a complement to industrial partner efforts), club et alumni association (connection actions): 30 k€ / year;
- Budget for prototype development and purchase of components related to industrial transfer (as a complement to industrial partner efforts): 100 k€/year (e.g.: microelectronics development: 30 k€/run, prototype (beta test) realization: 25 k€, mechanical model machining: 25 k€)

#### 6.1.4 GOUVERNANCE/ GOVERNANCE

The money set aside for governance is separated in two parts : one managing assistant will be hired half-time, at the cost of 20 k€ per year and 20 k€ will be used to fund the travel of the international experts sitting on the various P2IO boards.

#### 6.2. AUTRES RESSOURCES / OTHERS RESOURCES

P2IO Labex teams will proceed soon after P2IO creation to propose joint proposals under the P2IO banner to various calls for proposals, such as the ones coming from the European Union, the French ANR or the Ile de France regional calls. It is difficult to foresee the exact sums that will be gained in this way but they should be quite significant. The Ile de France calls, SESAME, have usually two "slot" reserved for P2IO themes and although there will obviously competition especially from the Paris intramuros laboratories, one could expect P2IO to win a call every other year. Since the usual amount of money awarded is 1.5 M€ for 3 years, the Paris Region contribution can be rather prudently estimated to 0, 25 M€ per year on average.

P2IO teams usually are awarded 5 to 10 ANR grants every year, with an average amount 500 k€ over 4 years. One can not assume that all these proposals will be made under the LABEX banner since they often imply small activities that can be outside P2IO priorities but one can safely count on 2 ANR grants with a P2IO label per year representing 250 k€ per year from ANR.

European projects are often larger but coming every 3 or 4 years with larger fluctuations but one can assume 0,5 M€ per year for projects launched under P2IO banner after 2 or 3 years of P2IO operation.

The extra resources for P2IO activities can asymptotically therefore reach 1 M€ per year, ie 50 % of the P2IO budget. This large fraction allows to be reasonably confident of the possibility to continue to fund P2IO in ten years from now just on these resources, since by that time, valorization resources coming from industrial contracts not mentioned above should be rather significant.

### 7. ANNEXES / APPENDICES

#### 7.1. REFERENCES BIBLIOGRAPHIQUES DE L'ETAT DE L'ART/STATE OF THE ART REFERENCES

##### • Theme S1

- A.Djouadi, "The Anatomy of electro-weak symmetry breaking. I: The Higgs boson in the standard model," Phys. Rept.457, 1 (2008)
- A.Djouadi, "The Anatomy of electro-weak symmetry breaking. II. The Higgs bosons in the minimal supersymmetric model," Phys. Rept.459, 1 (2008)
- V.M.Braun, G.P.Korchemsky and D.Mueller, "The uses of conformal symmetry in QCD," Prog.Part.Nucl.Phys.51, 311 (2003)
- M.Kobayashi and T.Maskawa, "CP Violation In The Renormalizable Theory Of Weak Interaction," Prog.Theor.Phys. 49, 652 (1973).

- G.Aad et al. [ATLAS Collaboration], "The ATLAS Experiment at the CERN Large Hadron Collider," JINST3, S08003 (2008).
- R.Adolphi et al. [CMS Collaboration], "The CMS experiment at the CERN LHC," JINST 3, S08004 (2008).
- B.Aubert et al. [BABAR Collaboration], "The BaBar detector," Nucl.Instrum.Meth.A479, 1 (2002)

• **Theme S2**

The ASPERA European strategy for astroparticle physics:

<http://www.aspera-eu.org/images/stories/files/Roadmap.pdf>

The ASTRONET Infrastructure Roadmap: a strategic plan for European Astronomy:

<http://www.astronet-eu.org/IMG/pdf/Astronet-Book.pdf>

• **Theme S3**

- J.P.Blaizot and E.Iancu, "The quark-gluon plasma: Collective dynamics and hard thermal loops," Phys.Rept.359, 355 (2002)
- N.Armento et al., "Heavy Ion Collisions at the LHC - Last Call for Predictions," J.Phys.G35, 054001 (2008)
- B.A.Mecking et al. [CLAS Collaboration],

The CEBAF Large Acceptance Spectrometer (CLAS)," Nucl. Instrum.Meth. A 503, 513 (2003) M.F.~Lutz et al. [The PANDA Collaboration],

Physics Performance Report for PANDA: Strong Interaction Studies with Antiprotons, arXiv:0903.3905 [hep-ex].

• **Theme S4**

ESA "Cosmic Vision" roadmap 2015-2020: <http://www.esa.int/esapub/br/br247/br247.pdf>

Chyba, C., F., Hand, K. P. (2005) 'Astrobiology: the study of the living universe' Ann. Rev. Astron. Astroph. 43, 31-74

Bibring, J. P., Langevin, Y., Mustard, J. F. et al. (2006) Global mineralogical and aqueous mars history derived from OMEGA/Mars express data, Science 312, p. 400-405

Bibring, J. P., Rosenbauer, H. Boehnhardt H. et al. (2007) 'The Rosetta lander ("Philae") investigations' Space Sci. Rev. 128, 205-220.

Udry, S., Santos, N., C. (2007) Statistical properties of exoplanets' Ann. Rev. Astron. Astroph. 45, 397-439

Encrenaz, T. (2008) 'Water in the solar system' Ann. Rev. Astron. Astroph. 46, 57-87.

Gulkis, S., Alexander, C. (2008) 'Composition measurements of a comet from the Rosetta orbiter spacecraft' Space Sci. Rev. 138, 259-274

McKay C., P. (2008) An approach for searching for life on Mars, Europa and Enceladus. Space Sci. Rev. 136, 49-54

Chambers, J. E. (2009) 'Planetary Migration: what does it mean for planet formation ?' Ann. Rev Earth Planet. Sci. 37, 413-448.

- Herbst, E., Van Dishoeck, E. F. (2009) 'Complex organic interstellar molecules' *Ann. Rev. Astron. Astroph.* 47, 427-480
- Sanford, S., A. (2009) 'Terrestrial analysis of the organic component of comet dust' *Ann. Rev. Anal. Chem.* 1, 549-578.
- Adams, F. C. (2010) 'The birth environment of the solar system' *Ann. Rev. Astron. Astroph.* 48, 47-85
- Budin, I., Szostak, J. W. (2010) 'Expanding roles for diverse physical phenomena during the origin of life' *Ann. Rev. Biophysics*, 39, 245-263.
- Dullemond, C. P. and Monnier, J. D. (2010) 'The inner regions of protoplanetary disks' *Ann. Rev. Astron. Astroph.* 48, 205-239
- Henning, T. (2010) 'Cosmic Silicates' *Ann. Rev. Astron. Astroph.* 48, 21-46.
- Seager, S., Deming, D. (2010) 'Exoplanet Atmospheres' *Ann. Rev. Astron. Astroph.* 48, 631-672.

• **Theme T1**

CARE final report

<http://esgard.lal.in2p3.fr/Project/Activities/Current/Annual/index.php>

Accelerators for America's future

<http://www.acceleratorsamerica.org/files/Report.pdf>

• **Theme T2**

EUDET

<http://www.eudet.org/>

AIDA

<https://espace.cern.ch/aida/default.aspx>

• **Theme T3**

• **Theme I1**

Generation IV International Forum, Proceedings, GIF Symposium, Paris, France, 9-10 September 2009, ISBN 978-92-64-99115-6.

Perspectives de l'énergie nucléaire, Agence de l'énergie nucléaire, AEN 6349, OCDE Report 2008

S. Bouneau, S. David, JM. Loiseaux, O. Méplan, Construction d'un monde énergétique en 2050, *Annales de Physique*, vol.34, N°1, 2009

D. Grenèche, A. Bidaud, S. David, Faut-il repenser au thorium ?, *Revue Générale du Nucléaire*, 2008, N3, Mai-Juin, p55-63.

C. Garzenne, A. Zaetta, S. David, La physique de la transmutation, *Revue Générale du Nucléaire*, Mai 2006.

S. David, H. Nifenecker, J.M. Loiseaux, O. Méplan, D. Heuer, Energy generation and waste transmutation using accelerator driven subcritical reactors, *Comments on Nuclear and Particle Physics, Comments on Modern Physics 2:A209-A234*, 2002.



H. Nifenecker, S. David, O. Méplan, Possible use of Accelerator Driven Subcritical Systems for Minor Actinides Incineration, Comptes-rendus à l'Académie des Sciences, SSN : 1296-2147, 2001 - Volume 2 - Numéro 1 - pp: 163-184.

H. Nifenecker, S. David, J.M. Loiseaux, O. Méplan, Basic of Accelerator-Driven Subcritical Reactors, Nucl. Instr. Meth. A, 463 (3) (2001) pp. 428-467.

H. Nifenecker, O. Méplan, S. David, Accelerator-Driven Subcritical Reactors, Series in Fundamental and Applied Nuclear Physics, Series Editors: RR. Betts and W. Greiner (2003)

• **Theme I2**

1) Long Range Plan for Nuclear Physics (NUPECC/ESF 2010)

2) J.M. Hoffman, S.S. Gambhir - "Molecular Imaging : the vision and opportunity for radiology in the future" (Radiology: Volume 244: Number 1—July 2007)

3) B.J Pichler et al, "Latest Advances in Molecular Imaging Instrumentation" (J Nucl Med 2008; 49:5S–23S 2008)

4) P.P Connell, S. Hellman, "Advances in radiotherapy and implications for the next century" (Cancer Research 69: (2) 384-392 2009)

## 7.2. REFERENCES BIBLIOGRAPHIQUES DES PARTENAIRES/PARTNERS' REFERENCES

### 7.2.1 PUBLICATIONS CSNSM

S. Ekström et al.

**Effects of the variation of fundamental constants on Population III stellar evolution, A&A 514 (2010) A62**

V. Tatischeff *et al.*

**A runaway Wolf-Rayet Star as the origin of  $^{26}\text{Al}$  in the early solar system, ApJ Lett. 714 (2010) L26 – L30**

M. La Cognata *et al.*

**A novel approach to measure the cross section of the  $^{18}\text{O}(p,\alpha)^{15}\text{N}$  resonant reaction in the 0-200 keV energy range, Ap. J. 708 (2010) 796 – 811**

J. Duprat *et al.*

**Extreme deuterium excesses in ultracarbonaceous micrometeorites from central Antarctic snow, Science 328 (2010) 742-745**

V. A. Dogiel *et al.*

**Nuclear interaction gamma-ray lines from the Galactic center region, A&A 508 (2009)1–7**

J. C. Dalouzy *et al.*

**Discovery of a new broad resonance in  $^{19}\text{Ne}$ : Implications for the destruction of the cosmic  $\gamma$ -ray emitter  $^{18}\text{F}$ , Phys. Rev. Lett. 102 (2009) 162503**

Y. R. Rahal *et al.*

**The EROS2 search for microlensing events towards the spiral arms: the complete seven season result, A&A 500 (2009) 1027 – 1044**

V. Tatischeff

**Radio emission and nonlinear diffusive shock acceleration of cosmic rays in the supernova SN 1993J, A&A 499 (2009) 191–213**

L. Gaudefroy *et al.*

**Shell Erosion and Shape Coexistence in  $^{43}_{16}\text{S}_{27}$** , Phys. Rev. Lett. **102** (2009) 092501

D. Neidherr *et al.*

**Discovery of  $^{229}\text{Rn}$  and the Structure of the Heaviest Rn and Ra Isotopes from Penning-Trap Mass Measurements**, Phys. Rev. Lett. **102** (2009) 112501

S. Ketelhut *et al.*

**Gamma-ray spectroscopy at the limits: First observation of rotational bands in  $^{255}\text{Lr}$** , Phys. Rev. Lett. **102** (2009) 212501

R. Ringle *et al.*

**High-precision Penning trap mass measurements of  $^{9,10}\text{Be}$  and the one-neutron halo nuclide  $^{11}\text{Be}$** , Phys. Lett. **B 675** (2009) 170-174

A. Broniatowski *et al.*

**A new high-background-rejection dark matter Ge cryogenic detector**, Phys. Lett. **B 681** (2009) 305–309

L. W. Yu *et al.*

**Guided growth of in-plane silicon nanowires**, Appl. Phys. Lett. **95** (2009) 113106

A. F. Santander-Syro *et al.*

**Fermi-surface instability at the ‘hidden-order’ transition of URu<sub>2</sub>Si<sub>2</sub>**, Nature Physics **5** (2009) 637-641

A. Keller *et al.*

**Transition from smoothing to roughening of ion-eroded GaSb surfaces**, Appl. Phys. Lett. **94** (2009) 193103

M. La Cognata *et al.*

**Measurement of the 20 and 90 keV resonances in the  $^{18}\text{O}(p,\alpha)^{15}\text{N}$  reaction via the Trojan horse method**, Phys. Rev. Lett. **101** (2008) 152501

P. Tisserand *et al.*

**R Coronae Borealis stars in the Galactic bulge discovered by EROS-2**, A&A **481** (2008) 673 – 690

C. Fitoussi *et al.*

**Search for supernovaproduced  $^{60}\text{Fe}$  in a marine sediment**, Phys. Rev. Lett. **101** (2008) 121101

V. L. Ryjkov *et al.*

**Direct Mass Measurement of the Four-Neutron Halo Nuclide  $^8\text{He}$** , Phys. Rev. Lett., **101** (2008) 012501

M. Smith *et al.*

**First Penning-Trap Mass Measurement of the Exotic Halo Nucleus  $^{11}\text{Li}$** , Phys. Rev. Lett. **101** (2008) 202501

W. Geithner, T. Neff, G. Audi *et al.*

**Masses and Charge Radii of  $^{17-22}\text{Ne}$  and the Two-Proton-Halo Candidate  $^{17}\text{Ne}$** , Phys. Rev. Lett. **101** (2008) 252502

S. Baruah *et al.*

**Mass Measurements beyond the Major r-Process Waiting Point  $^{80}\text{Zn}$** , Phys. Rev. Lett. **101** (2008) 262501

M. Dworschak *et al.*

**Restoration of the N = 82 Shell Gap from Direct Mass Measurements of  $^{132,134}\text{Sn}$** , Phys. Rev. Lett. **100** (2008) 072501

A. Lopez-Martens *et al.*

**Motional narrowing and ergodic bands in excited superdeformed states of  $^{194}\text{Hg}$** , Phys. Rev. Lett. **100** (2008) 102501

C. Bachelet *et al.*

**New Binding Energy for the Two-Neutron Halo of  $^{11}\text{Li}$** , Phys. Rev. Lett. **100** (2008) 182501

S. George *et al.*

**Time-separated oscillatory fields for high-precision mass measurements on short-lived Al and Ca nuclides**, Eur. Phys. Lett. **82** (2008) 50005

F. Fossard *et al.*

**Pseudomorphic SiGe/Si(001) layers synthesized by gas immersion laser doping**, Appl. Phys. Lett. **93** (2008) 021911

D. Taverna *et al.*

**Probing physical properties of confined fluids within individual nanobubbles**, Phys. Rev. Lett. **100** (2008) 035301

T. Kondo *et al.*

**Momentum dependence of the superconducting gap in  $\text{NdFeAsO}_{0.9}\text{F}_{0.1}$  single crystals measured by angle resolved photoemission spectroscopy**, Phys. Rev. Lett. **101** (2008) 147003

C. Liu *et al.*

**K-doping dependence of the Fermi surface of the iron-arsenic  $\text{Ba}_{1-x}\text{K}_x\text{Fe}_2\text{As}_2$  superconductor using angle-resolved photoemission spectroscopy**, Phys. Rev. Lett. **101** (2008) 177005

R. Singhal *et al.*

**Synthesis and characterizations of silver-fullerene  $\text{C}_{70}$  nanocomposite**, Appl. Phys. Lett. **93** (2008) 101236

A. Kumar *et al.*

**Ordering of fullerene and carbon nanotube thin films by energetic ion impact**, Appl. Phys. Lett. **93** (2008) 221904

P. Tisserand *et al.*

**Limits on the Macho content of the galactic halo from the EROS-2 survey of the Magellanic clouds**, A&A **469** (2007) 387 – 404

J. Duprat and V. Tatischeff

**Energetic constraints on in situ production of short-lived radionuclides in the early solar system**, *Ap. J. Lett.* **671** (2007) L69 – L72

M. J. Harris *et al.*

**High resolution  $\gamma$ -ray spectroscopy of flares on the east and west limbs of the Sun**, *A&A* **461** (2007) 723 – 729

V. Tatischeff and J.-P. Thibaud

**Is  ${}^6\text{Li}$  in metal-poor halo stars produced in situ by solar-like flares?** *A&A* **469** (2007) 265 – 274

J. Duprat et V. Tatischeff

**Energetic constraints on in situ production of shortlived radionuclides in the early Solar System**, *ApJ* **671** (2007) L69-L72

J. Jouzel *et al.*

**Orbital and millennial Antarctic climate variability over the past 800,000 years**, *Science* **317** (2007) 793-796

J. Kissel *et al.*

**Cosima - High Resolution Time-of-Flight Secondary Ion Mass Spectrometer for the Analysis of Cometary Dust Particles onboard Rosetta**, *Space Sci. Rev.* **128** (2007) 823-867

B. Narcisi *et al.*

**First discovery of meteoritic events in deep Antarctic (EPICA-Dome C) ice cores**, *Geophys. Res. Lett.* **34** (2007) L15502.

W. Riedler *et al.*

**MIDAS – The Micro-Imaging Dust Analysis System for the Rosetta Mission**, *Space Sci. Rev.* **128** (2007) 869-904

I. Stefanescu *et al.*

**Coulomb Excitation of  ${}^{68,70}\text{Cu}$ : First Use of Postaccelerated Isomeric Beams**, *Phys. Rev. Lett.* **98** (2007) 122701

George S. *et al.*

**Mass spectrometry of atomic ions produced by in-trap decay of short-lived nuclides Ramsey Method of Separated Oscillatory Fields for High-Precision Penning Trap Mass Spectrometry**, *Phys. Rev. Lett.* **98** (2007) 162501

J. Van de Walle *et al.*

**Coulomb Excitation of Neutron-Rich Zn Isotopes: First Observation of the 2+1 State in  ${}^{80}\text{Zn}$** , *Phys. Rev. Lett.* **99**, 142501 (2007)

I. Stefanescu *et al.*

**Coulomb Excitation of  ${}^{68, 70}\text{Cu}$ : First Use of Postaccelerated Isomeric Beams**, *Phys. Rev. Lett.* **98** (2007) 122701

V. Tatischeff and M. Hernanz

**Evidence for nonlinear diffusive shock acceleration of cosmic rays in the 2006 outburst of the recurrent nova RS Ophiuchi**, ApJ Lett. **663** (2007) L101 – L104

J. F. Macias-Perez *et al.*

**Archeops in-flight performance, data processing, and map making**, A&A **467** (2007) 1313–1344

H. Assaf *et al.*

**”Nanocavity generation in SiO<sub>2</sub> by Kr and Xe ion implantation”**, Electrochem. Solid-State Lett. **10** (2007) G72-75

W. Kleeman *et al.*

**Modes of periodic wall motion in ultrathin ferromagnetic films**, Phys. Rev. Lett. **99** (2007) 09203

O. Plantevin *et al.*

**In situ X-ray scattering study of self-organized nanodot pattern formation on GaSb(001) by ion beam sputtering**, Appl. Phys. Lett. **91** (2007) 113105

J.P. Rivière *et al.*

**Formation of the crystalline  $\beta$ -C<sub>3</sub>N<sub>4</sub> phase by dual ion beam sputtering deposition**, Mat. Lett. **61** (2007) 2855-2858

Y.K. Mishra *et al.*

**Synthesis of elongated Au nanoparticles in silica matrix by ion irradiation**, Appl. Phys. Lett. **91** (2007) 1

Kiener J. *et al.*

**Properties of the energetic particle distributions during the October 28, 2003 solar flare from INTEGRAL/SPI observations**, A&A **445** (2006) 725-733

H. Linge *et al.*

**”In situ <sup>10</sup>Be exposure ages from southeastern Norway: implications for the size and geometry of the Late Weichselian Fennoscandian ice sheet”**, Quat. Sci. Rev. **25** (2006) 1097-1109

V.R. Rinterknecht *et al.*

**”Chronology of the Last Deglaciation of the Scandinavian Ice Sheet in Central and Eastern Europe”**, Science **311** (2006) 1449-1452

G.M. Raisbeck *et al.*

**”<sup>10</sup>Be evidence for the Matuyama-Brunhes geomagnetic reversal in the EPICA Dome C ice core”**, Nature **444** (2006) 82-84

EPICA Community Members

**”One-to-one coupling of glacial climate variability in Greenland and Antarctica”**, Nature **444** (2006) 195-198

D. Brownlee *et al.*

**Comet 81P/Wild 2 under a microscope**, Science **314** (2006) 1711-1716

K. D. McKeegan *et al.*

**Isotopic Compositions of Cometary Matter Returned by Stardust**, Science **314** (2006) 1724-1728

A. S. Sandford *et al.*

**Organics Captured from Comet 81P/Wild 2 by the Stardust Spacecraft**, *Science* **314** (2006) 1720-1724

M. E. Zolensky *et al.*

**Mineralogy and Petrology of Comet 81P/Wild 2 Nucleus Samples**, *Science* **314** (2006) 1735-1739

M. Fallot *et al.*

**Evidence for a 3-phonon Giant Resonance State in  $^{40}\text{Ca}$  Nuclei**, *Phys. Rev. Lett.* **97** (2006) 242502

A. Benoit *et al.*

**Critical revision of the ZEPLIN-I sensitivity to WIMP interactions**, *Phys. Lett. B* **637** (2006) 156-160

A. Pourret *et al.*

**Observation of the Nernst signal generated by fluctuating Cooper pairs**, *Nature Physics* **2** (2006) 683-686

R. Espiau de Lamaestre *et al.*

**Evidence for a "dark exciton state" of PbS nanocrystals in a silicate glass**, *Appl. Phys. Lett.* **88** (2006) 181115

R. Gago *et al.*

**Order enhancement and coarsening of self-organized silicon nanodot patterns induced by ion-beam sputtering**, *Appl. Phys. Lett.* **89** (2006) 233101

A. Benyagoub *et al.*

**Electronic excitation-induced athermal crystallization in ion-implanted silicon carbide**, *Appl. Phys. Lett.* **89** (2006) 241914

Angulo C. *et al.*

**The  $^{7}\text{Be}(d,p)^{2\alpha}$  cross section at Big Bang energies and the primordial  $^7\text{Li}$  abundance**, *ApJ.* **630** (2005) L105-L108

Chafa A. *et al.*

**Hydrogen Burning of  $^{17}\text{O}$  in Classical Novae**, *Phys. Rev. Lett.* **95** (2005) 031101

Fleurot F. *et al.*

**$^{16}\text{O}$  Coulomb dissociation: towards a new means to determine the  $^{12}\text{C}+\alpha$  fusion rate in stars**, *Phys. Lett. B* **615** (2005) 167-174

J. Aléon *et al.*

**Extreme oxygen isotope ratios in the early Solar System**, *Nature* **437** (2005) 385-388

A.N. Wilson *et al.*

**Excitation Energies of Superdeformed States in  $^{196}\text{Pb}$ : Towards a Systematic Study of the Second Well in Pb Isotopes**, *Phys. Rev. Lett.* **95** (2005) 182501

M. Fallot *et al.*

**Direct decay of the GQR in  $^{40}\text{Ca}$  through alpha-particle emission**, *Phys. Lett. B* **613** (2005) 128-133

Weber C. et al.

**Weighing excited nuclear states with a Penning trap mass spectrometer**, Phys. Lett. **A 347** (2005) 81-87

M. Tristram *et al.* and ARCHEOPS Collaboration(s)

**The CMB temperature power spectrum from an improved analysis of the Archeops data**, A&A **436** (2005) 785-797

N. Ponthieu *et al.* and ARCHEOPS Collaboration(s)

**Temperature and polarization angular power spectra of Galactic dust radiation at 353 GHz as measured by Archeops**, A&A **444** (2005) 327-336

A. Benoit *et al.* and EDELWEISS Collaboration(s)

**Sensitivity of the EDELWEISS WIMP search to spin-dependent interactions**, Phys. Lett. **B 616** (2005) 25-30

F. Cayssol *et al.*

**Enhancing domain wall motion in magnetic wires by ion irradiation**, Appl. Phys. Lett. **86** (2005) 022503

N. Chimot *et al.*

**Terahertz radiation from heavy-ion-irradiated In<sub>0.53</sub>Ga<sub>0.47</sub>As photoconductive antenna excited at 1.55 microns**, Appl. Phys. Lett. **87** (2005) 193510

M. Bauer *et al.*

**Deroughening of Domain Wall Pairs by Dipolar Repulsion**, Phys. Rev. Lett. **94** (2005) 207211

### 7.2.2 IAS PUBLICATIONS

This list of selected references includes all articles with an IAS author published since 2005 in Nature (14), Science (22) or cited more than 10 times per year. Additional recent articles have been added to the list so as to provide a comprehensive view of the science activities at IAS, including four very recent references (May 2010) outlining the IAS contribution to the exploitation of the Herschel sub-mm space observatory (launched May 2009). The high quality science results of the Planck/HFI instrument (launched in May 2009 together with Herschel, IAS PI and project manager) will be showcased in a series of articles to be published immediately after an international conference scheduled in January 2011. Authors in italic case are presently at IAS. The large proportion of high visibility articles with a 1st author from IAS outlines the strong contribution of our institute to research projects in which it participates.

*Abergel, A, Verstraete, L, Joblin, C, Laureijs R* et al. (2005) 'The cool interstellar medium', Space Sci. Rev. **119**, 247-271.

*Arvidson, R. E., Poulet, F., Bibring, J. P., Wolff, M.* et al. (2005) 'Spectral Reflectance and Morphologic Correlations in Eastern Terra Meridiani, Mars' *Science* **307**, 1591-1594

*Bibring, J. P., Langevin, Y., Gendrin, A., Gondet, B.*, et al. (2005) 'Mars Surface Diversity as Revealed by the Omega/Mars Express Observations' *Science* **307**, 1576-1581

Clark, R. N., Brown, R. H., Jaumann, R., Cruikshank, D. P. et al. (2005) 'Compositional Maps of Saturn's Moon Phoebe from Imaging Spectroscopy' *Nature* **435**, 66-69

Dartois, E., Caro, G. M. M., Deboffle, D., Montagnac, G., d'Hendecourt, L. (2005) 'Ultraviolet photoproduction of ISM dust - Laboratory characterisation and astrophysical relevance'. *Astron. Astrophys.* **432**, 895-908

Egami, E., Kneib, J. P., Rieke, G. H., Ellis, R. S. et al. (2005) 'Spitzer and Hubble Space Telescope Constraints on the Physical Properties of the Z Similar to 7 Galaxy Strongly Lensed by A2218' *Astrophysical Journal*, 618, L5-L8

Frayer, D. T., Fadda, D., Yan, L., Marleau, F. R. et al. (2006) 'Spitzer 70 and 160  $\mu$ m Observations of the Extragalactic First Look Survey' *Astronomical Journal*, 131, 250-260

Gordon, K. D., Rieke, G. H., Engelbracht, C. W., Muzerolle, J. et al. (2005) 'Reduction Algorithms for the Multiband Imaging Photometer for Spitzer' *Publications of the Astronomical Society of the Pacific*, 117, 503-525

Griffith, C. A., Penteado, P., Baines, K., Drossart, P. et al. (2005) 'The Evolution of Titan's Mid-Latitude Clouds' *Science* **310**, 474-477

Gendrin, A., Mangold, N., Bibring, J. P., Langevin, Y. et al. (2005) 'Sulfates in Martian Layered Terrains: The Omega/Mars Express View' *Science* **307**, 1587-1591

Lagache, G., Puget, J. L. & Dole, H. (2005) 'Dusty Infrared Galaxies: Sources of the Cosmic Infrared Background' *Ann. Rev. Astron. Astrophys.* **43**, 727-768

Langevin, Y., Poulet, F., Bibring, J. P., Gondet, B. (2005) 'Sulfates in the North Polar Region of Mars Detected by Omega/Mars Express' *Science* **307**, 1584-1586

Langevin, Y., Poulet, F., Bibring, J. P., Schmitt, B. et al. (2005) 'Summer Evolution of the North Polar Cap of Mars as Observed by Omega/Mars Express' *Science* **307**, 1581-1584

Le Floc'h, E., Papovich, C., Dole, H., Bell, E. F. et al. (2005) 'Infrared Luminosity Functions from the Chandra Deep Field-South: The Spitzer View on the History of Dusty Star Formation at  $0 \leq Z \leq 1$ ' *Astrophysical Journal*, 632, 169-190

Miville-Deschenes, M. A. and Lagache, G. (2005) 'Iris: A New Generation of Iras Maps' *Astrophys. Journal Suppl. Series* **157**, 302-323

Mustard, J. F., Poulet, F., Gendrin, A., Bibring, J. P. et al. (2005) 'Olivine and Pyroxene, Diversity in the Crust of Mars' *Science* **307**, 1594-1597

Perez-Gonzalez, P. G., Rieke, G. H., Egami, E. et al. (2005) 'Spitzer View on the Evolution of Star-Forming Galaxies from Z=0 to Z Similar to 3' *Astrophysical Journal*, 630, 82-107

Ponthieu N., Macias-Perez, J. F., Tristram, M., Ade, P. (2005) 'Temperature and polarization angular power spectra of Galactic dust radiation at 353 GHz as measured by Archeops', *Astron. Astrophys.* **444**, 327-336

Poulet, F., Bibring, J. P., Mustard, J. F., Gendrin, A. et al. (2005) 'Phyllosilicates on Mars and



Implications for Early Martian Climate' *Nature* **438**, 623-627

Rowan-Robinson, M., Babbedge, T., Surace, J. et al. (2005) 'Spectral Energy Distributions and Luminosities of Galaxies and Active Galactic Nuclei in the Spitzer Wide-Area Infrared Extragalactic (Swire) Legacy Survey' *Astronomical Journal*, 129, 1183-1197

Sotin, C., Jaumann, R., Buratti, B. J., Brown, R. H. et al. (2005) 'Release of Volatiles from a Possible Cryovolcano from near-Infrared Imaging of Titan' *Nature* **435**, 786-789

Toppani, A, Robert, F, Libourel, G, de Donato, P et al. (2005) 'A "dry" condensation origin for circumstellar carbonates'. *Nature* **437**, 1121-1124

Alonso-Herrero, A., Perez-Gonzalez, P. G., Alexander, D. M., Rieke, G. H. et al. (2006) Infrared Power-Law Galaxies in the Chandra Deep Field-South: Active Galactic Nuclei and Ultraluminous Infrared Galaxies. *Astrophysical Journal* **640**, 167-184

Beelen, A., Cox, P., Benford, D. J., Dowell, C. D., et al. (2006) '350 Mu M Dust Emission from High-Redshift Quasars' *Astrophysical Journal*, 642, 694-701

Bibring, J. P., Langevin, Y., Mustard, J. F., Poulet, F. et al. (2006) 'Global Mineralogical and Aqueous Mars History Derived from Omega/Mars Express Data' *Science* **312**, 400-404

Bibring, J. P. & Arvidson, S. W. S. E. (2006) 'Merging Views Onmars' *Science*, **313**

Brown, R. H., Clark, R. N., Buratti, B. J., Cruikshank, D. P. et al. (2006) 'Composition and Physical Properties of Enceladus' Surface' *Science* **311**, 1425-1428

Brownlee, D. E., Tsou, P., Aleon, J., Alexander, C. M. O. D. et al. (2006) 'Comet 81p/Wild2 under a Microscope' *Science*, **314**

Caputi, K. I., Dole, H., Lagache, G., Mclure, R. J. et al. (2006) 'Linking Stellar Mass and Star Formation in Spitzer Mips 24 Mu M Galaxies' *Astrophysical Journal*, 637, 727-740

Dole, H., Lagache, G., Puget, J. L., Caputi, K. I. et al. (2006) 'The Cosmic Infrared Background Resolved by Spitzer - Contributions of Mid-Infrared Galaxies to the Far-Infrared Background' *Astronomy & Astrophysics*, 451, 417-429

Flagey, N., Boulanger, F., Verstraete, L., Mivilles-Deschenes M-A. et al. (2006) Spitzer/IRAC and ISOCAM/CVF insights on the origin of the near to mid-IR Galactic diffuse emission. *Astron. Astrophys.* **453**, 969-978

Flynn, G. J., Bleuet, P., Borg, J., Bradley, J. P. et al. (2006) 'Elemental Compositions of Comet 81p/Wild 2 Samples Collected by Stardust' *Science* **314**, 1731-1735

Horz, F., Bastien, R., Borg, J., Bradley, J. P., Bridges, J. C. et al. (2006) 'Impact Features on Stardust: Implications for Comet 81p/Wild 2 Dust' *Science* **314**, 1716-1719

Genzel, R., Tacconi, L. J., Eisenhauer, F., Schreiber, N. M. F., et al. (2006) The Rapid Formation of a Large Rotating Disk Galaxy Three Billion Years after the Big Bang. *Nature* **442**, 786-789

Keller, L. P., Bajt, S., Baratta, G. A., Borg, J. et al. (2006) 'Infrared Spectroscopy of Comet 81p/Wild 2 Samples Returned by Stardust' *Science* **314**, 1728-1731

2010

DOCUMENT SCIENTIFIQUE B /  
SCIENTIFIC SUBMISSION FORM B

- Langevin, Y., Doute, S., Vincendon, M., Poulet, F. et al. (2006) 'No Signature of Clear Co<sub>2</sub> Ice from The "'Cryptic"' Region in Mars'south Seasonal Polar Cap. *Nature*, **442**
- Madden, S. C., Galliano, F., Jones, A. P. and Sauvage, M. (2006) 'ISM Properties in Low-Metallicity Environments - I. Mid-Infrared Spectra of Dwarf Galaxies' *Astronomy & Astrophysics*, **446**, 877-896
- Meixner, M., Gordon, K. D., Indebetouw, R., Hora, J. L. et al. (2006) 'Spitzer Survey of the Large Magellanic Cloud: Surveying the Agents of a Galaxy's Evolution (Sage). I. Overview and Initial Results' *Astronomical Journal*, **132**, 2268-2288
- Parenti, S., Buchlin, E., Cargill, P. J., Galtier, S. et al. (2006) 'Modeling the Radiative Signatures of Turbulent Heating in Coronal Loops' *Astrophysical Journal* **651**, 1219-1228
- Pouget, G., Bocchialini, K. and Solomon, J. (2006) 'Oscillations in a Solar Filament: First Observation of Long Periods in the He I 584.33 Angstrom Line, Modelling and Diagnostic' *Astronomy & Astrophysics* **450**, 1189-U218
- Sandford, S. A., Aleon, J., Alexander, C. M. O., Araki, T. et al. (2006) 'Organics Captured from Comet 81p/Wild 2 by the Stardust Spacecraft' *Science* **314**, 1720-1724
- Schreiber, N. M. F., Genzel, R., Lehnert, M. D., Bouche, N. et al. (2006) 'Sinfoni Integral Field Spectroscopy of Z Similar to 2 UV-Selected Galaxies: Rotation Curves and Dynamical Evolution' *Astrophysical Journal* **645**, 1062-1075
- Zolensky, M. E., Zega, T. J., Yano, H., Wirick, S. et al. (2006) 'Mineralogy and Petrology of Comet 81p/Wild 2 Nucleus Samples' *Science* **314**
- Bibring, J. P., Arvidson, R. E., Gendrin, A., Gondet, B. et al. (2007) 'Coupled Ferric Oxides and Sulfates on the Martian Surface' *Science* **317**
- Bolatto, A. D., Simon, J. D., Stanimirovic, S., Van Loon, J. T. et al. (2007) 'The Spitzer Survey of the Small Magellanic Cloud: (SMC)-M-3 Imaging and Photometry in the Mid- and Far-Infrared Wave Bands' *Astrophysical Journal*, **655**, 212-232
- Bouche, N., Cresci, G., Eisenhauer, F., Schreiber, N. M. F. et al. (2007) 'Dynamical Properties of Z Similar to 2 Star-Forming Galaxies and a Universal Star Formation Relation' *Astrophysical Journal*, **671**, 303-309
- Buchlin, E. and Velli, M. (2007) 'Shell Models of RMHD Turbulence and the Heating of Solar Coronal Loops' *Astrophysical Journal* **662**, 701-714
- Caputi, K. I., Lagache, G., Yan, L., Dole, H. et al. (2007) 'The Infrared Luminosity Function of Galaxies at Redshifts Z=1 and Z=2 in the GOODS Fields' *Astrophysical Journal*, **660**, 97-116
- Chevrier, V. and Bibring, J-P. (2007) 'Early Geochemical environment of Mars as Determined from Thermodynamics of Phyllosilicates' *Nature* **448**
- Cruikshank, D. P., Dalton, J. B., Ore, C. M., Bauer, J. et al. (2007) Surface Composition of Hyperion. *Nature* **448**, 54-56
- Dartois, E., Muñoz-Caro, G. M. (2007) Carbonaceous dust grains in luminous infrared galaxies -

Spitzer/IRS reveals a-C : H as an abundant and ubiquitous ISM component. *Astron. Astroph.* **476**, 1235-1242

Drossart, P., Piccioni, G., Gerard, J. C., Lopez-Valverde, M. A. et al. (2007) A Dynamic Upper Atmosphere of Venus as revealed by VIRTIS on Venus Express. *Nature* **450**, 641-645

Galtier, S. and Buchlin, E. (2007) 'Multiscale Hall-Magnetohydrodynamic Turbulence in the Solar Wind' *Astrophysical Journal* **656**, 560-566

Gordon, K. D., Engelbracht, C. W., Fadda, D., Stansberry, J. et al. (2007) 'Absolute Calibration and Characterization of the Multiband Imaging Photometer for Spitzer. II. 70  $\mu$ m Imaging' *PACS* **119**, 1019-1037

Kay, S. T., da Silva, A. C., Aghanim, N., Blanchard, A. (2007) 'The evolution of clusters in the CLEF cosmological simulation. X-ray structural and scaling properties'. *MNRAS* **377**, 317-334

Loizeau, D., Mangold, N., Poulet, F., Bibring, J.-P. et al. (2007) 'Phyllosilicates in the Mawrth Vallis region of Mars'. *J. Geophys. Res.* **112**, E08S08

Nuevo, M., Meierhenrich, U. J., d'Hendecourt, L., Caro, G. M. et al (2007) 'Enantiomeric separation of complex organic molecules produced from irradiation of interstellar/circumstellar ice analogs'. *Adv. Space Res.* **39**, p. 400-404

Poulet, F., Gomez, C., Bibring, J.-P., Langevin, Y. et al. (2007) 'Martian surface mineralogy from Observatoire pour la Mineralogie, l'Eau, les Glaces et l'Activite on board the Mars Express spacecraft (OMEGA/MEx): Global mineral maps'. *J. Geophys. Res.* **112**, E08S02

Piccioni, G., Drossart, P., Sanchez-Lavega, A., Hueso, R. et al. (2007) 'South-Polar Features on Venus Similar to those near the North Pole'. *Nature* **450**, 637-640

Vial, J. C., Ebadi, H. and Ajabshirizadeh, A. (2007) 'The Ly Alpha and Ly Beta Profiles in Solar Prominences and Prominence Fine Structure' *Solar Physics* **246**, 327-338

Alonso, R., Auvergne, M., Baglin, A., Ollivier, M. et al. (2008) 'Transiting Exoplanets from the Corot Space Mission' *Astronomy & Astrophysics* **482**, L21-U11

Appourchaux, T., Michel, E., Auvergne, M., Baglin, A. et al. (2008) 'Corot Sounds the Stars: P-Mode Parameters of Sun-Like Oscillations on Hd 49933' *Astronomy & Astrophysics*, 488, 705-714

Barbey, N., Auchere, F., Rodet, T. and Vial, J. C. (2008) 'A Time-Evolving 3d Method Dedicated to the Reconstruction of Solar Plumes and Results Using Extreme Ultraviolet Data' *Solar Physics* **248**, 409-423

Baudin, F., Appourchaux, T., Boumier, P., Kuschnig, R. et al. (2008) 'Searching for P-Modes in Most Procyon Data: Another View' *Astronomy & Astrophysics* **478**, 461-465

Bigot, B., Galtier, S. and Politano, H. (2008), 'Development of Anisotropy In incompressible Mhd Turbulence' *Phys. Rev. E* **78**, id.066301

Bishop, J. L., Noedobrea, E. Z., Mckeown, N. K., Parente, M. et al. (2008) Phyllosilicate diversity and Past Aqueous Activity Revealed at Mawrth Vallis, Mars. *Science* **321**, 116-118

Dolla, L. and Solomon, J. (2008) 'Solar Off-Limb Line Widths: Alfvén Waves, Ion-Cyclotron Waves,

and Preferential Heating' *Astronomy & Astrophysics*, 483, 271-283

Ehlmann, B. L., Mustard, J. F., Murchie, S. L., Poulet, F. (2008) Orbital Identification of Carbonate-Bearing Rocks on Mars. *Science* **322**, 1828-1832.

Galtier, S. (2008) 'Von Karman-Howarth Equations for Hall magnetohydrodynamic Flow' *Phys. Rev. E* **77**, 015302(R)

Howard, R. A., Moses, J. D., Vourlidas, A., Newmark, J. S. et al. (2008) 'Sun Earth Connection Coronal and Heliospheric Investigation (Secchi)' *Space Science Reviews*, 136, 67-115

Mustard, J. F., Murchie, S. L., Pelkey, S. M., Ehlmann et al. (2008) Hydrated Silicate Minerals on Mars Observed by the Mars Reconnaissance Orbiter Crism Instrument. *Nature* **454**, 305-309

Michel, E., Baglin, A., Auvergne, M., Catala, C. et al. (2008) 'Corot Measures Solar-Like Oscillations and Granulation in Stars Hotter Than the Sun' *Science* **322**, 558-561

Pino T, Dartois E, Cao AT, Carpentier T. et al. (2008) The 6.2  $\mu$  m band position in laboratory and astrophysical spectra: a tracer of the aliphatic to aromatic evolution of interstellar carbonaceous dust. *Astron. & Astroph.* 490, 665-672

Whitney, B. A., Sewilo, M., Indebetouw, R., Robitaille, T. P. (2008) 'Spitzer SAGE survey of the Large Magellanic Cloud. III. Star formation and similar to 1000 new candidate Young Stellar Objects'. *Astron. Jour.* **136**, 18-43

Auvergne, M., Bodin, P., Boisnard, L., Buey, J. T. et al. (2009) 'The Corot Satellite in Flight: Description and Performance' *Astronomy & Astrophysics* **506**, 411-424

Belkacem, K., Samadi, R., Goupil, M. J., Lefevre, L. et al. (2009) 'Solar-Like Oscillations in a Massive Star' *Science* **324**, 1540-1542

Benomar, O., Baudin, F., Campante, T. L., Chaplin, W. J. et al. (2009) 'A Fresh Look at the Seismic Spectrum of Hd49933: Analysis of 180 Days of Corot Photometry' *Astronomy & Astrophysics*, 507, L13-U23

Brunetto, R., Pino, T., Dartois, E., Cao, A. -T. (2009) Comparison of the Raman spectra of ion irradiated soot and collected extraterrestrial carbon. *Icarus* **200**, 323-337

Buchlin, E. and Vial, J. C. (2009) 'Electron Density in the Quiet Solar Coronal Transition Region from Soho/Sumer Measurements of S Vi Line Radiance and Opacity' *Astronomy & Astrophysics*, 503, 559-568

Carey, S. J., Noriega-Crespo, A., Mizuno, D. R., Shenoy, S. et al. (2009) MIPS GAL: A Survey of the Inner Galactic Plane at 24 and 70  $\mu$ m. *PASP* **121**, 76-97

[http://apps.isiknowledge.com.biblioplanets.gate.inist.fr/full\\_record.do?product=WOS&search\\_mode=Refine&qid=17&SID=Z248bA7FPL63k47A25c&page=3&doc=30](http://apps.isiknowledge.com.biblioplanets.gate.inist.fr/full_record.do?product=WOS&search_mode=Refine&qid=17&SID=Z248bA7FPL63k47A25c&page=3&doc=30) - address000263152600010-1

Ridder, J., Barban, C., Baudin, F., Carrier, F. et al. (2009) 'Non-Radial Oscillation Modes with Long Lifetimes in Giant Stars' *Nature* **459**, 398-400

Gaulme, P., Appourchaux, T. and Boumier, P. (2009) 'Mode Width Fitting with a Simple Bayesian

Approach Application to Corot Targets Hd 181420 and Hd 49933' *Astronomy & Astrophysics* **506**, 7-14

Gabriel, A., Bely-Dubau, F., Tison, E. et al. (2009) 'The Structure and Origin of Solar Plumes: Network Plumes' *Astrophysical Journal*, 700, 551-558

Gouttebroze, P. and Labrosse, N. (2009) 'Radiative Transfer in Cylindrical Threads with Incident Radiation VI. A Hydrogen Plus Helium System' *Astronomy & Astrophysics* **503**, 663-671

Leger, A., Rouan, D., Schneider, J., Barge, P. et al. (2009) 'Transiting Exoplanets from the Corot Space Mission VIII. Corot-7b: The First Super-Earth with Measured Radius' *Astronomy & Astrophysics*, 506, 287-302

Abergel A, Arab H, Compiegne M, Kirk J. M. et al. (2010) Evolution of interstellar dust with Herschel. First results in the photodissociation regions of NGC7023. *Astron. & Astrophys.* **518**, L96

Appourchaux, T., Belkacem, K., Broomhall, A.-M., Chaplin, W. J. et al. (2010) 'The Quest for the Solar g Modes' *Astronomy and Astrophysics Review*, **18**, 197-277

Carter, J., Poulet, F., Bibring, J. -P., Murchie, S. (2010) 'Detection of Hydrated Silicates in Crustal Outcrops in the Northern Plains of Mars' *Science* **328**, 1682-1686

Dartois E. (2010) Clathrates hydrates FTIR spectroscopy: infrared signatures and their astrophysical significance. *Molec. Phys.* **108**, 2273-2278

Derouich, M., Auchere, F., Vial, J. C. & Zhang, M. (2010) 'Hanle Signatures of the Coronal Magnetic Field in the Linear Polarization of the Hydrogen L Alpha Line' *Astronomy & Astrophysics*, 511

Deeg, H. J., Moutou, C., Erikson, A., Csizmadia, S. et al. (2010) 'A Transiting giant Planet with a Temperature between 250 K and 430k' *Nature* **464**, 384-387

Griffin, M. J., Abergel, A., Abreu, A., Ade, P. A. R. et al. (2010) The Herschel-SPIRE instrument and its in-flight performance. *Astron. Astrophys.* **518**, L3

Habart, E., Dartois, E., Abergel, A., Baluteau, J. -P. (2010) SPIRE spectroscopy of the prototypical Orion Bar photodissociation region. *Astron. Astrophys.* **518**, L116

Lehnert M.D., Nesvadba, N. P. H., Cuby J-G., Swinbank A. M. et al. (2010) Spectroscopic confirmation of a galaxy at redshift z=8.6. *Nature*, **467**, 940-942

Miville-Deschenes, M. -A., Martin, P. G., Abergel, A., Bernard, J. -P. et al. (2010) Herschel-SPIRE observations of the Polaris flare: Structure of the diffuse interstellar medium at the sub-parsec scale. *Astron & Astrophys.* **518**, L104

Naylor, D. A., Dartois, E., Habart, E., Abergel, A. (2010) First detection of the methylidyne cation (CH+) fundamental rotational line with the Herschel/SPIRE FTS. *Astron. & Astrophys.* **518**, L117

Tauber, J. A., Mandolesi, N., Puget, J. -L. et al. (2010) 'Planck pre-launch status: the Planck mission'. *Astron. Astrophys.* **520**, A1

### 7.2.3 IPHT PUBLICATIONS

#### Most relevant publications, period 2005-2009

##### • STRING THEORY

Flux compactifications in string theory: A Comprehensive review,

By Mariana Grana,

Phys.Rept.423,91-158 (2006) [hep-th/0509003]

Hitchin functionals in N=2 supergravity,

By Mariana Grana, Jan Louis, Daniel Waldram,

JHEP 0601,008 (2006) [hep-th/0505264]

Generalized structures of N=1 vacua,

By Mariana Grana, Ruben Minasian, Michela Petrini, Alessandro Tomasiello,

JHEP 0511,020 (2005) [hep-th/0505212]

Three-Loop Superfiniteness of N=8 Supergravity,

By Z. Bern, J.J. Carrasco, L.J. Dixon, Henrik Johansson, D.A. Kosower,

R. Roiban,

Phys.Rev.Lett.98,161303 (2007) [hep-th/0702112]

Cusp anomalous dimension in maximally supersymmetric Yang-Mills theory at strong coupling,

By B. Basso, G.P. Korchemsky, J. Kotanski,

Phys.Rev.Lett.100,091601, 2008 [arXiv:0708.3933]

Ultraviolet properties of maximal supergravity,

By Michael B. Green, Jorge G. Russo, Pierre Vanhove,

Phys.Rev.Lett.98,131602 (2007) [hep-th/0611273]

Black holes, black rings and their microstates,

By Iosif Bena & Nicholas P. Warner,

Lect.Notes Phys.755,1-92 (2008) [hep-th/0701216]

##### • PERTURBATIVE GAUGE THEORIES

The Four-Loop Planar Amplitude and Cusp Anomalous Dimension in Maximally Supersymmetric Yang-Mills Theory,

By Zvi Bern, Michael Czakon, Lance J. Dixon, David A. Kosower,

Vladimir A. Smirnov,

Phys.Rev.D75,085010 (2007) [hep-th/0610248]

Conformal properties of four-gluon planar amplitudes and Wilson loops,  
By G.P. Korchemsky, J.M. Drummond, E. Sokatchev,  
Nucl.Phys.B795,385-408 (2008) [arXiv:0707.0243]

On-shell recurrence relations for one-loop QCD amplitudes,  
By Zvi Bern, Lance J. Dixon, David A. Kosower,  
Phys.Rev.D71,105013 (2005) [hep-th/0501240]

Bootstrapping multi-parton loop amplitudes in QCD,  
By Zvi Bern, Lance J. Dixon, David A. Kosower,  
Phys.Rev.D73,065013 (2006) [hep-ph/0507005]  
Bootstrapping One-Loop QCD Amplitudes with General Helicities,  
By Carola F. Berger, Zvi Bern, Lance J. Dixon, Darren Forde, David A. Kosower,  
Phys.Rev.D74,036009 (2006) [hep-ph/0604195]

The Two-Loop Six-Gluon MHV Amplitude in Maximally Supersymmetric  
Yang-Mills Theory,  
By Z. Bern, L.J. Dixon, D.A. Kosower, R. Roiban, M. Spradlin,  
C. Vergu, A. Volovich,  
Phys.Rev.D78,045007 (2008) [arXiv:0803.1465]

Hexagon Wilson loop = six-gluon MHV amplitude,  
By J.M. Drummond, J. Henn, G.P. Korchemsky, E. Sokatchev,  
Nucl.Phys.B815,142-173 (2009) [arXiv:0803.1466]

On-Shell Methods in Perturbative QCD,  
By Zvi Bern, Lance J. Dixon, David A. Kosower,  
Annals Phys.322,1587-1634 (2007) [arXiv:0704.2798]

Dual superconformal symmetry of scattering amplitudes in N=4  
super-Yang-Mills theory,  
By J.M. Drummond, J. Henn, G.P. Korchemsky, E. Sokatchev,  
Nucl.Phys.B828,317-374 (2010) [arXiv:0807.1095]

An Automated Implementation of On-Shell Methods for One-Loop Amplitudes,  
By C.F. Berger, Z. Bern, L.J. Dixon, F. Febres Cordero, D. Forde,  
H. Ita, D.A. Kosower, D. Maitre,  
Phys.Rev.D78,036003 (2008) [arXiv:0803.4180]

• **HIGH-ENERGY QCD:**

Asymptotic perfect fluid dynamics as a consequence of Ads/CFT,  
Romuald A. Janik & Robert B. Peschanski,  
Phys.Rev.D73,045013 (2006) [hep-th/0512162]

Elliptic flow and incomplete equilibration at RHIC,  
By R.S. Bhalerao, Jean-Paul Blaizot, Nicolas Borghini, Jean-Yves Ollitrault,  
Phys.Lett.B627,49-54 (2005) [nucl-th/0508009]

The Centrality dependence of elliptic flow, the hydrodynamic limit, and the viscosity of hot QCD,  
By Hans-Joachim Drescher, Adrian Dumitru, Clement Gombeaud, Jean-Yves Ollitrault,  
Phys.Rev.C76,024905 (2007) [arXiv:0704.3553]

Glasma flux tubes and the near side ridge phenomenon at RHIC,  
By Adrian Dumitru, Francois Gelis, Larry McLerran, Raju Venugopalan,  
Nucl.Phys.A810,91 (2008) [arXiv:0804.3858]

The Physics of Ultraperipheral Collisions at the LHC,  
By K. Hencken et al.,  
Phys.Rept.458,1-171 (2008) [arXiv:0706.3356]

Non-linear QCD evolution with improved triple-pomeron vertices,  
By E. Iancu & D.N. Triantafyllopoulos.  
Phys.Lett.B610, 253-261 (2005) [hep-ph/0501193]

Effective Hamiltonian for QCD evolution at high energy,  
By Y. Hatta, E. Iancu, L. McLerran, A. Stasto, D.N. Triantafyllopoulos.  
Nucl.Phys.A764, 423-459 (2006) [hep-ph/0504182]

Deep inelastic scattering at strong coupling from gauge/string duality: The Saturation line,  
By Y. Hatta, E. Iancu, A.H. Mueller,  
JHEP 0801, 026 (2008) [arXiv:0710.2148]

Real and imaginary-time Q anti-Q correlators in a thermal medium,  
By A. Beraudo, J.-P. Blaizot, C. Ratti,  
Nucl.Phys.A806,312-338 (2008) [arXiv:0712.4394]

• **COSMOLOGY AND PARTICLE PHYSICS BEYOND THE STANDARD MODEL**

Model-independent implications of the e<sup>+</sup>-, anti-proton cosmic ray spectra on properties of Dark Matter,  
By Marco Cirelli, Mario Kadastik, Martti Raidal, Alessandro Strumia,  
Nucl.Phys.B813,1-21 (2009) [arXiv:0809.2409]



Gamma-ray and radio tests of the  $e^+e^-$  excess from DM annihilations,  
By Gianfranco Bertone, Marco Cirelli, Alessandro Strumia, Marco Taoso,  
JCAP 0903,009 (2009) [arXiv:0811.3744]

The Strongly-Interacting Light Higgs,  
By G.F. Giudice, C. Grojean, A. Pomarol, R. Rattazzi,  
JHEP 0706,045 (2007) [hep-ph/0703164]

Cosmology and Astrophysics of Minimal Dark Matter,  
By Marco Cirelli, Alessandro Strumia, Matteo Tamburini,  
Nucl.Phys.B787,152-175 (2007) [arXiv:0706.4071]

Minimal Dark Matter predictions for galactic positrons, anti-protons, photons,  
By Marco Cirelli, Roberto Franceschini, Alessandro Strumia,  
Nucl.Phys.B800,204-220 (2008) [arXiv:0802.3378]

A Model of Lepton Masses from a Warped Extra Dimension,  
By Csaba Csaki, Cedric Delaunay, Christophe Grojean, Yuval Grossman,  
JHEP 0810,055 (2008) [arXiv:0806.0356]

Gravitational Waves from Phase Transitions at the Electroweak Scale and Beyond,  
By Christophe Grojean & Geraldine Servant,  
Phys.Rev.D75,043507 (2007) [hep-ph/0607107]

Cosmology with Weak Lensing Surveys,  
By D. Munshi, P. Valageas, Ludovic Van Waerbeke, A. Heavens,  
Phys.Rept.462,67-121 (2008) [astro-ph/0612667]

Compatibility of the chameleon-field model with fifth-force  
experiments, cosmology, and PVLAS and CAST results,  
By Philippe Brax, Carsten van de Bruck, Anne-Christine Davis,  
Phys.Rev.Lett.99,121103 (2007) [hep-ph/0703243]

Inverse Compton constraints on the Dark Matter  $e^+e^-$  excesses,  
By Marco Cirelli & Paolo Panci,  
Nucl.Phys.B821,399-416 (2009) [arXiv:0904.3830]

Discovering the top partners at the LHC using same-sign dilepton final states,  
By Roberto Contino & Geraldine Servant,  
JHEP 0806,026 (2008) [arXiv:0801.1679]

Inflationary trispectrum from graviton exchange,  
By David Seery, Martin S. Sloth, Filippo Vernizzi,  
JCAP 0903,018 (2009) [arXiv:0811.3934]

- **String theory**

Mariana Grana,

**Flux compactifications in string theory: A Comprehensive review**, Phys.Rept.423,91-158 (2006) [hep-th/0509003]

Mariana Grana, Ruben Minasian, Michela Petrini, Alessandro Tomasiello,

**A Scan for new N=1 vacua on twisted tori**, JHEP 0705,031 (2007) [hep-th/0609124]

Mariana Grana, Jan Louis, Daniel Waldram,

**SU(3) x SU(3) compactification and mirror duals of magnetic fluxes**, JHEP 0704,10 (2007) [hep-th/0612237]

Mariana Grana, Jan Louis, Daniel Waldram,

**Hitchin functionals in N=2 supergravity**, JHEP 0601,008 (2006) [hep-th/0505264]

Iosif Bena, Nicholas P. Warner,

**Black holes, black rings and their microstates**, Lect. Notes Phys.755, 1-92 (2008) [hep-th/0701216]

Mariana Grana, Ruben Minasian, Michela Petrini, Alessandro Tomasiello,

**Generalized structures of N=1 vacua**, JHEP 0511,020 (2005) [hep-th/0505212]

- **Perturbative gauge theories**

Z. Bern, J.J. Carrasco, L.J. Dixon, Henrik Johansson, D.A. Kosower, R. Roiban,

**Three-Loop Superfiniteness of N=8 Supergravity**, Phys.Rev.Lett.98,161303 (2007) [hep-th/0702112]

B. Basso, G.P. Korchemsky, J. Kotanski,

**Cusp anomalous dimension in maximally supersymmetric Yang-Mills theory at strong coupling**, Phys.Rev.Lett.100,091601, 2008 [arXiv:0708.3933]

Zvi Bern, Michael Czakon, Lance J. Dixon, David A. Kosower, Vladimir A. Smirnov,

**The Four-Loop Planar Amplitude and Cusp Anomalous Dimension in Maximally Supersymmetric Yang-Mills Theory**, Phys. Rev. D75,085010 (2007) [hep-th/0610248]

G.P. Korchemsky, J.M. Drummond, E. Sokatchev,

**Conformal properties of four-gluon planar amplitudes and Wilson loops**, Nucl. Phys. B795,385-408 (2008) [arXiv:0707.0243]

Zvi Bern, Lance J. Dixon, David A. Kosower,

**On-shell recurrence relations for one-loop QCD amplitudes**, Phys. Rev. D71,105013 (2005) [hep-th/0501240]

Zvi Bern, Lance J. Dixon, David A. Kosower,

**Bootstrapping multi-parton loop amplitudes in QCD**, Phys. Rev. D73,065013 (2006) [hep-ph/0507005]

Carola F. Berger, Zvi Bern, Lance J. Dixon, Darren Forde, David A. Kosower, **Bootstrapping One-Loop QCD Amplitudes with General Helicities**, Phys. Rev. D74,036009 (2006) [hep-ph/0604195]

Z. Bern, L.J. Dixon, D.A. Kosower, R. Roiban, M. Spradlin, C. Vergu, A. Volovich,

**The Two-Loop Six-Gluon MHV Amplitude in Maximally Supersymmetric Yang-Mills Theory**, Phys. Rev. D78,045007 (2008) [arXiv:0803.1465]

J.M. Drummond, J. Henn, G.P. Korchemsky, E. Sokatchev,

**Hexagon Wilson loop = six-gluon MHV amplitude**, Nucl. Phys. B815,142-173 (2009) [arXiv:0803.1466]

Zvi Bern, Lance J. Dixon, David A. Kosower,

**On-Shell Methods in Perturbative QCD**, Annals Phys.322,1587-1634 (2007) [arXiv:0704.2798]

J.M. Drummond, J. Henn, G.P. Korchemsky, E. Sokatchev,

**Dual superconformal symmetry of scattering amplitudes in N=4 super-Yang-Mills theory**, Nucl. Phys. B828,317-374 (2010) [arXiv:0807.1095]

C.F. Berger, Z. Bern, L.J. Dixon, F. Febres Cordero, D. Forde, H. Ita, D.A. Kosower, D. Maitre,

**An Automated Implementation of On-Shell Methods for One-Loop Amplitudes**, Phys. Rev. D78,036003 (2008) [arXiv:0803.4180]

- **Primordial cosmology**

Cyril Pitrou, Jean-Philippe Uzan, Francis Bernardeau,

**Cosmic microwave background bispectrum on small angular scales**, Phys. Rev. D78,063526 (2008)[arXiv:0807.0341]

D. Munshi, P. Valageas, Ludovic Van Waerbeke, A. Heavens,

**Cosmology with Weak Lensing Surveys**, Phys. Rept. 462,67-121 (2008) [astro-ph/0612667]

Philippe Brax, Carsten van de Bruck, Anne-Christine Davis,

**Compatibility of the chameleon-field model with fifth-force experiments, cosmology, and PVLAS and CAST results**, Phys.Rev.Lett.99,121103 (2007) [hep-ph/0703243]

David Seery, Martin S. Sloth, Filippo Vernizzi,

**Inflationary trispectrum from graviton exchange**, JCAP 0903,018 (2009) [arXiv:0811.3934]

- **Particle physics beyond the standard model**

Marco Cirelli, Mario Kadastik, Martti Raidal, Alessandro Strumia,

**Model-independent implications of the  $e^+$ , anti-proton cosmic ray spectra on properties of Dark Matter**, Nucl.Phys.B813,1-21 (2009) [arXiv:0809.2409]

Gianfranco Bertone, Marco Cirelli, Alessandro Strumia, Marco Taoso,

**Gamma-ray and radio tests of the  $e^+e^-$  excess from DM annihilations**, JCAP 0903,009 (2009) [arXiv:0811.3744]

Marco Cirelli, Alessandro Strumia, Matteo Tamburini,

**Cosmology and Astrophysics of Minimal Dark Matter**, Nucl.Phys.B787,152-175 (2007) [arXiv:0706.4071]

G.F. Giudice, C. Grojean, A. Pomarol, R. Rattazzi,

**The Strongly-Interacting Light Higgs**, JHEP 0706,045 (2007) [hep-ph/0703164]

Christophe Grojean and Geraldine Servant,

**Gravitational Waves from Phase Transitions at the Electroweak Scale and Beyond**, Phys. Rev. D75,043507 (2007) [hep-ph/0607107]

Marco Cirelli, Roberto Franceschini, Alessandro Strumia,

**Minimal Dark Matter predictions for galactic positrons, anti-protons, photons**, Nucl. Phys. B800, 204-220 (2008) [arXiv:0802.3378]

Csaba Csaki, Cedric Delaunay, Christophe Grojean, Yuval Grossman,

**A Model of Lepton Masses from a Warped Extra Dimension**, JHEP 0810,055 (2008) [arXiv:0806.0356]

Marco Cirelli and Paolo Panci,

**Inverse Compton constraints on the Dark Matter  $e^+e^-$  excesses**, Nucl. Phys. B821,399-416 (2009) [arXiv:0904.3830]

Roberto Contino and Geraldine Servant,

**Discovering the top partners at the LHC using same-sign dilepton final states**, JHEP 0806,026 (2008) [arXiv:0801.1679]

- **Strong interactions at high energy**

Romuald A. Janik and Robert B. Peschanski,

**Asymptotic perfect fluid dynamics as a consequence of AdS/CFT**, Phys. Rev. D73,045013 (2006) [hep-th/0512162]

R.S. Bhalerao, Jean-Paul Blaizot, Nicolas Borghini, Jean-Yves Ollitrault, **Elliptic flow and incomplete equilibration at RHIC**, Phys. Lett. B627,49-54 (2005) [nucl-th/0508009]

Hans-Joachim Drescher, Adrian Dumitru, Clement Gombeaud, Jean-Yves Ollitrault, **The Centrality dependence of elliptic flow, the hydrodynamic limit, and the viscosity of hot QCD**, Phys.Rev.C76,024905 (2007) [arXiv:0704.3553]

Adrian Dumitru, Francois Gelis, Larry McLerran, Raju Venugopalan, **Glasma flux tubes and the near side ridge phenomenon at RHIC**, Nucl. Phys. A810,91 (2008) [arXiv:0804.3858]

K. Hencken et al.,  
**The Physics of Ultraperipheral Collisions at the LHC**, Phys. Rept. 458,1-171 (2008) [arXiv:0706.3356]

E. Iancu and D.N. Triantafyllopoulos.  
**Non-linear QCD evolution with improved triple-pomeron vertices**, Phys. Lett. B610, 253-261 (2005) [hep-ph/0501193]

Y. Hatta, E. Iancu, L. McLerran, A. Stasto, D.N. Triantafyllopoulos.  
**Effective Hamiltonian for QCD evolution at high energy**, Nucl. Phys. A764, 423-459 (2006) [hep-ph/0504182]

Y. Hatta, E. Iancu, A.H. Mueller,  
**Deep inelastic scattering at strong coupling from gauge/string duality: The Saturation line**, JHEP 0801, 026 (2008) [arXiv:0710.2148]

A. Beraudo, J.-P. Blaizot, C. Ratti,  
**Real and imaginary-time  $Q$  anti- $Q$  correlators in a thermal medium**, Nucl. Phys. A806,312-338 (2008) [arXiv:0712.4394]

#### 7.2.4 CPHT PUBLICATIONS

“Antiproton proton scattering experiments with polarization” V. Barone, B. Pire et al. [PAX Collaboration] arXiv:hep-ex/0505054

“Moduli stabilization and uplifting with dynamically generated F-terms” E. Dudas, C. Papineau and S. Pokorski JHEP 0702, 028 (2007) [arXiv:hep-th/0610297]

“Anomalies, anomalous  $U(1)$ 's and generalized Chern-Simons terms” P. Anastasopoulos, M. Bianchi, E. Dudas and E. Kiritsis JHEP 0611, 057 (2006) [arXiv:hep-th/0605225]

“Vanishing of beta function of non commutative  $\phi^4$  theory to all orders” M. Disertori, R. Gurau, J. Magnen and V. Rivasseau Phys. Lett. B 649, 95 (2007) [arXiv:hep-th/0612251]

“Renormalization of non-commutative  $\phi^4$  field theory in  $x$  space” R. Gurau, J. Magnen, V. Rivasseau and F. Vignes-Tourneret Commun. Math. Phys. 267, 515 (2006) [arXiv:hep-th/0512271]

“Fluxes and gaugings:  $N = 1$  effective superpotentials” J. P. Derendinger, C. Kounnas, P. M. Petropoulos and F. Zwirner Fortsch. Phys. 53, 926 (2005) [arXiv:hep-th/0503229]

“Nonperturbative renormalization for 2PI effective action techniques” J. Berges, S. Borsanyi, U. Reinosa and J. Serreau Annals Phys. 320, 344 (2005) [arXiv:hep-ph/0503240]

“The high energy asymptotics of scattering processes in QCD” R. Enberg, K. J. Golec-Biernat and S. Munier Phys. Rev. D 72, 074021 (2005) [arXiv:hep-ph/0505101]

“Internal magnetic fields and supersymmetry in orientifolds” E. Dudas and C. Timirgaziu Nucl. Phys. B 716, 65 (2005) [arXiv:hep-th/0502085]

“QCD analysis of anti-p N  $\rightarrow$   $\gamma^* \pi$  in the scaling limit” B. Pire and L. Szymanowski Phys. Lett. B 622, 83 (2005) [arXiv:hep-ph/0504255]

“A phenomenological theory giving the full statistics of the position of fluctuating pulled fronts” E. Brunet, B. Derrida, A. H. Mueller and S. Munier Phys. Rev. E 73, 056126 (2006) [arXiv:cond-mat/0512021]

“Large D-terms, hierarchical soft spectra and moduli stabilisation” E. Dudas and S. K. Vempati Nucl. Phys. B 727, 139 (2005) [arXiv:hep-th/0506172]

“Search for isotensor exotic meson and twist 4 contribution to  $\gamma^* \gamma \rightarrow \rho \rho$ ” I. V. Anikin, B. Pire and O. V. Teryaev Phys. Lett. B 626, 86 (2005) [arXiv:hep-ph/0506277]

“BFKL resummation effects in  $\gamma^* \gamma^* \rightarrow \rho \rho$ ” R. Enberg, B. Pire, L. Szymanowski and S. Wallon Eur. Phys. J. C 45, 759 (2006) [Erratum-ibid. C 51, 1015 (2007)] [arXiv:hep-ph/0508134]

“Exclusive meson pair production in  $\gamma^* \gamma$  scattering at small momentum transfer” J. P. Lansberg, B. Pire and L. Szymanowski Phys. Rev. D 73, 074014 (2006) [arXiv:hep-ph/0602195]

“Moduli stabilization with positive vacuum energy” E. Dudas and Y. Mambrini JHEP 0610, 044 (2006) [arXiv:hep-th/0607077]

“The infrared behaviour of the pure Yang-Mills Green functions” P. Boucaud, C. Roiesnel et al. arXiv:hep-ph/0507104 UHU-FP-05-12(2005)

“A translation-invariant renormalizable non-commutative scalar model” R. Gurau, J. Magnen, V. Rivasseau and A. Tanasa Commun. Math. Phys. 287, 275 (2009) [arXiv:0802.0791 [math-ph]]

“Physics Performance Report for PANDA: Strong Interaction Studies with Antiprotons” M. F. Lutz, B. Pire, et al. [The PANDA Collaboration] arXiv:0903.3905 [hep-ex]

“Double diffractive rho-production in  $\gamma^* \gamma^*$  collisions” B. Pire, L. Szymanowski and S. Wallon Eur. Phys. J. C 44, 545 (2005) [arXiv:hep-ph/0507038]

“String instantons, fluxes and moduli stabilization” P. G. Camara, E. Dudas, T. Maillard and G. Pradisi Nucl. Phys. B 795, 453 (2008) [arXiv:0710.3080 [hep-th]]

“QCD factorizations in  $\gamma^* \gamma^* \rightarrow \rho^0(L) \rho^0(L)$ ” B. Pire, M. Segond, L. Szymanowski and S. Wallon Phys. Lett. B 639, 642 (2006) [arXiv:hep-ph/0605320]

“Three-dimensional black holes from deformed anti de Sitter” S. Detournay, D. Orlando, P. M. Petropoulos and P. Spindel JHEP 0507, 072 (2005) [arXiv:hep-th/0504231]

“Axionic symmetry gaugings in  $N = 4$  supergravities and their higher-dimensional origin” J. P. Derendinger, P. M. Petropoulos and N. Prezas Nucl. Phys. B 785, 115 (2007) [arXiv:0705.0008 [hep-th]]

“Mixmaster universe in Horava-Lifshitz gravity” I. Bakas, F. Bourliot, D. Lust and M. Petropoulos Class. Quant. Grav. 27, 045013 (2010) [arXiv:0911.2665 [hep-th]]

“Asymptotic behavior of the ghost propagator in SU3 lattice gauge theory” P. Boucaud, C. Roiesnel et al. Phys. Rev. D 72, 114503 (2005) [arXiv:hep-lat/0506031]

“Non-perturbative power corrections to ghost and gluon propagators” P. Boucaud, C. Roiesnel et al. JHEP 0601, 037 (2006) [arXiv:hep-lat/0507005]

“MSSM with Dimension-five Operators (MSSM-5)” I. Antoniadis, E. Dudas, D. M. Ghilencea and P. Tziveloglou Nucl. Phys. B 808, 155 (2009) [arXiv:0806.3778 [hep-ph]]

“Transversity GPD in photo- and electroproduction of two vector mesons” R. Enberg, B. Pire and L. Szymanowski Eur. Phys. J. C 47, 87 (2006) [arXiv:hep-ph/0601138]

“Supersymmetric Models with Higher Dimensional Operators” I. Antoniadis, E. Dudas and D. M. Ghilencea JHEP 0803, 045 (2008) [arXiv:0708.0383 [hep-th]]

“Asymptotic thermal quark masses and the entropy of QCD in the large- $N(f)$  limit” J. P. Blaizot, A. Ipp, A. Rebhan and U. Reinosa Phys. Rev. D 72, 125005 (2005) [arXiv:hep-ph/0509052]

“2PI effective action for gauge theories: Renormalization” U. Reinosa and J. Serreau JHEP 0607, 028 (2006) [arXiv:hep-th/0605023]

“AdS4 flux vacua in type II superstrings and their domain-wall solutions” C. Kounnas, D. Lust, P. M. Petropoulos and D. Tsimpis JHEP 0709, 051 (2007) [arXiv:0707.4270 [hep-th]]

“Five-dimensional massive vector fields and radion stabilization” E. Dudas and M. Quiros Nucl. Phys. B 721, 309 (2005) [arXiv:hep-th/0503157]

“Gaugino condensates and fluxes in  $N = 1$  effective superpotentials” J. P. Derendinger, C. Kounnas and P. M. Petropoulos Nucl. Phys. B 747, 190 (2006) [arXiv:hep-th/0601005]

“Short comment about the lattice gluon propagator at vanishing momentum” P. Boucaud, C. Roiesnel et al. arXiv:hep-lat/0602006

“Hard exclusive electroproduction of a pion in the backward region” J. P. Lansberg, B. Pire and L. Szymanowski Phys. Rev. D 75, 074004 (2007) [Erratum-ibid. D 77, 019902 (2008)] [arXiv:hep-ph/0701125]

“On AdS/QCD correspondence and the partonic picture of deep inelastic scattering” B. Pire, C. Roiesnel, L. Szymanowski and S. Wallon Phys. Lett. B 670, 84 (2008) [arXiv:0805.4346 [hep-ph]]

“A light neutralino in hybrid models of supersymmetry breaking” E. Dudas, S. Lavignac and J. Parmentier Nucl. Phys. B 808, 237 (2009) [arXiv:0808.0562 [hep-ph]]

“Gauge vs. Gravity mediation in models with anomalous  $U(1)$ 's” E. Dudas, Y. Mambrini, S. Pokorski, A. Romagnoni and M. Trapletti JHEP 0903, 011 (2009) [arXiv:0809.5064 [hep-th]]

“Moduli stabilization with Fayet-Iliopoulos uplift” E. Dudas, Y. Mambrini, S. Pokorski and A. Romagnoni JHEP 0804, 015 (2008) [arXiv:0711.4934 [hep-th]]

“Scaling behaviour of three-dimensional group field theory” J. Magnen, K. Noui, V. Rivasseau and M. Smerlak Class. Quant. Grav. 26, 185012 (2009) [arXiv:0906.5477 [hep-th]]

“High energy scattering in QCD as a statistical process” S. Munier Nucl. Phys. A 755, 622 (2005) [arXiv:hep-ph/0501149]

“Nonperturbative renormalization of Phi-derivable approximations in theories with fermions” U. Reinosa Nucl. Phys. A 772, 138 (2006) [arXiv:hep-ph/0510119]

“Transition Distribution Amplitudes” J. P. Lansberg, B. Pire and L. Szymanowski arXiv:0709.2567 [hep-ph]  
Multi-instanton and string loop corrections in toroidal orbifold models” P. G. Camara and E. Dudas JHEP 0808, 069 (2008) [arXiv:0806.3102 [hep-th]]



“Froggatt-Nielsen models from E8 in F-theory GUTs” E. Dudas and E. Palti JHEP 1001, 127 (2010) [arXiv:0912.0853 [hep-th]]

“Thermal/quantum effects and induced superstring cosmologies” T. Catelin-Jullien, C. Kounnas, H. Partouche and N. Toumbas Nucl. Phys. B 797, 137 (2008) [arXiv:0710.3895 [hep-th]]

“Renormalized finite temperature  $\phi^4$  theory from the 2PI effective action” A. Arrizabalaga and U. Reinosa Nucl. Phys. A 785, 234 (2007) [arXiv:hep-ph/0609053]

“On the reduction of hypercubic lattice artifacts” F. de Soto and C. Roiesnel JHEP 0709, 007 (2007) [arXiv:0705.3523 [hep-lat]]

#### 7.2.5 IPNO PUBLICATIONS

D. Suzuki et al Phys. Rev. Lett. 103, 152503 (2009)

J. Gibelin et al. Phys. Rev. Lett. 101, 212503 (2008)

M. Morjean et al., Phys. Rev. Lett. 101, 072701 (2008)

E. Le Gentil et al Phys. Rev. Lett. 100, 022701 (2008)

B. Bastin et al Phys. Rev. Lett. 99, 022503 (2007)

L. Gaudefroy et al Phys. Rev. Lett. 97, 092501 (2006)

O. Perru et al Phys. Rev. Lett. 96, 232501 (2006)

M. Fallot et al., Phys. Lett B 613 p128

D. Jacquet et al., Progress in Particle and Nuclear Physics Volume 63, Issue 1, July 2009, Pages 155-185

B. Borderie et al., Progress in Particle and Nuclear Physics Volume 61, Issue 2, October 2008, Pages 551-601

M. Lebois et al., Phys. Rev. C 80, 044308 (2009)

E. Galichet et al., Phys. Rev. C 79, 064615 (2009)

N. De Sereville et al., Phys. Rev. C 79, 015801 (2009)

M. Stanoiu et al Phys. Rev. C 78, 034315 (2008)

D. Sohler et al Phys. Rev. C 77, 044303 (2008)

M. Mirea et al., Phys. Rev. C 76, 064608 (2007)

D. Verney et al., Phys. Rev. C 76, 054312 (2007)

X. Liang et al. Phys. Rev. C 74, 014311 (2006)

F. Schümann et al. Phys. Rev. C 73, 015806 (2006)

J. Guillot et al., Phys. Rev. C 73, 014616 (2006)

M. Belleguic et al. Phys. Rev. C 72, 054316 (2005)

N. Le Neindre et al., Nuclear Physics A Volume 795, Issues 1-4, 1 November 2007, Pages 47-69

B. Roussière et al., Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms Volume 246, Issue 2, May 2006, Pages 288-296

- L. Audouin et al., Nuclear Physics A Volume 768, Issues 1-2, 20 March 2006, Pages 1-21  
CE Gautheron et al., Earth and Planetary science letters 243 (2006) p520  
G. Tăbăcaru et al., Nuclear Physics A Volume 764, 9 January 2006, Pages 371-386  
D. Verney et al., The European Physical Journal A - Hadrons and Nuclei Volume 30, Number 3, 489-518  
O. Perru et al., The European Physical Journal A - Hadrons and Nuclei Volume 28, Number 3, 307-312  
M. Mirea et al., Europhys. Lett. 73 705 (2006)  
M Mirea et al J. Phys. G: Nucl. Part. Phys. 31 1165 (2005)  
B. Fernández-Domínguez et al., Nuclear Physics A Volume 747, Issues 2-4, 24 January 2005, Pages 227-267  
J. Gava et al. , Phys. Rev. Lett. 103, 071101 (2009)  
A.B. Balantekin et al., Physics Letters B Volume 662, Issue 5, 8 May 2008, Pages 396-404  
A.B. Balantekin et al., Physics Letters B Volume 634, Issues 2-3, 9 March 2006, Pages 180-184  
P. Schuck et al., Progress in Particle and Nuclear Physics Volume 59, Issue 1, July 2007, Pages 285-304  
J. Margueron et al., J. Phys. G: Nucl. Part. Phys. 36 125102  
E. Khan et al., Phys. Rev. C 80, 011307(R) (2009)  
J. Margueron et al., Phys. Rev. C 77, 054309 (2008)  
L. M. Robledo et al., Phys. Rev. C 77, 051301(R) (2008)  
J. Gava et al., Phys. Rev. D 78, 083007 (2008)  
R. Lazauskas et al., J. Phys. G: Nucl. Part. Phys. 35 025001  
A. Sedrakian et al., Phys. Rev. C 76, 055805 (2007)  
J. Margueron et al., Phys. Rev. C 76, 054309 (2007)  
M. Grasso et al., Phys. Rev. C 76, 044319 (2007)  
J. Margueron et al., Phys. Rev. C 76, 034309 (2007)  
N. Pillet et al., Phys. Rev. C 76, 024310 (2007)  
C. Monrozeau et al., Phys. Rev. C 75, 065807 (2007)  
N. Chamel et al., Phys. Rev. C 75, 055806 (2007)  
R. Lazauskas et al., Nuclear Physics A Volume 792, Issues 3-4, 15 August 2007, Pages 219-228  
E. Khan et al., Nuclear Physics A Volume 789, Issues 1-4, 1 June 2007, Pages 94-10  
C. Volpe, J. Phys. G: Nucl. Part. Phys. 34 R1  
L.G. Cao et al., Phys. Rev. C 74, 064301 (2006)  
J. Margueron et al., Phys. Rev. C 74, 015805 (2006)  
D. Gambacurta et al., Phys. Rev. C 73, 024319 (2006)  
D. Gupta et al., Nuclear Physics A, Volume 773, Issues 3-4, 24 July 2006, Pages 230-238  
A. Sedrakian et al., Nuclear Physics A, Volume 766, 20 February 2006, Pages 97-106  
N. Sandulescu et al., Phys. Rev. C 71, 054303 (2005)  
CW Shen et al., Phys. Rev. C 71, 054301 (2005)  
E. Khan et al., Phys. Rev. C 71, 042801(R) (2005)

- A.B. Balantekin et al., Phys. Rev. D 72, 033008 (2005)
- B. Moussallam, The European Physical Journal C - Particles and Fields Volume 53, Number 3, 401-412
- S. Descotes-Genon et al., The European Physical Journal C - Particles and Fields Volume 48, Number 2, 553-560
- K. Kampf et al., The European Physical Journal C - Particles and Fields Volume 47, Number 3, 723-736
- S. Descotes-Genon et al., The European Physical Journal C - Particles and Fields Volume 42, Number 4, 403-417
- T. Yamada et al., The European Physical Journal A - Hadrons and Nuclei Volume 26, Number 2, 185-199
- C. Volpe, J. Phys. G: Nucl. Part. Phys. 31 903
- The Pierre Auger Collaboration Science 9 November 2007: Vol. 318. no. 5852, pp. 938 - 943
- G. Agakishiev et al. HADES Collaboration Phys. Rev. Lett. 103, 132301 (2009)
- A. Adare et al. PHENIX Collaboration Phys. Rev. Lett. 101, 232301 (2008)
- J. Abraham et al. The Pierre Auger Collaboration Phys. Rev. Lett. 101, 061101 (2008)
- F. X. Girod et al. CLAS Collaboration, Phys. Rev. Lett. 100, 162002 (2008)
- D. G. Ireland et al. The CLAS Collaboration, Phys. Rev. Lett. 100, 052001 (2008)
- R. Nasseripour et al. CLAS Collaboration Phys. Rev. Lett. 99, 262302 (2007)
- A. Adare et al. PHENIX Collaboration Phys. Rev. Lett. 98, 232301 (2007)
- A. Adare et al. PHENIX Collaboration Phys. Rev. Lett. 98, 172301 (2007)
- G. Agakichiev et al. HADES Collaboration Phys. Rev. Lett. 98, 052302 (2007)
- S. S. Adler et al. PHENIX Collaboration Phys. Rev. Lett. 96, 012304 (2006)
- HADES Collaboration, Physics Letters B Volume 663, Issues 1-2, 15 May 2008, Pages 43-48
- A. Adare et al. PHENIX Collaboration Phys. Rev. C 78, 014901 (2008)
- A. Adare et al. PHENIX Collaboration Phys. Rev. C 77, 024912 (2008)
- S. S. Adler et al. PHENIX Collaboration Phys. Rev. C 72, 014903 (2005)
- S. S. Adler et al. PHENIX Collaboration Phys. Rev. C 71, 034908 (2005)
- A. Adare et al. PHENIX Collaboration Phys. Rev. D 76, 051106(R) (2007)
- The HADES Collaboration, The European Physical Journal A - Hadrons and Nuclei - Volume 41, Number 2, 243-277
- The CLAS Collaboration, S. A. Morrow, M. Guidal et al, The European Physical Journal A - Hadrons and Nuclei Volume 39, Number 1, 5-31
- M. Guidal. The European Physical Journal A - Hadrons and Nuclei Volume 37, Number 3, 319-332
- The GRAAL Collaboration, The European Physical Journal A - Hadrons and Nuclei -Volume 33, Number 2, 169-184
- The NA50 Collaboration The European Physical Journal C - Particles and Fields Volume 39, Number 3, 335-345
- PHENIX Collaboration, Nuclear Physics A Volume 757, Issues 1-2, 8 August 2005, Pages 184-283
- J. Abraham et al. The AUGER collaboration, Astroparticle Physics Vol 29 p 243 (2008)
- J. Abraham et al. The AUGER collaboration, Astroparticle Physics Vol 29 p 188 (2008)

SI Nikitenko et al., *Ultrasonic Sonochemistry* 14 (2007) p330  
R. Drot et al., *Compte Rendu Chimie* 10 (2007) p859  
MO Somein et al., *Inorganic Chemistry* 45 (2006) p10419  
E. Tertre et al., *Geochimica et Cosmochimica Acta* 70 (2006) p4563  
SI Nikitenko et al., *Inorganic Chemistry* 44 (2005) p9497  
C. le Naour et al., *Inorganic Chemistry* 44 (2005) p9542  
S. Diaz-Tendero et al., *Int. J. of Mass Spectrometry* 252 (2006) p126  
A. Novikov et al., *Rapid Comm. In Mass Spectrometry* 19 (2005) p1851  
S. Bouneau et al., *Phys. Rev. B* 71, 174110 (2005)

#### 7.2.6 IRFU PUBLICATIONS

Most relevant publications, period 2005-2009

##### • *STRUCTURE OF THE UNIVERSE*

**Thermal condensation in a turbulent atomic hydrogen flow**, Audit, E.; Hennebelle, P., *Astron.Astrophys.* 433 (2005) 1

**The structural and scaling properties of nearby galaxy clusters. II. The M-T relation**, Arnaud, M.; Pointecouteau, E.; Pratt, G. W., *Astron.Astrophys.* 441 (2005) 893

**ISM properties in low-metallicity environments. III. The spectral energy distributions of II Zw 40, He 2-10 and NGC 1140**, Galliano, F.; Madden, S. C.; Jones, A. P.; Wilson, C. D.; Bernard, J.-P., *Astron.Astrophys.* 434(2005)867

**Global solar Doppler velocity determination with the GOLF/SoHO instrument**, García, R. A.; Turck-Chièze, S.; Boumier, P.; Robillot, J. M.; Bertello, L.; Charra, J.; Dzitko, H.; Gabriel, A. H.; Jiménez-Reyes, S. J.; Pallé, P. L.; and 3 coauthors, *Astron.Astrophys.* 442 (2005) 385

**Star-forming protoclusters associated with methanol masers**, Minier, V.; Burton, M. G.; Hill, T.; Pestalozzi, M. R.; Purcell, C. R.; Garay, G.; Walsh, A. J.; Longmore, S., *Astron.Astrophys.* 429 (2005) 945

**The structural and scaling properties of nearby galaxy clusters. I. The universal mass profile**, Pointecouteau, E.; Arnaud, M.; Pratt, G. W., *Astron.Astrophys.* 435 (2005) 1

**XMM-Newton observations of three poor clusters: Similarity in dark matter and entropy profiles down to low mass**, Pratt, G. W.; Arnaud, M., *Astron.Astrophys.* 429 (2005) 791

**Magnetic confinement of the solar tachocline**, Brun, A. S.; Zahn, J.-P., *Astron.Astrophys.* 457 (2006) 665

**Radioactive <sup>26</sup>Al from massive stars in the Galaxy**, Diehl, Roland; Halloin, Hubert; Kretschmer, Karsten; Lichti, Giselher G.; Schönfelder, Volker; Strong, Andrew W.; von Kienlin, Andreas; Wang, Wei; Jean, Pierre; Knödseder, Jürgen; and 6 coauthors, *Nature* 439 (2006) 45

**ISM properties in low-metallicity environments**, Madden, S. C.; Galliano, F.; Jones, A. P.; Sauvage, M., *Astron.Astrophys.* 446 (2006) 877

**Disk Surface Density Transitions as Protoplanet Traps**, Masset, F. S.; Morbidelli, A.; Crida, A.; Ferreira, J., *Astrophys.J.* 642 (2006) 478

**On the Migration of Protogiant Solid Cores**, Masset, F. S.; D'Angelo, G.; Kley, W., *Astrophys.J.* 652(2006)730

**The initial conditions of star formation in the Ophiuchus main cloud: Kinematics of the protocluster condensations**, André, Ph.; Belloche, A.; Motte, F.; Peretto, N., *Astron.Astrophys.* 472 (2007)519

**Rapid Formation of Exponential Disks and Bulges at High Redshift from the Dynamical Evolution of Clump-Cluster and Chain Galaxies**, Bournaud, Frédéric; Elmegreen, Bruce G.; Elmegreen, Debra Meloy, *Astrophys.J.* 670 (2007) 237

**Multiple minor mergers: formation of elliptical galaxies and constraints for the growth of spiral disks**, Bournaud, F.; Jog, C. J.; Combes, F., *Astron.Astrophys.* 476 (2007) 1179

**Missing Mass in Collisional Debris from Galaxies**, Bournaud, Frédéric; Duc, Pierre-Alain; Brinks, Elias; Boquien, Médéric; Amram, Philippe; Lisenfeld, Ute; Koribalski, Bärbel S.; Walter, Fabian; Charmandaris, Vassilis, *Science* 316 (2007) 1166

**Multiwavelength Study of Massive Galaxies at  $z \sim 2$ . I. Star Formation and Galaxy Growth**, Daddi, E.; Dickinson, M.; Morrison, G.; Chary, R.; Cimatti, A.; Elbaz, D.; Frayer, D.; Renzini, A.; Pope, A.; Alexander, D. M.; and 5 coauthors, *Astrophys.J.* 670 (2007) 156

**Multiwavelength Study of Massive Galaxies at  $z \sim 2$ . II. Widespread Compton-thick Active Galactic Nuclei and the Concurrent Growth of Black Holes and Bulges**, Daddi, E.; Alexander, D. M.; Dickinson, M.; Gilli, R.; Renzini, A.; Elbaz, D.; Cimatti, A.; Chary, R.; Frayer, D.; Bauer, F. E.; and 9 coauthors, *Astrophys.J.* 670 (2007) 173

**The reversal of the star formation-density relation in the distant universe**, Elbaz, D.; Daddi, E.; Le Borgne, D.; Dickinson, M.; Alexander, D. M.; Chary, R.-R.; Starck, J.-L.; Brandt, W. N.; Kitzbichler, M.; MacDonald, E.; and 4 coauthors, *Astron.Astrophys.* 468 (2007) 33

**Instability of a Stalled Accretion Shock: Evidence for the Advective-Acoustic Cycle**, Foglizzo, T.; Galletti, P.; Scheck, L.; Janka, H.-Th., *Astrophys.J.* 654 (2007) 1006

**Tracking Solar Gravity Modes: The Dynamics of the Solar Core**, García, Rafael A.; Turck-Chièze, Sylvaine; Jiménez-Reyes, Sebastian J.; Ballot, Jérôme; Pallé, Pere L.; Eff-Darwich, Antonio; Mathur, Savita; Provost, Janine, *Science* 316 (2007) 1591

**Vigorous Star Formation with Low Efficiency in Massive Disk Galaxies at  $z = 1.5$** , Daddi, E.; Dannerbauer, H.; Elbaz, D.; Dickinson, M.; Morrison, G.; Stern, D.; Ravindranath, S., *Astrophys.J.* 673L (2008) 21

**Sensitivity of helioseismic gravity modes to the dynamics of the solar core**, Mathur, S.; Eff-Darwich, A.; García, R. A.; Turck-Chièze, S., *Astron.Astrophys.* 484 (2008) 517

**Bimodal gas accretion in the Horizon-MareNostrum galaxy formation simulation**, Ocvirk, P.; Pichon, C.; Teyssier, R., *MNRAS* 390 (2008) 1326

**An asymmetric distribution of positrons in the Galactic disk revealed by  $\gamma$ -ray**, Weidenspointner, Georg; Skinner, Gerry; Jean, Pierre; Knödlseher, Jürgen; von Ballmoos, Peter; Bignami, Giovanni; Diehl, Roland; Strong, Andrew W.; Cordier, Bertrand; Schanne, Stéphane; Winkler, Christophe, *Nature* 451 (2008) 159

**Unstable Disks at High Redshift: Evidence for Smooth Accretion in Galaxy Formation**, Bournaud, Frédéric; Elmegreen, Bruce G., *Astrophys.J.* 694L (2009) 158B

**Two Bright Submillimeter Galaxies in a  $z = 4.05$  Protocluster in Goods-North, and Accurate Radio-Infrared Photometric Redshifts**, Daddi, E.; Dannerbauer, H.; Stern, D.; Dickinson, M.; Morrison, G.; Elbaz, D.; Gialalisco, M.; Mancini, C.; Pope, A.; Spinrad, H., *Astrophys.J.* 694 (2009) 1517

**A CO Emission Line from the Optical and Near-IR Undetected Submillimeter Galaxy GN10**, Daddi, E.; Dannerbauer, H.; Krips, M.; Walter, F.; Dickinson, M.; Elbaz, D.; Morrison, G. E., *Astrophys.J.* 695L (2009) 176

**Low Milky-Way-Like Molecular Gas Excitation of Massive Disk Galaxies at  $z \sim 1.5$** , Dannerbauer, H.; Daddi, E.; Riechers, D. A.; Walter, F.; Carilli, C. L.; Dickinson, M.; Elbaz, D.; Morrison, G. E., *Astrophys.J.* 698L (2009) 178

**Cold streams in early massive hot haloes as the main mode of galaxy formation**, Dekel, A.; Birnboim, Y.; Engel, G.; Freundlich, J.; Goerdt, T.; Mumcuoglu, M.; Neistein, E.; Pichon, C.; Teyssier, R.; Zinger, E., *Nature* 457 (2009) 451

**Cosmic star-formation history from a non-parametric inversion of infrared galaxy counts**, Le Borgne, D.; Elbaz, D.; Ocvirk, P.; Pichon, C., *Astron.Astrophys.* 504 (2009) 727

**Solar-like oscillations with low amplitude in the CoRoT target HD 181906**, García, R. A.; Régulo, C.; Samadi, R.; Ballot, J.; Barban, C.; Benomar, O.; Chaplin, W. J.; Gaulme, P.; Appourchaux, T.; Mathur, S.; and 16 coauthors, *Astron.Astrophys.* 506 (2009) 41

**Deep Spitzer 24  $\mu$ m COSMOS Imaging. I. The Evolution of Luminous Dusty Galaxies—Confronting the Models**, Le Floch, Emeric; Aussel, Hervé; Ilbert, Olivier; Riguccini, Laurie; Frayer, David T.; Salvato, Mara; Arnouts, Stéphane; Surace, Jason; Feruglio, Chiara; Rodighiero, Giulia; and 10 coauthors, *Astrophys.J.* 703 (2009) 222

**The  $0.4 < z < 1.3$  star formation history of the Universe as viewed in the far-infrared**, Magnelli, B.; Elbaz, D.; Chary, R. R.; Dickinson, M.; Le Borgne, D.; Frayer, D. T.; Willmer, C. N. A., *Astron.Astrophys.* 496 (2009) 57

**Morphological Quenching of Star Formation: Making Early-Type Galaxies Red**, Martig, Marie; Bournaud, Frédéric; Teyssier, Romain; Dekel, Avishai, *Astrophys.J.* 707 (2009) 250

• **STRUCTURE OF NUCLEAR MATTER**

**Nuclear isomers in superheavy elements as stepping stones towards the island of stability**, R.D. Herzberg et al., *Nature* 53 (2006) 896

**Shell gap reduction in neutron-rich N=17 nuclei**, A.Obertelli, A.Gillibert, N.Alamanos, M.A.G.Alvarez, F. Auger, R. Dayras, A. Drouart, N. Keeley, V. Lapoux, X. Mougeot, L. Nalpas, E.Pollacco, F. Skaza, Ch.Theisen, G.de France, B.Jurado, W.Mittig, F.Rejmund, M.Rejmund, P. Roussel-Chomaz, H.Savajols, A. Pakou, N. Patronis, *Phys. Lett. B* 633 (2006) 33.

**Spectroscopy and single-particle structure of the odd-Z heavy elements  $^{255}\text{Lr}$ ,  $^{251}\text{Md}$  and  $^{247}\text{Es}$** , A. Chatillon et al., *Eur. Phys. J. A* 30 (2006) 397

**Experimental evidence for sub-shell closure in  $^8\text{He}$  and indication of a resonant state in  $^7\text{He}$  below 1 MeV**, F. Skaza, V. Lapoux, N. Keeley, N. Alamanos, F. Auger, D. Beaumel, E. Becheva, Y. Blumenfeld, F. Delaunay, A. Drouart, A. Gillibert, L. Giot, K.W. Kemper, R.S. Mackintosh, L. Nalpas, A. Pakou, E.C. Pollacco, R. Raabe, P. Roussel-Chomaz, J.-A. Scarpaci, J.-L. Sida, S. Stepantsov, R. Wolski, , *Phys. Rev. C* 73, 044301 (2006),

**Shape coexistence in neutron-deficient krypton isotopes**, E. Clement et al., *Phys. Rev. C* 75 (2007) 054313

**Non-empirical pairing energy density functional**, T. Lesinski, T. Duguet, K. Bennaceur, J. Meyer, *Eur. Phys. J. A* 40 (2009) 121

**Shape coexistence in light Se isotopes: Evidence for oblate shapes**, J. Ljungvall et al., *Phys. Rev. Lett.* 100 (2008) 102502

**Pairing vibrations study with the time-dependent Hartree-Fock-Bogoliubov Theory**, B. Avez, C. Simenel, and Ph. Chomaz, *Phys. Rev. C* 78 (2008) 044318

**Breakdown of the Z=8 Shell Closure in Unbound  $^{12}\text{O}$  and its Mirror Symmetry**, D. Suzuki, H. Iwasaki, D. Beaumel, L. Nalpas, E. Pollacco, M. Assié, H. Baba, Y. Blumenfeld, N. De Séréville, A. Drouart, S. Franchoo, A. Gillibert, J. Guillot, F. Hammache, N. Keeley, V. Lapoux, F. Maréchal, S. Michimasa, X. Mougeot, I. Mukha, H. Okamura, H. Otsu, A. Ramus, P. Roussel-Chomaz, H. Sakurai, J.-A. Scarpaci, O. Sorlin, I. Stefan, and M. Takechi, *Phys. Rev. Lett.* 103 (2009) 152503

**Fusion and direct reactions of halo nuclei at energies around the Coulomb barrier**, Keeley N, Raabe R, Alamanos N, et al., *Progress in particle and nuclear physics* 59 579-630 (2007)

**Coincidence measurement of residues and light particles in the reaction Fe-56+p at 1 GeV per nucleon with the spallation reactions setup SPALADIN**, Le Gentil E, Aumann T, Bacri CO, et al., *Phys. Rev. Lett.* 100 (2008) 022701

**Spallation residues in the reaction Fe-56+p at 0.3A, 0.5A, 0.75A, 1.0A, and 1.5A GeV**, Villagrasa-Canton C, Boudard A, Ducret JE, et al., *Phys. Rev. C* 75 (2007) 044603

**Neutronic characterization of the MEGAPIE target**, S. Panebianco, et al. (A. Letourneau, Franco Michel-Sendis, Gediminas Stankunas), *Annals of Nuclear Energy*, Vol. 36 (2009) 350-354

**The use of C6D6 detectors for neutron induced capture cross-section measurements in the resonance region**, Borella A et al., *Nucl. Instr. Meth. A* 577 (2007) 626

**Neutron capture cross section of Th-232 measured at the n\_TOF facility at CERN in the unresolved resonance region up to 1 MeV**, Aerts G et al., *Phys. Rev. C* 73 (2006) 054610

**Measurement of the Sm-151(n, gamma) cross section from 0.6 eV to 1 MeV via the neutron time-of-flight technique at the CERN n\_TOF facility**, Marrone S et al. (The n\_TOF Collaboration), *Phys. Rev. C* 73 (2006) 034604

**Status of the photonuclear activation file: Reaction cross-sections, fission fragments and delayed neutrons**, Ridikas D, Giacri ML, Chadwick MB, D. Dore et al., *Nucl. Instr. Meth. A* 562 (2006) 710

**Thermal neutron capture cross-section measurements of Am-243 and Pu-242 using the new mini-INCA alpha- and gamma-spectroscopy station**, F. Marie, A. Letourneau et al., *Nucl. Instr. Meth. A* 556 (2006) 547

**The data acquisition system of the neutron time-of-flight facility n\_TOF at CERN**, Abbondanno U et al. (The n\_TOF Collaboration), *Nucl. Instr. Meth. A* 538 (2005) 692

**Fast decision in favor of the slow fission process**, V. Tishchenko, ..., A. Letourneau, *Phys. Rev. Lett.* 95 (2005) 162701

**The ALICE experiment at the CERN LHC.**, K. Aamodt et al., *JINST*, 0803:S08002, 2008

**J/psi production vs centrality, transverse momentum, and rapidity in Au + Au collisions at  $\sqrt{s(NN)} = 200$ -GeV.**, A. Adare et al., *Phys. Rev. Lett.*, 98:232301, 2007.

**J/psi production and nuclear effects for d + Au and p + p collisions at  $\sqrt{s(NN)} = 200$ -GeV.**, S. S. Adler et al., *Phys. Rev. Lett.*, 96:012304, 2006.

**Formation of dense partonic matter in relativistic nucleus nucleus collisions at RHIC: Experimental evaluation by the PHENIX collaboration.**, K. Adcox et al., *Nucl. Phys.*, A757:184-283, 2005

• **ULTIMATE CONSTITUENTS OF MATTER**

**The ATLAS Experiment at the CERN Large Hadron Collider**, ATLAS Collaboration, *JINST* 3:S08003, 2008

**The CMS experiment at the CERN LHC.**, CMS Collaboration, *JINST* 3:S08004, 2008

**Observation of Single Top-Quark Production**, D0 Collaboration, *Phys. Rev. Lett.* 103, 092001 (2009)



**Measurement of the  $B_s^0$  Mixing Parameters from the Flavor-Tagged Decay  $B_s^0 \rightarrow J/\psi \phi$** , D0 Collaboration, *Phys. Rev. Lett.* 101, 241801 (2008)

**Evidence for Production of Single Top Quarks and First Direct Measurement of  $|V_{tb}|$** , D0 Collaboration, *Phys. Rev. Lett.* 98, 181802 (2007)

**The Upgraded DØ Detector**, D0 Collaboration, *Nucl. Instrum. Methods in Phys. Res. Sect. A* 565, 463 (2006)

**Direct Limits on the  $B_s^0$  Oscillation Frequency**, D0 Collaboration, *Phys. Rev. Lett.* 97, 021802 (2006)

**Measurement of deeply virtual Compton scattering and its t-dependence at HERA.**, H1 Collaboration (F.D. Aaron *et al.*)., *Phys.Lett.B*659:796-806, 2008.

**Measurement and QCD analysis of the diffractive deep-inelastic scattering cross-section at HERA.**, H1 Collaboration (A. Aktas *et al.*)., *Eur.Phys.J.C*48:715-748, 2006.

**Measurement of deeply virtual compton scattering at HERA.**, H1 Collaboration (A. Aktas *et al.*), *Eur.Phys.J.C*44:1-11, 2005.

**Measurement of the Proton Structure Function  $F_2(x, Q^2)$  at Low  $x$ .**, H1 Collaboration (F.D. Aaron *et al.*)., *Phys.Lett.B*665:139-146, 2008.

**Evidence for  $D^0$ -anti- $D^0$  Mixing.**, BABAR Collaboration, *Phys.Rev.Lett.*98:211802, 2007

**Evidence of a broad structure at an invariant mass of 4.32- GeV/c<sup>2</sup> in the reaction  $e^+ e^- \rightarrow \pi^+ \pi^- \psi(2S)$  measured at BaBar.**, BABAR Collaboration, *Phys.Rev.Lett.*98:212001, 2007.

**Observation of the bottomonium ground state in the decay  $\Upsilon(3S) \rightarrow \gamma \eta(b)$ .**, BABAR Collaboration, *Phys.Rev.Lett.*101:071801, 2008, *Erratum-ibid.*102:029901, 2009.

**Measurements of branching fractions, rate asymmetries, and angular distributions in the rare decays  $B \rightarrow K l^+ l^-$  and  $B \rightarrow K^* l^+ l^-$ .**, BABAR Collaboration, *Phys.Rev.D*73:092001, 2006.

**New high statistics measurement of  $K(e4)$  decay form factors and  $\pi\pi$  scattering phase shifts.**, NA48/2 Collaboration, *Eur.Phys.J.C*54:411-423, 2008.

**First measurement of the transverse spin asymmetries of the deuteron in semi-inclusive deep inelastic scattering**, Alexakhin VY, Alexandrov Y, Alexeev GD, et al., *Phys. Rev. Lett.* 94 : 20 (2005) 202002

**Gluon polarization in the nucleon from quasi-real photoproduction of high-(PT) hadron pair**, Ageev ES, Alexakhin VY, Alexandrov Y, et al., *Phys. Lett. B*633: 1 (2006) 25

**A new measurement of the Collins and Sivers asymmetries on a transversely polarised deuteron target**, Ageev ES, Alexakhin VY, Alexandrov Y, et al., *Nucl. Phys. B*765: 1-2 (2007 ) 31-70

**The COMPASS experiment at CERN**, Abbon P, Albrecht E, Alexakhin VY, et al., *Nucl. Instr. Meth. A*577: 3 (2007) 455-518

**The deuteron spin-dependent structure function  $g(1)(d)$  and its first moment**, Alexakhin VY, Alexandrov Y, Alexeev GD, et al., *Phys. Lett. B*647: 1 (2007) 8-17

**Scaling tests of the cross-section for deeply virtual compton scattering.**, C. Munoz Camacho *et al.*, (Jefferson Lab Hall A Collaboration), *Phys.Rev.Lett.*97:262002, 2006.

**Measurement of Deeply virtual Compton scattering beam-spin asymmetries.**, F.X. Girod *et al.*, (CLAS Collaboration), *Phys.Rev.Lett.*100:162002, 2008.

**Extraction of the Compton Form Factor H from DVCS measurements at Jefferson Lab.**, H. Moutarde, *Phys.Rev.D*79:094021, 2009.

**Search for neutral MSSM Higgs bosons at LEP**, S. Schael et al., *Eur.Phys.J.C*47:547-587, 2006.

**Precision electroweak measurements on the Z resonance**, S. Schael et al., *PhysRep* 427, 256-454, 2006.

**Review of Particle Physics**, Particle Data Group (C. Amsler et al.), *Phys.Lett.B*667:1, 2008.

**Review of Particle Physics**, Particle Data Group (W.M. Yao et al.), *J.Phys.G*33:1-1232, 2006.

• **ENERGY CONTENT OF THE UNIVERSE**

**Dark matter maps reveal cosmic scaffolding**, Massey, Richard; Rhodes, Jason; Ellis, Richard; Scoville, Nick; Leauthaud, Alexie; Finoguenov, Alexis; Capak, Peter; Bacon, David; Aussel, Hervé; Kneib, Jean-Paul; and 10 coauthors, *Nature* 445 (2007) 286

**DUNE: the Dark Universe Explorer**, Réfrégier, Alexandre; Boulade, Olivier; Mellier, Yannick; Milliard, Bruno; Pain, Reynald; Michaud, Joel; Safa, Frédéric; Amara, Adam; Astier, Pierre; Barrelet, Etienne; et al., *SPIE proc.* 6265 (2006) 58

**The Supernova legacy survey : Measurement of  $\omega_m$ ,  $\omega_l$  and  $w$  from the 1st year dataset**, P. Astier et al., *Astron.Astrophys.*447:31-48, 2006

**Rates and properties of type Ia supernovae as a function of mass and star-formation in their host galaxies.**, Mark Sullivan et al., *Astrophys.J.*648:868-883, 2006.

**Improved Cosmological Constraints from New, Old and Combined Supernova Datasets, Supernova Cosmology Project**, M. Kowalski et al., *Astrophys J.*686(2008)749.

**Limits on the Macho content of the Galactic Halo from the EROS-2 Survey of the Magellanic Clouds**, Eros-2 Collaboration, *Astron.Astrophys.*469:387-U28, 2007.

**Final results of the EDELWEISS-I dark matter search with cryogenic heat-and-ionization Ge detectors.**, EDELWEISS Collaboration, *Phys.Rev.D*71:122002, 2005.

**First results from the CERN Axion Solar Telescope (CAST),** CAST Collaboration. , *Phys.Rev.Lett.*94:121301, 2005.

**First results of the Instrumentation Line for the deep-sea ANTARES neutrino telescope.** , ANTARES Collaboration , *Astropart.Phys.*26:314-324, 2006.

**Probing the ATIC peak in the cosmic-ray electron spectrum with H.E.S.S,** H.E.S.S. Collaboration, *Astron.Astrophys.*508:561, 2009.

**Fast variability of TeV gamma-rays from the radio galaxy M87,** F. Aharonian et al., *Science* 314:1424, 2006.

**Discovery of very-high-energy gamma-rays from the galactic centre ridge,** H.E.S.S. Collaboration , *Nature* 439:695-698, 2006.

**A Low level of extragalactic background light as revealed by gamma-rays from blazars.,** H.E.S.S. Collaboration, *Nature* 440:1018-1021, 2006.

**Discovery of very high energy gamma-rays associated with an x-ray binary.** , H.E.S.S. Collaboration, *Science* 309:746-749, 2005.

**An improved limit on the axion-photon coupling from the CAST experiment,** Andriamonje, S; Aune, S; Autiero, D; Barth, K; Belov, A; Beltran, B; Brauninger, H; Carmona, JM; Cebrian, S; Collar, JI; Dafni, T; Davenport, M; Di Lella, L; Eleftheriadis, C; Englhauser, J; Fanourakis, G; Ribas, EF; Fischer, H; Franz, J; Friedrich, P; Gerialis, T; Giomataris, I; Gninenko, S; Gomez, H; Hasinoff, M; Heinsius, FH; Hoffmann, DHH; Irastorza, IG; Jacoby, J; Jakovcic, K; Kang, D; Konigsmann, K; Kotthaus, R; Krckmar, M; Kousouris, K; Kuster, M; Lakic, B; Lasseur, C; Liolios, A; Ljubicic, A; Lutz, G; Luzon, G; Miller, D; Morales, A; Morales, J; Ortiz, A; Papaevangelou, T; Placci, A; Raffelt, G; Riege, H; Rodriguez, A; Ruz, J; Savvidis, I; Semertzidis, Y; Serpico, P; Stewart, L; Vieira, J; Villar, J; Vogel, J; Walckiers, L; Zioutas, K, *J. Cosmol. Astropart. Phys.* 10 (2007) 10

• **ACCELERATOR SCIENCE**

**IFMIF accelerators design** , Mosnier A, Ratzinger U, *Fusion engineering and design* 83 (2008) 1001

**First operation of a free-electron laser generating GW power radiation at 32-nm wavelength.,** V. Ayvazian et al. , *Eur.Phys.J.*D37:297-303, 2006.

**The CARE project (Coordinated Accelerator Research in Europe),** O. Napoly (DAPNIA, Saclay) , *Nucl.Instrum.Meth.*A562:585-590, 2006.

**High precision superconducting cavity diagnostics with higher order mode measurements.,** S. Molloy et al. , *Phys.Rev.ST Accel.Beams* 9:112802, 2006.

**Operation of a free-electron laser from the extreme ultraviolet to the water window.,** W. Ackermann et al. , *Nature Photonics* 1:336-342, 2007.

**High Precision SC Cavity alignment Measurements with Higher Order Modes.**, Stephen Molloy *et al.* ,  
*Measur.Sci.Tech.18:2314-2319, 2007.*

**Performance of a reentrant cavity beam position monitor.**, Claire Simon, Michel Luong, Stephane Chel,  
Olivier Napoly, Jorge Novo, Dominique Roudier , Nelly Rouviere, Nicoleta Baboi, Nils Mildner, Dirk  
Nolle , *Phys.Rev.ST Accel.Beams 11:082802, 2008.*

• **MAGNETS AND CRYOGENICS**

**Commissioning of the CMS magnet** , Campi D, Cure B, Gaddi A, et al., *IEEE Transactions on applied  
superconductivity 17 (2007) 1185*

**Design status of the R3B-GLAD magnet: Large acceptance superconducting dipole with active shielding,  
graded coils, large frees and indirect cooling lay thermosiphon** , Gastineau B, Donati A, Ducret JE, et al.,  
*IEEE Transactions on applied superconductivity 18 (2008) 407*

**Experimental and theoretical study of a two phase helium high circulation loop** , Bredy P, Juster FP,  
Baudouy B, et al., *Advances in Cryogenic Engineering, Vols 51A and B Book Series: AIP Conf.Proc. 823 (2006)  
496*

**Completion of the manufacturing of the ATLAS barrel toroid magnet at CERN.** , Vedrine P, Rey JM,  
Volpini G, et al., *IEEE Transactions on applied superconductivity 16 (2006) 504*

**Assembly concept and technology of the ATLAS barrel toroid** , Foussat A, ten Kate HHJ, Levesy B, et al.,  
*IEEE Transactions on applied superconductivity 16 (2006) 565*

**Heat transfer characteristics of two-phase HeI (4.2 K) thermosiphon flow** , Benkheira L, Baudouy B, Souhar  
M, *Int. journal of heat and mass transfer 50 (2007) 3534*

• **DETECTORS AND ELECTRONICS**

**Recent Developments of a Micromegas Detector for Neutron Physics**, Andriamonje, S; Aune, S;  
Berthoumieux, E; De Oliveira, R; Giganon, A; Giomataris, I; Gunsing, F; Lecolley, JF; Pancin, J; Riallot, M;  
Rosa, R; Savvidis, I, *IEEE Trans. Nucl. Sci. 56 (2009) 1076*

**Gas pixel detector for X-ray observation**, Attie, D; Campbell, M; Chefdeville, M; Colas, P; Delagnes, E;  
Giomataris, Y; van der Graaf, H; Llopart, X; Timmermans, J; Visschers, J, *Nucl. Instrum. Methods Phys. Res.  
Sect. A 610 (2009) 178*

**TPC review**, Attie, D, *Nucl. Instrum. Methods Phys. Res. Sect. A 598 (2009) 89*

**Development of Binary Readout CMOS Monolithic Sensors for MIP Tracking**, Degerli, Y; Besson, A;  
Claus, G; Combet, M; Dorokhov, A; Dulinski, W; Goffe, M; Himmi, A; Li, Y; Orsini, F, *IEEE Trans. Nucl.  
Sci. 56 (2009) 354*

**Secondary electrons detectors for beam tracking: micromegas and wire chamber**, Pancin, J; Chaminade, T;  
Drouart, A; Fernandez, B; Kebbiri, M; Naqvi, F; Riallot, M, *J. Instrum. 4 (2009) P12012*

**IDeF-X ECLAIRS: A CMOS ASIC for the Readout of CdTe and CdZnTe Detectors for High Resolution Spectroscopy**, Gevin, O; Baron, P; Coppolani, X; Daly, F; Delagnes, E; Limousin, O; Lugiez, F; Meuris, A; Pinsard, F; Renaud, D, *IEEE Trans. Nucl. Sci.* 56 (2009) 2351

**Micro Hard-X Ray Camera: From Caliste 64 to Caliste 256**, Meuris, A; Limousin, O; Lugiez, F; Gevin, O; Delagnes, E; Le Mer, I; Chavassieux, M; Pinsard, F; Blondel, C; Daly, F; Vassal, MC; Bocage, R; Soufflet, F, *IEEE Trans. Nucl. Sci.* 56 (2009) 1835

**ATLAS liquid argon calorimeter front end electronics**, Buchanan, NJ et al. (Borgeaud, P; de la Broise, X; Delagnes, E; Le Coguie, A; Mansoulie, B; Pascual, J; Teiger, J), *J. Instrum.* 3 (2008) P09003

**A novel large-volume spherical detector with proportional amplification read-out**, Giomataris, I; Irastorza, I; Savvidis, I; Andriamonje, S; Aune, S; Chapellier, M; Charvin, P; Colas, P; Derre, J; Ferrer, E; Gros, M; Navick, XF; Salin, P; Vergadose, JD, *J. Instrum.* 3 (2008) P09007

**Laser monitoring system for the CMS lead tungstate crystal calorimeter**, Anfreville, M; Bailleux, D; Bard, JP; Bornheim, A; Bouchand, C; Bougamont, E; Boyer, M; Chipaux, R; Daponte-Puill, V; Dejardin, M; Faure, JL; Gras, P; Jarry, P; Jeanney, C; Joudon, A; Pansart, JP; Penichot, Y; Rander, J; Rolquin, J; Reymond, JM; Tartas, J; Venault, P; Verrecchia, P; Zhang, L; Zhu, K; Zhu, RY, *Nucl. Instrum. Methods Phys. Res. Sect. A* 594 (2008) 292

**Surface contamination by radon daughters measured by ionization-heat NTD germanium detectors**, Navick, XF, *J. Low Temp. Phys.* 151 (2008) 891

**A new analogue sampling readout system for the COMPASS RICH-1 detector**, Abbon, P; Dafni, T; Delagnes, E; Deschamps, H; Gerassimov, S; Ketzer, B; Kolosov, V; Konorov, I; Kravtchuk, N; Kunne, F; Magnon, A; Neyret, D; Panebianco, S; Paul, S; Rebourgeard, P, *Nucl. Instrum. Methods Phys. Res. Sect. A* 589 (2008) 362

**The micromegas detector of the CAST experiment**, Abbon, P; Andriamonje, S; Aune, S; Dafni, T; Davenport, M; Delagnes, E; de Oliveira, R; Fanourakis, G; Ribas, EF; Franz, J; Gerasis, T; Giganon, A; Gros, M; Giomataris, Y; Irastorza, IG; Kousouris, K; Morales, J; Papaevangelou, T; Ruz, J; Zachariadou, K; Zioutas, K, *New J. Phys.* 9 (2007) 170

**Bulk micromegas detectors for large TPC applications**, Bouchez, J; Burke, DR; Cavata, C; Colas, P; De la Broise, X; Delbart, A; Giganon, A; Giomataris, I; Graffin, P; Mols, JP; Pierre, F; Ritou, JL; Sarrat, A; Virique, E; Zito, M; Radicioni, E; De Oliveira, R; Dumarchez, J; Abgrall, N; Bene, P; Blondel, A; Cervera, A; Ferrere, D; Maschicchi, F; Perrin, E; Richeux, JP; Schroeter, R; Jover, G; Lux, T; Rodriguez, AY; Sanchez, F, *Nucl. Instrum. Methods Phys. Res. Sect. A-Accel. Spectrom. Dect. Assoc. Equip.* 574 (2007) 425

**Micromegas in a bulk**, Giomataris, I; De Oliveira, R; Andriamonje, S; Aune, S; Charpak, G; Colas, P; Fanourakis, G; Ferrer, E; Giganon, A; Rebourgeard, P; Salin, P, *Nucl. Instrum. Methods Phys. Res. Sect. A-Accel. Spectrom. Dect. Assoc. Equip.* 560 (2006) 405

**SAM: A new GHz sampling ASIC for the HESS-II front-end electronics**, Delagnes, E; Degerli, Y; Goret, P; Nayman, P; Toussenet, F; Vincent, P, *Nucl. Instrum. Methods Phys. Res. Sect. A-Accel. Spectrom. Dect. Assoc. Equip.* 567 (2006) 21

**Twenty-three ionization heat detectors for the Dark Matter search with EDELWEISS-II**, Navick, XF; Beeman, J; Carty, M; Chapellier, M; Gerbier, G; Granelli, R; Herve, S; Karolak, M; Nizery, F; Schwamm, F; Villar, V, *Nucl. Instrum. Methods Phys. Res. Sect. A-Accel. Spectrom. Dect. Assoc. Equip.* 559 (2006) 483

**AFTER, an ASIC for the Readout of the Large T2K Time Projection Chambers**, P. Baron et al., *IEEE Trans. Nucl. Sci.*, 55 (2008) 1744

**A review of technologies for the transport of digital data in recent physics experiments**, Calvet, D, *IEEE Trans. Nucl. Sci.* 53 (2006) 789

**Development of an instrument for time-activity curve measurements during PET imaging of rodent**, Jean-Marc Reymond, David Guez, Sophie Kerhoas, Philippe Mangeot, Raphael Boisgard, Sebastien Jan, Bertrand Tavitian, Regine Trebossen, *Nucl. Instrum. Methods Phys. Res. Sect. A* 571 (2007) 358

**A fast monolithic active pixel sensor with pixel-level reset noise suppression and binary outputs for charged particle detection**, Degerli, Y; Deptuch, G; Fourches, N; Himmi, A; Li, Y; Lutz, P; Orsini, F; Szelezniak, M, *IEEE Trans. Nucl. Sci.* 52 (2005) 3186

**Very high dynamic range and high sampling rate VME digitizing boards for physics experiments**, Breton, D; Delagnes, E; Houry, M, *IEEE Trans. Nucl. Sci.* 52 (2005) 2853

• **DATA AND IMAGE PROCESSING**

Multifractal properties of evolving active regions., P. A. Conlon, P. T. Gallagher, R. T. J. McAteer, J. Ireland, C. A. Young, P. Kestener, R. Hewett, and K. Maguire. , *Solar Physics*, 248 (2008.) 297

Visualization of large astrophysical simulations datasets, D.Pomarède, E.Audit, R.Teyssier, B.Thooris, *Computer Physics Communication*, 177 (2007) 263

FASTLens (FAst STatistics for weak Lensing) : Fast method for Weak Lensing Statistics and map making, S. Pires, J.-L. Starck, A. Amara, A., R. Teyssier, A. Refregier and J. Fadili, *Monthly Notices of the Royal Astronomical Society (MNRAS)*, 395, 3, pp. 1265-1279, 2009.

Inpainting and Zooming using Sparse Representations, M.J. Fadili, J.-L. Starck and F. Murtagh, *The Computer Journal*, 52, 1, pp 64-79, 2009.

Compressed Sensing in Astronomy, J. Bobin, J.-L. Starck, and R. Ottensamer, *IEEE Journal of Selected Topics in Signal Processing*, Vol 2, no 5, pp 718--726, 2008.

Wavelets, Ridgelets and Curvelets for Poisson Noise Removal, B. Zhang, M.J. Fadili and J.-L. Starck, *IEEE Transactions on Image Processing*, Vol 17, No 7, pp 1093--1108, 2008.

Source Detection Using a 3D Sparse Representation: Application to the Fermi Gamma-ray Space Telescope , J.-L. Starck, M.J. Fadili, S. Digel , B. Zhang and J. Chiang, *Astronomy and Astrophysics* , 504, 2, pp.641-652, 2009.

Polarized Wavelets and Curvelets on the Sphere, J.-L. Starck, Y. Moudden and J. Bobin, *Astronomy and Astrophysics*, 497, pp 931--943, 2009.

Cosmological models discrimination with Weak Lensing, S. Pires, J.-L. Starck, A. Amara, A. Refregier and R. Teyssier, *Astronomy and Astrophysics*, pp 969-979, 2009.

Full-Sky Weak Lensing Simulation with 70 Billion Particles, R. Teyssier et al, 497, pp 335--341, 2009.

Morphological Diversity and Sparsity for Multichannel Data Restoration , J. Bobin, Y. Moudden, M.J. Fadili and J.-L. Starck, *Journal of Mathematical Imaging and Vision* , Vol. 33, No. 2, pp. 149-168, 2009.

A proximal iteration for deconvolving Poisson noisy images using sparse representations, F.-X. Dupé , M.J. Fadili and J.-L. Starck, *IEEE Transactions on Image Processing* , 18, 12, pp 310--321, 2009.

Component separation for the PLANCK mission, S. Leach et al, *Astronomy and Astrophysics* , Vol 491, pp 597--615, 2008.

Toward Understanding Rich Superclusters, M. Einasto et al, *The Astrophysical Journal* , Vol 685, No 1, pp. 83-104, 2008.

CMB Data Analysis and Sparsity , P. Abrial, Y. Moudden, J.L. Starck, M.J. Fadili, J. Delabrouille, and M. Nguyen , *Statistical Methodology* , Vol 5, No 4, pp 289-298, 2008.

SZ and CMB reconstruction using GMCA , J. Bobin, Y. Moudden, J.-L. Starck, M.J. Fadili, and N. Aghanim, *Statistical Methodology* , Vol 5, No 4, pp 307-317, 2008.

Fast Poisson Noise Removal by Biorthogonal Haar Domain Hypothesis Testing , B. Zhang, M.J. Fadili, J.L. Starck, S.W. Digel, *Statistical Methodology* , Vol 5, No 4, pp 387-396, 2008.

Wavelet and Curvelet Moments for Image Classification: Application to Aggregate Mixture Grading, F. Murtagh and J.-L. Starck, *Pattern Recognition Letters*, 29, pp 1557--1564 , 2008.

A Catalog of Diffuse X-ray-Emitting Features within 20pc of Sgr A: Twenty Pulsar Wind Nebulae, M.P. Muno, F.K. Baganoff, W.N. Brandt, M.R. Morris and J.L. Starck, *Astrophysical Journal*, ApJ, pp 251--263, 673, 2008.

Morphological Component Analysis and Inpainting on the Sphere: Application in Physics and Astrophysics" , *Journal of Fourier Analysis and Applications (JFAA)*, special issue on 'Analysis on the Sphere', P. Abrial, Y. Moudden, J.L. Starck, J. Bobin, M.J. Fadili, B. Afeyan and M. Nguyen, 13, 6, pp 729-748, 2007.

The richest superclusters. I. Morphology , M. Einasto et al, *A&A*, 476, pp 697--711, 2007.  
Sparsity, Morphological Diversity and Blind Source Separation , J. Bobin, J.-L. Starck, M.J. Fadili, and Y. Moudden, *IEEE Transactions on Image Processing* , Vol 16, No 11, pp 2662-2674, 2007.

Morphological Component Analysis: an adaptative thresholding strategy, J. Bobin, J.-L. Starck J. Fadili, Y. Moudden and D.L Donoho, *IEEE Transactions on Image Processing* , Vol 16, No 11, pp 2675--2681, 2007.

The Undecimated Wavelet Decomposition and its Reconstruction, J.-L. Starck, J. Fadili and F. Murtagh , *IEEE Transaction on Signal Processing* , 16, 2, pp 297--309, 2007.

The reversal of the star formation-density relation in the distant universe , D. Elbaz et al, *Astronomy and Astrophysics* , 468, pp 33-48, 2007.

Multi-scale morphology of the galaxy distribution, E. Saar, V. martinez, J.-L. Starck and D. Donoho , *Monthly Notices of the Royal Astronomical Society (MNRAS)* , i374, 1030-1044, 2007.

Weak Lensing Mass Reconstruction using Wavelets, J.-L. Starck, S. Pires, and A. Refregier, pp.1139-1150, 451, 3, *Astronomy and Astrophysics*, 2006.

Wavelets, Ridgelets and Curvelets on the Sphere, J.-L Starck, Y. Moudden, P. Abrial and M. Nguyen, *Astronomy and Astrophysics*, 446, 1191-1204, 2006.

Morphological Diversity and Source Separation, J. Bobin, Y. Moudden, J.-L. Starck and M. Elad, *IEEE Transaction on Signal Processing* , Vol 13, 7, pp 409--412, 2006.

Curvelet analysis of asteroseismic data. I. Method description and application to simulated sun-like stars , P. Lambert, S. Pires, J. Ballot, R.A. Garcia, J.-L. Starck and S. Turck-Chièze, *Astronomy and Astrophysics* , pp 1021-1027, 454, 2006.

### 7.2.7 LAL PUBLICATIONS

LAL publications from the period 2005-2009 with a citation index greater than 20.

#### • 2005

Abazov, VM. et al. (DO Collaboration), Helicity of the W boson in lepton plus jets  $t\bar{t}$  events, *PHYSICS LETTERS B* 617 : 1-10, 2005

Abazov, VM. et al. (DO Collaboration), Measurement of inclusive differential cross sections for Upsilon(1S) production in  $p\bar{p}$  collisions at  $\sqrt{s}=1.96$  TeV, *PHYSICAL REVIEW LETTERS* 94 : 232001, 2005

Abazov, VM. et al. (DO Collaboration), Search for right-handed W bosons in top quark decay, *PHYSICAL REVIEW D* 72 : 011104, 2005

Abazov, VM. et al. (DO Collaboration), Search for first-generation scalar leptoquarks in  $p\bar{p}$  collisions at  $\sqrt{s}=1.96$  TeV, *PHYSICAL REVIEW D* 71: 071104, 2005



Abazov, VM. et al. (DO Collaboration), Measurement of dijet azimuthal decorrelations at central rapidities in  $p(\bar{p})$  collisions at  $\sqrt{s}=1.96$  TeV, PHYSICAL REVIEW LETTERS 94 : 221801, 2005

Abazov, VM. et al. (DO Collaboration), Search for randall-sundrum gravitons in dilepton and diphoton final states, PHYSICAL REVIEW LETTERS 95 : 091801, 2005

Abazov, VM. et al. (DO Collaboration), Search for neutral supersymmetric Higgs bosons in multijet events at  $\sqrt{s}=1.96$  TeV, PHYSICAL REVIEW LETTERS 95 : 151801, 2005

Abazov, VM. et al. (DO Collaboration), Measurement of the WW production cross section in  $p(\bar{p})$  collisions at  $\sqrt{s}=1.96$  TeV, PHYSICAL REVIEW LETTERS 94 (15) : 151801, 2005

Abazov, VM. et al. (DO Collaboration), Measurement of the  $t(\bar{t})$  production cross section in  $p(\bar{p})$  collisions at  $\sqrt{s}=1.96$  TeV using lepton plus jets events with lifetime b-tagging, PHYSICS LETTERS B 626 : 35-44, 2005

Abazov, VM. et al. (DO Collaboration), Measurement of the  $t(\bar{t})$  production cross section in  $p(\bar{p})$  collisions at  $\sqrt{s}=1.96$  TeV using kinematic characteristics of lepton plus jets events, PHYSICS LETTERS B 626 : 45-54, 2005

Abazov, VM. et al. (DO Collaboration), Search for the flavour-changing neutral current  $B_s(0) \rightarrow \mu^+\mu^-$  in  $p(\bar{p})$  collisions at  $\sqrt{s}=1.96$  TeV with the D0 detector, PHYSICAL REVIEW LETTERS 94 (7) : 071802, 2005

Abazov, VM. et al. (DO Collaboration), Search for single top quark production in pp collisions at  $\sqrt{s}=1.96$  TeV, PHYSICS LETTERS B 622 : 265-276, 2005

Abdallah, J. et al. (DELPHI Collaboration), Photon events with missing energy in  $e^+e^-$  collisions at  $\sqrt{s}=130$  to 209 GeV, EUROPEAN PHYSICAL JOURNAL C 38 : 395-411, 2005

Acernese, F. et al. (VIRGO Collaboration), Status of Virgo, 9th Gravitational Wave Data Analysis Workshop DEC 15-18, 2004 Annecy, France, CLASSICAL AND QUANTUM GRAVITY 22 : S869-S880, 2005

Adam, I. et al. (BABAR Collaboration), The DIRC particle identification system for the BABAR experiment, NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH SECTION A-ACCELERATORS SPECTROMETERS DETECTORS AND ASSOCIATED EQUIPMENT 538 : 281-357, 2005

Aktas, A. et al. (H1 Collaboration), Measurement of prompt photon cross sections in photoproduction at HERA, EUROPEAN PHYSICAL JOURNAL C 38 : 437-445, 2005

Aktas, A. et al. (H1 Collaboration), Measurement of beauty production at HERA using events with muons and jets, EUROPEAN PHYSICAL JOURNAL C 41 : 453-467, 2005

Aktas, A. et al. (H1 Collaboration), Measurement of deeply virtual Compton scattering at HERA, EUROPEAN PHYSICAL JOURNAL C44 : 1-11, 2005

Aktas, A. et al. (H1 Collaboration), Inclusive production of  $D^+$ ,  $D^0$ ,  $D^s(+)$  and  $D^{*}(+)$  mesons in deep inelastic scattering at HERA, EUROPEAN PHYSICAL JOURNAL C38 : 447-459, 2005

Aktas, A. et al. (H1 Collaboration), Measurement of  $F_2(c\bar{c})$  and  $F_2(b\bar{b})$  at high  $Q^2$  using the H1 vertex detector at HERA, EUROPEAN PHYSICAL JOURNAL C 40 : 349-359, 2005

Ardouin, D. et al. (Radio-detection signature of high-energy cosmic rays by the CODALEMA experiment, NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH SECTION A-ACCELERATORS SPECTROMETERS DETECTORS AND ASSOCIATED EQUIPMENT 555 : 148-163, 2005

Arnold, R. et al (NEMO Collaboration), Technical design and performance of the NEMO 3 detector, NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH SECTION A-ACCELERATORS SPECTROMETERS DETECTORS AND ASSOCIATED EQUIPMENT 536 : 79-122, 2005

Arnold, R. et al (NEMO Collaboration), First results of the search for neutrinoless double-beta decay with the NEMO 3 detector, PHYSICAL REVIEW LETTERS 95 : 182302, 2005

Aubert, B. et al. (BABAR Collaboration), Improved measurements of CP-violating asymmetry amplitudes in  $B^0 \rightarrow \pi^+\pi^-$  decays, PHYSICAL REVIEW LETTERS 95 : 151803, 2005

Aubert, B. et al. (BABAR Collaboration), Measurement of the  $B^0 \rightarrow D^{*-} D_s^{*+}$  and  $D_s^{*+} \rightarrow \phi \pi^+$  branching fractions, PHYSICAL REVIEW D 71 : 091104, 2005

Aubert, B. et al. (BABAR Collaboration), Improved measurement of the Cabibbo-Kobayashi-Maskawa angle  $\alpha$  using  $B^0(B) \rightarrow \rho^+\rho^-$  decays, PHYSICAL REVIEW LETTERS 95 : 041805, 2005

Aubert, B. et al. (BABAR Collaboration), Branching fractions and CP asymmetries in  $B^0 \rightarrow \pi^0\pi^0$ ,  $B^+ \rightarrow \pi^+\pi^0$ , and  $B^+ \rightarrow K^+\pi^0$  decays and isospin analysis of the  $B \rightarrow \pi \pi$  system, PHYSICAL REVIEW LETTERS 94 : 181802, 2005

Aubert, B. et al. (BABAR Collaboration), Search for lepton flavor violation in the decay  $\tau^{+/-} \rightarrow \mu^{+/-} \gamma$ , PHYSICAL REVIEW LETTERS 95 : 041802, 2005

Aubert, B. et al. (BABAR Collaboration), Measurements of branching fractions and time-dependent CP-violating asymmetries in  $B \rightarrow \eta' K$  decays, PHYSICAL REVIEW LETTERS 94 : 191802, 2005

Aubert, B. et al. (BABAR Collaboration), Measurement of the Cabibbo-Kobayashi-Maskawa angle  $\gamma$  in  $B^{+/-} \rightarrow (DK^{+/-})K^{*}$  decays with a Dalitz analysis of  $D \rightarrow K^* S(0) \pi^-\pi^+$ , PHYSICAL REVIEW LETTERS 95 : 121802, 2005

Aubert, B. et al. (BABAR Collaboration),  $e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-$ ,  $K^+K^-\pi^+\pi^-$ , and  $K^+K^-K^+K^-$  cross sections at center-of-mass energies 0.5-4.5 GeV measured with initial-state radiation, PHYSICAL REVIEW D 71 : 052001, 2005

Aubert, B. et al. (BABAR Collaboration), Observation of a broad structure in the  $\pi^+\pi^-\psi$  mass spectrum around 4.26 GeV/c<sup>2</sup>, PHYSICAL REVIEW LETTERS 95 : 142001, 2005

Aubert, B. et al. (BABAR Collaboration), Measurement of double charmonium production in  $e^+e^-$  annihilations at  $\sqrt{s}=10.6$  GeV, PHYSICAL REVIEW D 72 : 031101, 2005

Aubert, B. et al. (BABAR Collaboration), Search for a charged partner of the X(3872) in the B meson decay  $B \rightarrow X^* K$ ,  $X^* \rightarrow J/\psi \pi^-\pi^0$ , PHYSICAL REVIEW D 71 : 031501, 2005

Aubert, B. et al. (BABAR Collaboration), Measurement of the  $B^+ \rightarrow p \bar{K}^+$  branching fraction and study of the decay dynamics, PHYSICAL REVIEW D 72 : 051101, 2005

Aubert, B. et al. (BABAR Collaboration), Limit on the  $B^0 \rightarrow \rho^0\rho^0$  branching fraction and implications for the Cabibbo-Kobayashi-Maskawa angle  $\alpha$ , PHYSICAL REVIEW LETTERS 94 : 131801, 2005

Aubert, B. et al. (BABAR Collaboration), Measurement of the branching fraction and the CP-violating asymmetry for the decay  $B^0 \rightarrow K^* S(0) \pi^0$ , PHYSICAL REVIEW D 71 : 111102 ; 2005

Aubert, B. et al. (BABAR Collaboration), Measurement of CP asymmetries in  $B^0 \rightarrow \phi K^0$  and  $B^0 \rightarrow K^+ K^- K^* S(0)$  decays, PHYSICAL REVIEW D 71 : 091102, 2005

Aubert, B. et al. (BABAR Collaboration), Time-integrated and time-dependent angular analyses of  $B \rightarrow J/\psi K \pi$ : A measurement of  $\cos^2 \beta$  with no sign ambiguity from strong phases, PHYSICAL REVIEW D 71 : 032005, 2005

Aubert, B. et al. (BABAR Collaboration), Search for  $b \rightarrow u$  transitions in  $B \rightarrow (DK^-)K^0$  and  $B \rightarrow (DK^-)K^{*0}$ , PHYSICAL REVIEW D 72 : 032004, 2005

Aubert, B. et al. (BABAR Collaboration), Measurements of the  $B \rightarrow X^* \gamma$  branching fraction and photon spectrum from a sum of exclusive final states, PHYSICAL REVIEW D 72 : 052004, 2005

Aubert, B. et al. (BABAR Collaboration), Study of the  $B \rightarrow J/\psi K^-\pi^+\pi^-$  decay and measurement of the  $B \rightarrow X(3872)K^-$  branching fraction, PHYSICAL REVIEW D 71 : 071103, 2005

Aubert, B. et al. (BABAR Collaboration), Study of  $B \rightarrow \pi l \nu$  and  $B \rightarrow \rho l \nu$  decays and determination of vertical bar  $V_{ub}$  vertical bar, PHYSICAL REVIEW D 72 : 051102, 2005

Aubert, B. et al. (BABAR Collaboration), Improved measurement of CP asymmetries in  $B^0 \rightarrow (c\bar{c})\text{overbar}K_0^{(*)}$  decays, PHYSICAL REVIEW LETTERS 94 : 161803, 2005

Aubert, B. et al. (BABAR Collaboration), Branching fraction and CP asymmetries of  $B^0 \rightarrow (KSKSKS_0)\text{-}K^0\text{-}K^0$ , PHYSICAL REVIEW LETTERS 95 : 011801, 2005

Aubert, B. et al. (BABAR Collaboration), Dalitz-plot analysis of the decays  $B^{\pm} \rightarrow K^{\pm} \pi^{\pm} \pi^{\pm}$ , PHYSICAL REVIEW D 72 : 011801, 2005

Aubert, B. et al. (BABAR Collaboration), Search for strange-pentaquark production in  $e^+e^-$  annihilation at  $\sqrt{s}=10.58$  GeV, PHYSICAL REVIEW LETTERS 95 : 042002, 2005

Belloni J ; Monard H; Gobert F ; Larbre JP ; Demarque A ; De Waele V ; Lampre, I ; Marignier, JL ; Mostafavi M ; Bourdon JC ; Bernard M ; Borie H ; Garvey T ; Jacquemard, B ; Leblond B ; Lepercq, P; Omeich M ; Roch, M ; Rodier J ; Roux, R ; ELYSE - A picosecond electron accelerator for pulse radiolysis research, NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH SECTION A-ACCELERATORS SPECTROMETERS DETECTORS AND ASSOCIATED EQUIPMENT 539 : 527-539, 2005

Bobeth, C ; Bona, M; Buras, AJ; Ewerth, T; Pierini, M; Silvestrini, L; Weiler, A; Upper bounds on rare K and B decays from minimal flavour violation, NUCLEAR PHYSICS B 726 : 252-274, 2005

Bona, M; Ciuchini, M; Franco, E; Lubicz, V; Martinelli, G; Parodi, F; Pierini, M; Roudeau, P; Schiavi, C; Silvestrini, L; Stocchi, A., The 2004 UTfit collaboration report on the status of the unitarity triangle in the standard model, JOURNAL OF HIGH ENERGY PHYSICS 7 : 028, 2005

Cappello, F; Djilali, S; Fedak, G; Herault, T; Magniette, F; Neri, V; Lodygensky, O., Computing on large-scale distributed systems: XtremWeb architecture, programming models, security, tests and convergence with grid, FUTURE GENERATION COMPUTER SYSTEMS-THE INTERNATIONAL JOURNAL OF GRID COMPUTING THEORY METHODS AND APPLICATIONS 21 : 417-437, 2005

Charles, J; Höcker, H; Lacker, H; Laplace, S; Le Diberder, FR; Malcles, J; Ocariz, J; Pivk, M; Roos, L., CP violation and the CKM matrix: assessing the impact of the asymmetric B factories, EUROPEAN PHYSICAL JOURNAL C 41 : 1-131, 2005

Gianotti, F; Mangano, ML; Virdee, T; Abdullin, S; Azuelos, G; Ball, A; Barberis, D; Belyaev, A; Bloch, P; Bosman, M; Casagrande, L; Cavalli, D; Chumney, P; Cittolin, S; Dasu, S; De Roeck, A; Ellis, N; Farthouat, P; Fournier, D; Hansen, JB; Hinchliffe, I; Hohlfeld, M; Huhtinen, M; Jakobs, K; Joram, C; Mazzucato, F; Mikenberg, G; Miagkov, A; Moretti, M; Moretti, S; Niinikoski, T; Nikitenko, A; Nisati, A; Paige, F; Palestini, S; Papadopoulos, CG; Piccinini, F; Pittau, R; Polesello, G; Richter-Was, E; Sharp, P; Slabospitsky, SR; Smith, WH; Stapnes, S; Tonelli, G; Tsesmelis, E; Usubov, Z; Vacavant, L; van der Bij, J; Watson, A; Wielers, M., Physics potential and experimental challenges of the LHC luminosity upgrade, EUROPEAN PHYSICAL JOURNAL C 39 : 293-333, 2005

Pivk, M; Le Diberder, F., (S)Plot: A statistical tool to unfold data distributions, NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH SECTION A-ACCELERATORS SPECTROMETERS DETECTORS AND ASSOCIATED EQUIPMENT 555 : 356-369, 2005

Ponthieu, N; Macias-Perez, JF; Tristram, M; Ade, P; Amblard, A; Ansari, R; Aumont, J; Aubourg, E; Benoit, A; Bernard, JP; Blanchard, A; Bock, JJ; Bouchet, FR; Bourrachot, A; Camus, P; Cardoso, JF; Couchot, F; de Bernardis, P; Delabrouille, J; Desert, FX; Douspis, M; Dumoulin, L; Filliatre, P; Fosalba, P; Giard, M; Giraud-Heraud, Y; Gispert, R; Grain, J; Guglielmi, L; Hamilton, JC; Hanany, S; Henrot-Versille, S; Kaplan, J; Lagache, G; Lange, AE; Madet, K; Maffei, B; Masi, S; Mayet, F; Nati, F; Patanchon, G; Perdereau, O; Plaszczynski, S; Piat, M; Prunet, S; Puget, JL; Renault, C; Rosset, C; Santos, D; Vibert, D; Yvon, D. (ARCHEOPS

2010

DOCUMENT SCIENTIFIQUE B /  
SCIENTIFIC SUBMISSION FORM B

Collaboration), Temperature and polarization angular power spectra of Galactic dust radiation at 353 GHz as measured by Archeops, *ASTRONOMY & ASTROPHYSICS* 444 : 327-336, 2005

Schael, S. et al. (ALEPH Collaboration), Branching ratios and spectral functions of tau decays: Final ALEPH measurements and physics implications, *PHYSICS REPORTS-REVIEW SECTION OF PHYSICS LETTERS* 421 : 191-284, 2005

Schael, S. et al. (ALEPH Collaboration), Improved measurement of the triple gauge-boson couplings  $\gamma WW$  and  $ZWW$  in  $e^+e^-$  collisions, *PHYSICS LETTERS B* 614 : 7-26, 2005

Tristram, M; Patanchon, G; Macias-Perez, JF; Ade, P; Amblard, A; Ansari, R; Aubourg, E; Benoit, A; Bernard, JP; Blanchard, A; Bock, JJ; Bouchet, FR; Bourrachot, A; Camus, P; Cardoso, JF; Couchot, F; de Bernardis, P; Delabrouille, J; Desert, FX; Douspis, M; Dumoulin, L; Filliatre, P; Fosalba, P; Giard, M; Giraud-Heraud, Y; Gispert, R; Guglielmi, L; Hamilton, JC; Hanany, S; Henrot-Versille, S; Kaplan, J; Lagache, G; Lamarre, JM; Lange, AE; Madet, K; Maffei, B; Magneville, C; Masi, S; Mayet, F; Nati, F; Perdereau, O; Plaszczynski, S; Piat, M; Ponthieu, N; Prunet, S; Renault, C; Rosset, C; Santos, D; Vibert, D; Yvon, D. (ARCHEOPS Collaboration), The CMB temperature power spectrum from an improved analysis of the Archeops data, *ASTRONOMY & ASTROPHYSICS* 436 : 785-797, 2005

• 2006

Abazov, VM. et al. (DO Collaboration), Measurement of the isolated photon cross section in  $p(\bar{p})$  collisions at  $\sqrt{s}=1.96$  TeV, *PHYSICS LETTERS B* 639 : 151-158, 2006

Abazov, VM. et al. (DO Collaboration), Search for squarks and gluinos in events with jets and missing transverse energy in  $p(\bar{p})$  collisions at  $\sqrt{s}=1.96$  TeV, *PHYSICS LETTERS B* 638 : 119-127, 2006

Abazov, VM. et al. (DO Collaboration), Direct limits on the  $B_s(0)$  oscillation frequency, *PHYSICAL REVIEW LETTERS* 97 : 021802, 2006

Abazov, VM. et al. (DO Collaboration), Measurement of the top quark mass in the lepton plus jets final state with the matrix element method, *PHYSICAL REVIEW D* 74 : 092005, 2006

Abazov, VM. et al. (DO Collaboration), Measurement of the CP-violation parameter of  $B_0$  mixing and decay with  $p(\bar{p}) \rightarrow \mu\mu X$  data, *PHYSICAL REVIEW D* 74 : 092001, 2006

Abazov, VM. et al. (DO Collaboration), Measurement of the  $t(\bar{t})$  production cross section in  $p(\bar{p})$  collisions at  $\sqrt{s}=1.96$  TeV using secondary vertex b tagging, *PHYSICAL REVIEW D* 74 : 112004, 2006

Abazov, VM. et al. (DO Collaboration), The upgraded DO detector, *NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH SECTION A-ACCELERATORS SPECTROMETERS DETECTORS AND ASSOCIATED EQUIPMENT* 565 : 463-537, 2006

Abdallah, J. et al. (DELPHI Collaboration), Determination of heavy quark non-perturbative parameters from spectral moments in semileptonic B decays, *EUROPEAN PHYSICAL JOURNAL C* 45 : 35-59, 2006

Acernese, F. et al. (VIRGO Collaboration), The status of VIRGO, 6th Edoardo Amaldi Conference on Gravitational Waves JUN 20-24, 2005 Okinawa, JAPAN, *CLASSICAL AND QUANTUM GRAVITY* 23 : S63-S69, 2006

Acernese, F. et al. (VIRGO Collaboration), The Virgo status, 10th Gravitational Wave Data Analysis Workshop DEC 14-17, 2005 Brownsville, USA, *CLASSICAL AND QUANTUM GRAVITY* 23 : S635-S642, 2006

Acquafredda, R. (OPERA Collaboration), First events from the CNGS neutrino beam detected in the OPERA experiment, *NEW JOURNAL OF PHYSICS* 8 : 303, 2006

Aguilar-Saavedra, JA. et al. Supersymmetry parameter analysis: SPA convention and project, *EUROPEAN PHYSICAL JOURNAL C* 46 : 43-60, 2006

2010

DOCUMENT SCIENTIFIQUE B /  
SCIENTIFIC SUBMISSION FORM B

Aktas, A. et al. (H1 Collaboration), Diffractive deep-inelastic scattering with a leading proton at HERA, EUROPEAN PHYSICAL JOURNAL C 48 : 749-766, 2006

Aktas, A. et al. (H1 Collaboration), Measurement and QCD analysis of the diffractive deep-inelastic scattering cross section at HERA, EUROPEAN PHYSICAL JOURNAL C 48 : 715-748, 2006

Aktas, A. et al. (H1 Collaboration), Elastic J/psi production at HERA, EUROPEAN PHYSICAL JOURNAL C 46 : 585-603, 2006

Aktas, A. et al. (H1 Collaboration), Measurement of  $F_c(c)$  and  $F_b(b)$  at low  $Q^2$  and  $x$  using the H1 vertex detector at HERA, EUROPEAN PHYSICAL JOURNAL C 45 : 23-33, 2006

Aktas, A. et al. (H1 Collaboration), Forward jet production in deep inelastic scattering at HERA, EUROPEAN PHYSICAL JOURNAL C 46 : 27-42, 2006

Aktas, A. et al. (H1 Collaboration), First measurement of charged current cross sections at HERA with longitudinally polarised positrons, PHYSICS LETTERS B 634 : 173-179, 2006

Allison, J. et al., Geant4 developments and applications, IEEE TRANSACTIONS ON NUCLEAR SCIENCE 53 : 270-278, 2006

Ardouin, D; Belletoile, A; Charrier, D; Dallier, R; Denis, L; Eschstruth, P; Gousset, T; Haddad, F; Lamblin, J; Lautridou, P; Lecacheux, A; Monnier-Ragaine, D; Ravel, O; Saugrin, T; Valcares, S. (CODALEMA Collaboration), Radioelectric field features of extensive air showers observed with CODALEMA, ASTROPARTICLE PHYSICS 26 : 341-350, 2006

Arnold, R. et al (NEMO Collaboration), Limits on different majoron decay modes of Mo-100 and Se-82 for neutrinoless double beta decays in the NEMO-3 experiment, NUCLEAR PHYSICS A 765 : 483-494, 2006

Aubert, B. et al. (BABAR Collaboration), Construction, assembly and tests of the ATLAS electromagnetic barrel calorimeter, NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH SECTION A-ACCELERATORS SPECTROMETERS DETECTORS AND ASSOCIATED EQUIPMENT 558 : 388-418, 2006

Aubert, B. et al. (BABAR Collaboration), Observation of Upsilon(4S) decays to  $\pi^+\pi^-$ Upsilon(1S) and  $\pi^+\pi^-$ Upsilon(2S), PHYSICAL REVIEW LETTERS 96 : 232001, 2006

Aubert, B. et al. (BABAR Collaboration), Measurements of branching fractions, rate asymmetries, and angular distributions in the rare decays  $B \rightarrow K l^+ l^-$  and  $B \rightarrow K^* l^+ l^-$ , PHYSICAL REVIEW D 73: 092001, 2006

Aubert, B. et al. (BABAR Collaboration), Observation of an excited charm baryon  $\Omega_c^*(c)$  decaying to  $\Omega_c(0)c\gamma$ , PHYSICAL REVIEW LETTERS 97 : 232001, 2006

Aubert, B. et al. (BABAR Collaboration), Observation of a new D-s meson decaying to DK at a mass of 2.86 GeV/c<sup>2</sup>, PHYSICAL REVIEW LETTERS 97 : 222001, 2006

Aubert, B. et al. (BABAR Collaboration), Structure at 2175 MeV in  $e^+e^- \rightarrow \phi f(0)(980)$  observed via initial-state radiation, PHYSICAL REVIEW D 74 : 091103, 2006

Aubert, B. et al. (BABAR Collaboration), Study of  $B \rightarrow (D D_s(J)^*) D^{(*)}$  decays and measurement of D-s(-) and D-s(J(2460)(-)) branching fractions, PHYSICAL REVIEW D 74 : 031103, 2006

Aubert, B. et al. (BABAR Collaboration), Measurement of the branching fraction and photon energy moments of  $B \rightarrow X_s \gamma$  and  $A(\text{CP})(B \rightarrow X_s + d \gamma)$ , PHYSICAL REVIEW LETTERS 97 : 171803, 2006

Aubert, B. et al. (BABAR Collaboration), Observation of  $B^+ \rightarrow (K)^0 K^+$  and  $B^0 \rightarrow K^- (K)^0$ , PHYSICAL REVIEW LETTERS 97 : 171805, 2006

Aubert, B. et al. (BABAR Collaboration), Measurement of the inclusive electron spectrum in charmless semileptonic B decays near the kinematic end point and determination of  $V_{ub}$ , PHYSICAL REVIEW D 73 : 012006, 2006

2010

DOCUMENT SCIENTIFIQUE B /  
SCIENTIFIC SUBMISSION FORM B

Aubert, B. et al. (BABAR Collaboration), Study of  $e^+e^- \rightarrow p\bar{p}$  using initial state radiation with BABAR, PHYSICAL REVIEW D 73 : 012005, 2006

Aubert, B. et al. (BABAR Collaboration), Study of the  $X(3872)$  and  $Y(4260)$  in  $B^0 \rightarrow J/\psi \pi^+\pi^- K^0$  and  $B^0 \rightarrow J/\psi \pi^+\pi^- K^0$  decays, PHYSICAL REVIEW D 73 : 011101, 2006

Aubert, B. et al. (BABAR Collaboration), Measurements of neutral B decay branching fractions to  $K^0_S \pi^+\pi^-$  final states and the charge asymmetry of  $B^0 \rightarrow K^*\pi^-$ , PHYSICAL REVIEW D 73 : 031101, 2006

Aubert, B. et al. (BABAR Collaboration), Measurement of  $(B^0) \rightarrow D^{*0}(K^0)$  branching fractions, PHYSICAL REVIEW D 74 : 031101, 2006

Aubert, B. et al. (BABAR Collaboration), Determinations of vertical  $V_{ub}$  from inclusive semileptonic B decays with reduced model dependence, PHYSICAL REVIEW LETTERS 96 : 221801, 2006

Aubert, B. et al. (BABAR Collaboration), Search for lepton flavor violation in the decay  $\tau^{\pm} \rightarrow e^{\pm} \gamma$ , PHYSICAL REVIEW LETTERS 96 : 041801, 2006

Aubert, B. et al. (BABAR Collaboration), The  $e^+e^- \rightarrow 3(\pi^+\pi^-)$ ,  $2(\pi^+\pi^-\pi^0)$  and  $K^+K^-2(\pi^+\pi^-)$  cross sections at center-of-mass energies from production threshold to 4.5 GeV measured with initial-state radiation, PHYSICAL REVIEW D 73 : 052003, 2006

Aubert, B. et al. (BABAR Collaboration), Search for  $B^+ \rightarrow X(3872)K^+$ ,  $X(3872) \rightarrow J/\psi \gamma$ , PHYSICAL REVIEW D 74 : 071101, 2006

Aubert, B. et al. (BABAR Collaboration), Dalitz plot analysis of the decay  $B^{\pm} \rightarrow (KKK^{\pm})K^{\mp}$ , PHYSICAL REVIEW D 74 : 032003, 2006

Aubert, B. et al. (BABAR Collaboration), Measurements of the absolute branching fractions of  $B^{\pm} \rightarrow K^{\mp} X_c(c)$ , PHYSICAL REVIEW LETTERS 96 : 052002, 2006

Aubert, B. et al. (BABAR Collaboration), Measurements of branching fractions, polarizations, and direct CP-violation asymmetries in  $B \rightarrow \rho K^*$  and  $b \rightarrow f(0)(980)K^*$  decays, PHYSICAL REVIEW LETTERS 97 : 201801, 2006

Aubert, B. et al. (BABAR Collaboration), Search for T, CP, and CPT violation in  $B^0$ -( $B^0$ ) mixing with inclusive dilepton events, PHYSICAL REVIEW LETTERS 96 : 251802, 2006

Aubert, B. et al. (BABAR Collaboration), Observation of  $B^0$  meson decay to  $a(1)(\pm)(1260)\pi^{\mp}$ , PHYSICAL REVIEW LETTERS 97 : 051802, 2006

Ayvazyan, V. et al., First operation of a free-electron laser generating GW power radiation at 32 nm wavelength, EUROPEAN PHYSICAL JOURNAL D 37 : 297-303, 2006

Bona, M; Ciuchini, M; Franco, E; Lubicz, V; Martinelli, G; Parodi, F; Pierini, M; Roudeau, P; Schiavi, C; Silvestrini, L; Stocchi, A; Vagnoni, V. (UTfit Collaboration), Constraints on new physics from the quark mixing unitarity triangle, PHYSICAL REVIEW LETTERS 97 : 151803, 2006

Bona, M; Ciuchini, M; Franco, E; Lubicz, V; Martinelli, G; Parodi, F; Pierini, M; Roudeau, P; Schiavi, C; Silvestrini, L; Stocchi, A; Vagnoni, V. (UTfit Collaboration), The UTfit collaboration report on the status of the unitarity triangle beyond the Standard Model I. Model-independent analysis and minimal flavour violation, JOURNAL OF HIGH ENERGY PHYSICS 3 : 080, 2006

Davier, M; Hocker, A; Zhang, Z., The physics of hadronic tau decays, REVIEWS OF MODERN PHYSICS 78 : 1043-1109, 2006

Hamadache, C. et al. (EROS Collaboration), Galactic Bulge microlensing optical depth from EROS-2, ASTRONOMY & ASTROPHYSICS 454 : 185-199, 2006

Schael, S. et al. (ALEPH, DELPHI, L3, OPAL, SLD Collaborations), Precision electroweak measurements on the Z resonance, PHYSICS REPORTS 427 : 257-454, 2006

Schael, S. et al. (LEP Collaboration; ALEPH Collaboration; DELPHI Collaboration; L3 Collaboration; OPAL Collaboration), Search for neutral MSSM Higgs bosons at LEP, EUROPEAN PHYSICAL JOURNAL C 47 : 547-587, 2006

Weiglein, G. et al., Physics interplay of the LHC and the ILC, PHYSICS REPORTS 426 : 47-358, 2006

• 2007

Abazov, VM. et al. (DO Collaboration), Measurement of the  $t\bar{t}$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s}=1.96$  TeV using kinematic characteristics of lepton plus jets events, PHYSICAL REVIEW D 76 : 092007, 2007

Abazov, VM. et al. (DO Collaboration), Search for production of single top quarks via  $tq$  and  $tq$  flavor-changing-neutral-current couplings, PHYSICAL REVIEW LETTERS 99 : 191802, 2007

Abazov, VM. et al. (DO Collaboration), Combined D0 measurements constraining the CP-violating phase and width difference in the  $B_s(0)$  system, PHYSICAL REVIEW D 76 : 057101, 2007

Abazov, VM. et al. (DO Collaboration), Search for  $B_s(0) \rightarrow \mu^+\mu^-$  decays at D0, PHYSICAL REVIEW D 76 : 092001, 2007

Abazov, VM. et al. (DO Collaboration), Evidence for production of single top quarks and first direct measurement of  $V_{tb}$ , PHYSICAL REVIEW LETTERS 98 : 181802, 2007

Abazov, VM. et al. (DO Collaboration), Measurement of the  $t\bar{t}$  production cross section in  $p\bar{p}$  collisions using dilepton events, PHYSICAL REVIEW D 76 : 052006, 2007

Abazov, VM. et al. (DO Collaboration), Direct observation of the strange b baryon  $\Xi^-(b)$ , PHYSICAL REVIEW LETTERS 99 : 052001, 2007

Abazov, VM. et al. (DO Collaboration), Measurement of the charge asymmetry in semileptonic  $B_s(0)$  decays, PHYSICAL REVIEW LETTERS 98 : 151801, 2007

Abazov, VM. et al. (DO Collaboration), Lifetime difference and CP-violating phase in the  $B_s(0)$  system, PHYSICAL REVIEW LETTERS 98 : 121801, 2007

Abraham, J. et al. (Pierre Auger Collaboration), Anisotropy studies around the galactic centre at EeV energies with the Auger Observatory, ASTROPARTICLE PHYSICS 27 : 244-253, 2007

Abraham, J. et al. (Pierre Auger Collaboration), Correlation of the highest-energy cosmic rays with nearby extragalactic objects, SCIENCE 318: 938-943, 2007

Acernese, F. et al., (VIRGO Collaboration), Status of Virgo detector, 11th Gravitational Wave Data Analysis Workshop DEC 18-21, 2006 Potsdam, GERMANY, CLASSICAL AND QUANTUM GRAVITY 24 : S381-S388, 2007

Ackermann, W. et al., Operation of a free-electron laser from the extreme ultraviolet to the water window, NATURE PHOTONICS 1 : 336-342, 2007

Arnold, R. et al. (NEMO Collaboration), Measurement of double beta decay of Mo-100 to excited states in the NEMO 3 experiment, NUCLEAR PHYSICS A 781 : 209-226, 2007

Arun, KG; Iyer, BR; Sathyaprakash, BS; Sinha, S; Van den Broeck, C., Higher signal harmonics, LISA's angular resolution, and dark energy, PHYSICAL REVIEW D 76 : 104016, 2007

Aubert, B. et al. (BABAR Collaboration), Measurement of the  $\tau \rightarrow K\pi^0\nu_\tau$  branching fraction, PHYSICAL REVIEW D 76 : 051104, 2007

Aubert, B. et al. (BABAR Collaboration), Improved measurements of the branching fractions for  $B^0 \rightarrow \pi^+\pi^-$  and  $B^0 \rightarrow K^+\pi^-$ , and a search for  $B^0 \rightarrow K^+K^-$ , PHYSICAL REVIEW D 75: 012008, 2007

Aubert, B. et al. (BABAR Collaboration),  $e^+e^- \rightarrow K+K\text{-}\pi^+\pi^-$ ,  $K+K\text{-}\pi^0\pi^0$  and  $K+K\text{-}K+K\text{-}$  cross sections measured with initial-state radiation, PHYSICAL REVIEW D 76 : 012008, 2007

Aubert, B. et al. (BABAR Collaboration), The  $e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0$ ,  $2(\pi^+\pi^-)\eta$ ,  $K+K\text{-}\pi^+\pi^-\pi^0$  and  $K+K\text{-}\pi^+\pi^-\eta$  cross sections measured with initial-state radiation, PHYSICAL REVIEW D 76 : 092005, 2007

Aubert, B. et al. (BABAR Collaboration), Measurement of the pseudoscalar decay constant  $f(D_s)$  using charm-tagged events in  $e^+e^-$  collisions at  $\sqrt{s}=10.58\text{GeV}$ , PHYSICAL REVIEW LETTERS 98 : 141801, 2007

Aubert, B. et al. (BABAR Collaboration), Measurement of CP-violating asymmetries in  $B^0 \rightarrow (\rho\pi)^0$  using a time-dependent Dalitz plot analysis, PHYSICAL REVIEW D 76 : 012004, 2007

Aubert, B. et al. (BABAR Collaboration), Observation of CP violation in  $B^0 \rightarrow K^+\pi^-$  and  $B^0 \rightarrow \pi^+\pi^-$ , PHYSICAL REVIEW LETTERS 99 : 021603, 2007

Aubert, B. et al. (BABAR Collaboration), Improved limits on the lepton-flavor violating decays  $\tau^- \rightarrow l^{(-)}l^{(+)}l^{(-)}$ , PHYSICAL REVIEW LETTERS 99 : 251803, 2007

Aubert, B. et al. (BABAR Collaboration), Vector-tensor and vector-vector decay amplitude analysis of  $B^0 \rightarrow \phi K^0$ , PHYSICAL REVIEW LETTERS 98 : 051801, 2007

Aubert, B. et al. (BABAR Collaboration), Study of  $B^0 \rightarrow \pi^0\pi^0$ ,  $B^{+/-} \rightarrow \pi^{+/-}\pi^0$ , and  $B^{+/-} \rightarrow K^{+/-}\pi^0$  decays, and isospin analysis of  $B \rightarrow \pi\pi$  decays, PHYSICAL REVIEW D 76 : 091102, 2007

Aubert, B. et al. (BABAR Collaboration), Search for  $B^+ \rightarrow \tau^+\nu$ , PHYSICAL REVIEW D 76 : 052002, 2007

Aubert, B. et al. (BABAR Collaboration), Evidence of a broad structure at an invariant mass of  $4.32\text{GeV}/c^2$  in the reaction  $e^+e^- \rightarrow \pi^+\pi^-\psi(2S)$  measured at BABAR, PHYSICAL REVIEW LETTERS 98 : 212001, 2007

Aubert, B. et al. (BABAR Collaboration), Evidence for  $D^0\text{-}(D)^{\text{over-bar}}(0)$  mixing, PHYSICAL REVIEW LETTERS 98 : 211802, 2007

Aubert, B. et al. (BABAR Collaboration), Measurement of the  $B^0 \rightarrow \pi^-\rho^+\nu$  form-factor shape and branching fraction, and determination of  $|V_{ub}|$  with a loose neutrino reconstruction technique, PHYSICAL REVIEW LETTERS 98 : 091801, 2007

Aubert, B. et al. (BABAR Collaboration), Study of the exclusive initial-state-radiation production of the  $D(D)^{\text{over-bar}}$  system, PHYSICAL REVIEW D 76 : 111105, 2007

Autiero, D. et al., Large underground, liquid based detectors for astro-particle physics in Europe: scientific case and prospects, JOURNAL OF COSMOLOGY AND ASTROPARTICLE PHYSICS 11 : 011, 2007

Campagne, JE; Maltoni, M; Mezzetto, M; Schwetz, T., Physics potential of the CERN-MEMPHYS neutrino oscillation project, JOURNAL OF HIGH ENERGY PHYSICS 4 : 1-34, 2007

Davies, M., The hadronic contribution to  $(g-2)_\mu$ , 9th International Workshop on Tau-Lepton Physics SEP 19-22, 2006 Pisa, ITALY, NUCLEAR PHYSICS B-PROCEEDINGS SUPPLEMENTS 169 : 288-296, 2007

Djouadi, A; Moreau, G; Richard, F., Resolving the  $A(\text{FB})(b)$  puzzle in an extra dimensional model with an extended gauge structure, NUCLEAR PHYSICS B 773 : 43-64, 2007

Fanti V. et al. (NA48 Collaboration), The beam and detector for the NA48 neutral kaon CP violation experiment at CERN, NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH SECTION A-ACCELERATORS SPECTROMETERS DETECTORS AND ASSOCIATED EQUIPMENT 574 : 433-471, 2007

Tisserand, P. et al. (EROS Collaboration), Limits on the Macho content of the Galactic Halo from the EROS-2 Survey of the Magellanic Clouds, ASTRONOMY & ASTROPHYSICS 469 : 387-404, 2007



• 2008

Aad, G. (ATLAS Collaboration), The ATLAS Experiment at the CERN Large Hadron Collider, JOURNAL OF INSTRUMENTATION 3 : S08003, 2008

Aaron, FD. (H1 Collaboration), Measurement of the proton structure function  $F_L(x, Q^2)$  at low  $x$ , PHYSICS LETTERS B 665 : 139-146, 2008

Abazov, VM. et al. (DO Collaboration), Measurement of  $B_s(0)$  Mixing Parameters from the Flavor-Tagged Decay  $B_s(0) \rightarrow J/\psi \phi$ , PHYSICAL REVIEW LETTERS 101 : 241801, 2008

Abazov, VM. et al. (DO Collaboration), Search for Randall-Sundrum gravitons with 1 fb<sup>-1</sup> of data from  $p(\bar{p})$  collisions at  $\sqrt{s}=1.96$  TeV, PHYSICAL REVIEW LETTERS 100 : 091802, 2008

Abazov, VM. et al. (DO Collaboration), Evidence for production of single top quarks, PHYSICAL REVIEW D 78 : 012005, 2008

Abazov, VM. et al. (DO Collaboration), Model-independent measurement of the W-boson helicity in top-quark decays at D0, PHYSICAL REVIEW LETTERS 100 : 062004, 2008

Abazov, VM. et al. (DO Collaboration), Measurement of the inclusive jet cross section in  $p(\bar{p})$  collisions at  $\sqrt{s}=1.96$  TeV, PHYSICAL REVIEW LETTERS 101 : 062001, 2008

Abazov, VM. et al. (DO Collaboration), Search for squarks and gluinos in events with jets and missing transverse energy using 2.1 fb<sup>-1</sup> of  $p(\bar{p})$  collision data at  $\sqrt{s}=1.96$  TeV, PHYSICS LETTERS B 660 : 449-457, 2008

Abazov, VM. et al. (DO Collaboration), Observation of the Doubly Strange b Baryon  $\Omega_c(0)$ , PHYSICAL REVIEW LETTERS 101 : 232002, 2008

Abraham, J. et al. (Pierre Auger Collaboration), Observation of the suppression of the flux of cosmic rays above  $4 \times 10^{19}$  eV, PHYSICAL REVIEW LETTERS 101 : 061101, 2008

Abraham, J. et al. (Pierre Auger Collaboration), Correlation of the highest-energy cosmic rays with the positions of nearby active galactic nuclei, ASTROPARTICLE PHYSICS 29 : 188-204, 2008

Abraham, J. et al. (Pierre Auger Collaboration), Upper limit on the cosmic-ray photon flux above  $10^{19}$  eV using the surface detector of the Pierre Auger Observatory, ASTROPARTICLE PHYSICS 29 : 243-256, 2008

Acernese, F. et al., (VIRGO Collaboration), Virgo status, 12th Gravitational Wave Data Analysis Workshop DEC 13-16, 2007 Cambridge, USA, CLASSICAL AND QUANTUM GRAVITY 25 : 184001, 2008

Acernese, F. et al., (VIRGO Collaboration), Status of Virgo, 18th International Conference on General Relativity and Gravitation/7th Edoardo Amaldi Conference on Gravitational Waves JUL, 2007 Sydney, AUSTRALIA, CLASSICAL AND QUANTUM GRAVITY 25 : 114045, 2008

Alves, AA. et al., The LHCb Detector at the LHC, JOURNAL OF INSTRUMENTATION 3 : S08005, 2008

Amsler, C. et al. (the Particle Data Grp), Review of particle physics, PHYSICS LETTERS B 667 : 1-1340, 2008

Aubert, B. et al. (BABAR Collaboration), Measurements of  $e^+e^- \rightarrow K+K-\eta$ ,  $K+K-\pi(0)$ , and  $(K_S K^\pm)-K-\pi(\mp)$  cross sections using initial state radiation events, PHYSICAL REVIEW D 77 : 092002, 2008

Aubert, B. et al. (BABAR Collaboration), Study of  $B \rightarrow X(3872)K$ , with  $X(3872) \rightarrow J/\psi \pi^+\pi^-$ , PHYSICAL REVIEW D 77 : 111101, 2008

Aubert, B. et al. (BABAR Collaboration), Observation of the bottomonium ground state in the decay  $Upsilon(3S) \rightarrow \gamma \eta(b)$ , PHYSICAL REVIEW LETTERS 101 : 071801, 2008

Aubert, B. et al. (BABAR Collaboration), Measurement of the  $B \rightarrow X_s \gamma$  branching fraction and photon energy spectrum using the recoil method, PHYSICAL REVIEW D 77 : 051103, 2008

Aubert, B. et al. (BABAR Collaboration), Improved measurement of the CKM angle  $\gamma$  in  $B^{\pm} \rightarrow (DK^{(*)})^{\pm} K^{(*)}$  decays with a Dalitz plot analysis of D decays to  $K^* S(0) \pi^+ \pi^-$  and  $(K^* K^*) K^0$ , PHYSICAL REVIEW D 78 : 034023, 2008

Aubert, B. et al. (BABAR Collaboration), Observation of the semileptonic decays  $B \rightarrow D^* \tau^{(-)} \nu_{\tau}$  and evidence for  $B \rightarrow D \tau^{(-)} \nu_{\tau}$ , PHYSICAL REVIEW LETTERS 100 : 021801, 2008

Aubert, B. et al. (BABAR Collaboration), Exclusive branching-fraction measurements of semileptonic tau decays into three charged hadrons, into  $\phi \pi^0 \nu_{\tau}$ , and into  $\phi K \nu_{\tau}$ , PHYSICAL REVIEW LETTERS 100 : 011801, 2008

Aubert, B. et al. (BABAR Collaboration), Search for  $B^+ \rightarrow \tau^+ \nu_{\tau}$  decays with hadronic B tags, PHYSICAL REVIEW D 77 : 011107, 2008

Aubert, B. et al. (BABAR Collaboration), Observation of  $Y(3940) \rightarrow J/\psi \omega$  in  $B \rightarrow J/\psi \omega K$  at BABAR, PHYSICAL REVIEW LETTERS 101 : 082001, 2008

Aubert, B. et al. (BABAR Collaboration), Study of resonances in exclusive B decays to  $(D)^{\pm} \bar{D}^{(*)} K$ , PHYSICAL REVIEW D 77 : 011102, 2008

Bona, M; Ciuchini, M; Franco, E; Lubicz, V; Martinelli, G; Parodi, F; Pierini, M; Roudeau, P; Schiavi, C; Silvestrini, L; Sordini, V; Stocchi, A; Vagnoni, V., Model-independent constraints on  $\Delta F=2$  operators and the scale of new physics, JOURNAL OF HIGH ENERGY PHYSICS 3 : 049, 2008

Buchalla, G. et al., B, D and K decays, EUROPEAN PHYSICAL JOURNAL C 57 : 309-492, 2008

Descotes-Genon, S; Hoecker, A; Malaescu, B; Zhang, Z ; Davier, M, The determination of  $\alpha_S$  from tau decays revisited, EUROPEAN PHYSICAL JOURNAL C 56 : 305-322, 2008

Kowalski, M. et al. (Supernova Cosmology Project), Improved cosmological constraints from new, old, and combined supernova data sets, ASTROPHYSICAL JOURNAL 686 : 749-778, 2008

Lafaye, R; Plehn, T; Rauch, M; Zerwas, D., Measuring supersymmetry, EUROPEAN PHYSICAL JOURNAL C 54 : 617-644, 2008

Moortgat-Pick, G. et al., Polarized positrons and electrons at the linear collider, PHYSICS REPORTS 460 : 131-243, 2008

#### • 2009

Abazov, VM. et al. (DO Collaboration), Observation of Single Top-Quark Production, PHYSICAL REVIEW LETTERS 103 : 092001, 2009

Abbott, BP et al. (LIGO Collaboration; Virgo Collaboration), An upper limit on the stochastic gravitational-wave background of cosmological origin, NATURE 460 : 990-994, 2009

Aubert, B. et al. (BABAR Collaboration), Measurement of the  $\gamma \gamma^* \rightarrow \pi^0$  transition form factor, PHYSICAL REVIEW D 80 : 052002, 2009

Aubert, B. et al. (BABAR Collaboration), Evidence for  $X(3872) \rightarrow \psi(2S) \gamma$  in  $B^{\pm} \rightarrow X(3872) K^{\pm}$  Decays and a Study of  $B \rightarrow cc \gamma K$ , PHYSICAL REVIEW LETTERS 102 : 132001, 2009

Bandyopadhyay, A. et al. (ISS Phys Working Grp), Physics at a future Neutrino Factory and super-beam facility, REPORTS ON PROGRESS IN PHYSICS 72 : 106201, 2009

#### 7.2.8 IMNC PUBLICATIONS DE L'IMNC

Most significative publications in the period 2006-2010

• 2006

M. Aubert, M. Badoual, S. Fereol, C. Christov and B. Grammaticos (2006) A cellular automaton model for the migration of glioma cells. *Physical Biology*, 3 (2) pp 93-100.

I. Buvat, D. Lazaro (2006) Monte Carlo simulations in emission tomography and GATE: an overview. *Nucl. Instr. Meth. Phys. Res.* 569: 323-329,

AS Carstea, A. Ramani, J. Satsuma, R. Willox and B. Grammaticos (2006) Continuous, discrete and ultradiscrete models of an inflammatory response. *Physica a-Statistical Mechanics and Its application*, 364, pp 276-286

Z. El Bitar, D. Lazaro, V. Breton, D. Hill, I. Buvat. (2006) Fully 3D Monte Carlo image reconstruction in SPECT using functional regions. *Nucl. Instr. Meth. Phys. Res.* 569: 399-403

B Grammaticos, A. S. Carstea and A. Ramani (2006) On the dynamics of a gene regulatory network. *Journal of Physics A-Mathematical and General*, 39 (12), pp 2965-2971

H Gurden, Uchida N, Mainen ZF. (2006) Sensory-evoked intrinsic optical signals in the olfactory bulb are coupled to glutamate release and uptake. *Neuron*. 52(2):335-45.

S. Hapdey, M. Soret, I. Buvat. (2006) Quantification in simultaneous 99mTc/123I brain SPECT using generalized spectral factor analysis: a Monte Carlo study. *Phys. Med. Biol.* 51: 6157-617

LM Kay, Beshel J, Martin C (2006) When good enough is best. *Neuron* 51:277-278.

AJ. Reader, FC. Sureau, C. Comtat, R. Trébossen, I. Buvat (2006) Joint estimation of dynamic PET images and temporal basis functions using fully 4D ML-EM. *Phys. Med. Biol.* 51: 5455-5474

M. Soret, PM. Koulibaly, J. Darcourt, I. Buvat. (2006) Partial volume effect correction in SPECT for striatal uptake measurements in patients with neurodegenerative diseases: impact upon patient classification. *Eur. J. Nucl. Med. Mol. Imaging*. 33, 1062-1072,

• 2007

M. Badoual, B. Grammaticos, M. Aubert (2007) An (almost) solvable model for bacterial pattern formation, *Physica D* 234 pp 90-97

E. Barranger, S. Uzan, K. Kerrou, S. Pitre, M. A. Duval and Y. Charon (2007) Place of a hand-held gamma camera (POCI) in the breast cancer sentinel node biopsy. *Breast*, 16 (5), pp 443-444

E. Barranger, K. Kerrou, S. Pitre, M. A. Duval, R. Siebert, Y. Charon and S. Uzan (2007) Place of hand-held gamma camera (POCI) in sentinel node biopsy. *Bulletin Du Cancer*, 94 (5), pp 449-451

S. Bottani and B. Grammaticos (2007) Analysis of a minimal model for p53 oscillations. *Journal of Theoretical Biology*, 249 (2), pp 235-245

S. Bonzom, L. Menard, S. Pitre, A. A. Duval, R. Siebert, S. Palfi, L. Pinot, E. Lefebvre and Y. Charon (2007) An intraoperative beta probe dedicated to glioma surgery: Design and feasibility study. *IEEE Transactions on Nuclear Science*, 54 (1), pp 30-41

I. Buvat. (2007) Quantification in emission tomography: challenges, solutions, and performance. *Nucl. Instr. Meth. Phys. Res.* 571: 10-13

Desbree, L. Rbah, J. Langlois, D. Grenier, R. Mastrippolito, F. Pain, L. Pinot, P. Laniece, L. Zimmer, and H. Gurden (2007) Simultaneous in vivo magnetic resonance imaging and radioactive measurements by the beta-Microprobe," *Eur J Nucl Med Molecular Imaging*, 34, n°11,1868-72

N. Kahlaoui, V. Barbier, M.-A. Duval, F. Lefebvre, J. Sudor, and R. Siebert (2007). Comparison of a thermo-associating matrix and a liquid polymer. *J. Cap. Elec. and Microchip Tech.*, 10, ½, 41-42

C. Martin, Grenier D, Thevenet M, Vigouroux M, Bertrand B, Janier M, Ravel N, Litaudon P (2007) fMRI visualization of transient activations in the rat olfactory bulb using short odor stimulations. *Neuroimage* 36:1288-1293.

M. Soret, SL. Bacharach, I. Buvat. (2007) Partial volume effect in PET tumor imaging *J Nucl. Med.* 48: 932-945.

• **2008**

M. Aubert, M. Badoual and B. Grammaticos (2008) A Model for Short- and Long-range Interactions of Migrating Tumour Cell. *Acta Biotheoretica*, 56 (4), pp 297-314

M. Aubert, M. Badoual, C. Christov and B. Grammaticos (2008) A model for glioma cell migration on collagen and astrocytes. *Journal of the Royal Society Interface*, 5 (18), pp 75-83

K. Assié, A Dieudionné, I. Gardin, I. Buvat, H. Tilly, P. Vera. (2008) Comparison between 2D and 3D dosimetry protocols in 90Y-Ibritumomab Tiuxetan Radioimmunotherapy of patients with non-Hodgkin's lymphoma. *Cancer Biotherapy and Radiopharmaceuticals*, 23 :53-64

E. Barranger, S. Uzan, S. Pitre, M. A. Duval and Y. Charon (2008) Development of a hand-held gamma camera (POCI) in the sentinel node biopsy for breast cancer. *Pathologie Biologie*, 56 (5), pp 254-256

F. Bogalhas, L. Menard, S. Bonzom, S. Palfi, R. Siebert, M. A. Duval, F. Lefebvre, L. Pinot, S. Pitre and Y. Charon (2008) Physical performance of an intraoperative beta probe dedicated to glioma radioguided surgery. *IEEE Transactions on Nuclear Science*, 55(3), pp 833-841

Desbree, M. Verdurand, J. Godart, A. Dubois, L. Magnier, R. Mastrippolito, F. Pain, L. Pinot, T. Delzescaux, H. Gurden, L. Zimmer, and P. Lanièce, (2008) The potential of the radiosensitive beta-Microprobe to monitor in vivo the 18F-MPPF binding in the mouse hippocampus, *J Nucl Med*, 49, 1155-1161.

N. Kahlaoui, M-A Duval, F. Lefebvre, Y. Charon, R. Siebert (2008) Improved sample injection and illumination for multicapillary systems. *J. Cap. Elec. and Microchip Tech.*, 10 (5-6) pp 75-80

F. Pain, M. Dhenain, H. Gurden, A.L Routier, F. Lefebvre, R. Mastrippolito, P. Lanièce (2008) A method based on Monte Carlo simulations and voxelized anatomical atlases to evaluate and correct uncertainties on radiotracer accumulation quantitation in beta microprobe studies in the rat brain. *Phys. Med. Biol.* 53 5385-5404

A. Reilhac, S. Tomei, I. Buvat, C. Michel, F. Kehren, N. Costes (2008) Simulation-based evaluation of OSEM iterative reconstruction methods in dynamic brain PET studies. *Neuroimage*. 39: 359-368

F.C. Sureau, A.J. Reader, C. Comtat, C. Leroy, M.J. Ribeiro, I. Buvat, R. Trebossen (2008) Impact of Image Space Resolution Modeling for the High Resolution Research Tomograph. *J. Nucl. Med.* 49: 1000-1008,

• **2009**

M. Badoual, P. Derbez, M. Aubert and B. Grammaticos (2009) Simulating the migration and growth patterns of *Bacillus subtilis*. *Physica a-Statistical Mechanics and Its Applications*, 388 (4), pp 549-559

F. Bogalhas, Y. Charon, M. A. Duval, F. Lefebvre, S. Palfi, L. Pinot, R. Siebert and L. Menard (2009) Development of a positron probe for localization and excision of brain tumours during surgery. *Phys. Med. Biol.*, 54 (14), pp 4439-4453

A.S. Carstea, A. Ramani, K. M. Tamizhmani and B. Grammaticos (2009) Proteomic signals in simple transcriptional cascades. *Chaos Solitons & Fractals*, 41 (4), pp 1823-1827

C. Deroulers, M. Aubert, M. Badoual and B. Grammaticos (2009) Modeling tumor cell migration: From microscopic to macroscopic models. *Physical Review E*, 79 (3), pp 031917

Grammaticos, R. G. Halburd, A. Ramani and C. M. Viallet (2009) How to detect the integrability of discrete systems. *Journal of Physics a-Mathematical and Theoretical*, 45 pp 454002

N. Grotus, A.J. Reader, S. Stute, J.C. Rosenwald, P. Giraud, I. Buvat (2009) Fully 4D list-mode reconstruction applied to respiratory-gated PET scans. *Phys. Med. Biol.* 54 : 1705-1721,.

L.M Kay, Beshel J, Brea J, Martin C, Rojas-Libano D, and Kopell N. (2009) Olfactory oscillations: the what, how and what for. *Trends Neurosci*, 32, 207-214.

B. L'Heureux, H. Gurden, F. Pain (2009). "Autofluorescence imaging of NADH and flavoproteins in the rat brain: insights from Monte Carlo simulations. *Optics express* 17(12).

A. Ramani and B. Grammaticos (2009) The number of discrete Painleve equations is infinite. *Physics Letters A*, 373 (34) pp 3028-3031

N.S. Rehfeld, S. Stute, J. Apostolakis, M. Soret, I. Buvat. (2009) Optimization of photon tracking in GATE. *Phys. Med. Biol.* 54: 2163-2178.

• **2010**

K. Assié, A. Dieudonné, I. Gardin, P. Véra, I. Buvat. (2010) A preliminary study of quantitative protocols in Indium 111 SPECT using computational simulations and phantoms. *IEEE Trans. Nucl. Sci.* 57:1096-1104

P. Descourt, T. Carlier, Y. Du, X. Song, I. Buvat, EC. Frey, M. Bardiès, BMW. Tsui, D. Visvikis. (2010) Implementation of Angular Response Function modeling in SPECT simulations with GATE. *Phys. Med. Biol.* 55:N253-N266

J. Godart, J.C. Clemens, P. delpierre, B. Dinkespiler, H. Gurden, F. Lefebvre, R. mastrippolito, M. Menouni, F. Pain, L. Pinot, C. Morel and P. Laniece (2010) PIXSIC: second generation of the radiosensitive intracerebral probe SIC for kinetic measurements of radiotracers on awake and fully freely moving small animals. *IEEE Trans. Nucl. Sci.* 57, n°3 998-1007.

B. Gourévitch, Kay L, and Martin C (2010) Directional coupling from the olfactory bulb to the hippocampus during a go/no-go odor discrimination task. *J Neurophysiol* 103 2633-2641.

A. Nishiyama, T. Tokihiro, M. Badoual and B. Grammaticos (2010) Modelling the morphology of migrating bacterial colonies. *Physica D-Nonlinear Phenomena*, 239 (16) pp 1573-1580

J. Pallud, Varlet P, Devaux B, Geha S, Badoual M, Deroulers C, Page P, Dezamis E, Daumas-Duport C, Roux FX., (2010) Diffuse low-grade oligodendrogliomas extend beyond MRI-defined abnormalities, *Neurology* 74 pp 1724-.

N. Rehfeld, S. Vauclin, S. Stute, I. Buvat. (2010) Multidimensional B-spline parameterization of the detection probability of PET systems to improve the efficiency of Monte Carlo simulations. *Phys. Med. Biol.* 55: 3339-3361,

C. Robert, G. Montémont, V. Rebuffel, I. Buvat, L. Guérin, L. Verger. (2010) Simulation-based evaluation and optimization of a new CdZnTe gamma-camera architecture (HiSens). *Phys. Med. Biol.* 55: 2709-2726

P. Tyłski, S. Stute, N. Grotus, K. Doyeux, S. Hapdey, I. Gardin, B.Vanderlinden, I. Buvat (2010) Comparative assessment of methods for estimating tumor volume and Standardized Uptake Value in FDG PET. *J. Nucl. Med.* 51: 268-276

C. Lartizien, JB Aubin, I. Buvat. (2010) Comparison of bootstrap resampling methods for 3D PET imaging. *IEEE Trans. Med. Imaging.* 29:1442-1454  
<https://pegase.dr4.cnrs.fr/interclassement-2010/>

#### 7.2.9 SERMA PUBLICATIONS

Calvin C., Cueto Olga, Emonot P., (2002), "An object-oriented approach to the design of fluid mechanics software." **M2AN**, Vol. 36, N°5, pp. 907-921

Hébert, A., Coste M., (2002), "Computing Moment-Based Probability Tables for Self-Shielding Calculations in Lattice Codes", **Nuclear Science and Engineering**, Vol. 142, Number 3, pp. 245-257

Reuss P., Coste M., (2003), "Development of Computational Models Used in France for Neutron Resonance Absorption in Light Water lattices", **Progress in Nuclear Energy**, Vol. 42, N°3, pp. 237-282

A. Mazzolo, B. Roesslinger, C. M. Diop, (2003), "On the properties of the chord length distribution, from integral geometry to reactor physics", **Annals of Nuclear Energy**, 30, pp. 1391-1400.

A. Mazzolo, (2003), "Probability density distribution of random segments inside a convex body: Application to random media", **Journal of Mathematical Physics**, volume 44, number 2, February 2003, pp. 853-863.

D. Guéron, A. Mazzolo, (2003), "Properties of chord length distributions across ordered and disordered packing of hard disks", **Physical Review E**, 48, 066117,

A. Mazzolo, B. Roesslinger, W. Gilles, (2003), "Properties of chord length distributions of nonconvex bodies", **Journal of Mathematical Physics**, volume 44, number 12, pp. 6195-6208.

Mazzolo A. and Roesslinger B., (2004), "Monte-Carlo simulation of the chord length distribution function across convex bodies, non-convex bodies and random media", **Monte Carlo Methods & Appl.**, 10, No.3-4, pp. 443-454

Mazzolo A., (2004), "Properties of diffusive random walks in bounded domains", **Europhysics Letters**, 68, pp. 350-355

Mazzolo A., (2004), "Properties of uniform random walks in bounded convex bodies", **Jour. Phys. A : Math. and General**, 37, pp. 7095-7111

Sanchez R., (2005), "Singular solutions and integral transport theory," **Nud. Sci. Eng.**, 150, pp. 374-376

- Sanchez R. (2005), "Analysis and improvements of the DPN acceleration technique for the method of characteristics in unstructured meshes," (with S. Santandrea), **Ann. Nud. Energy**, 32, pp. 163-193
- Mazzolo A., (2005), "Caging disks and circle disk packings using a generalized ballistic deposition Model", **Physica A : Statistical and Theoretical Physics**, 351, pp. 373-386
- Mazzolo A., (2005), "On the mean number of collisions suffered by neutrons in bounded domains", **Annals of Nuclear Energy**, 32, pp. 549-557
- Diop C.M. *et al.*, (2006), "Tripoli-4: a 3D continuous energy Monte Carlo transport code", **Transactions of the American Nuclear Society**, vol. 95, pp. 661-661
- Sanchez R., (2006), "Existence result for the kinetic neutron transport equation in the presence of delayed neutrons", (with L. Bourhrara), **Transport Theory and Statistical Physics**, 35, 137-156
- Sanchez R., (2006), "The criticality eigenvalue problem for the transport operator with bounded boundary conditions", **Transport Theory and Statistical Physics**, 35, pp. 159-185
- Sanchez R., (2006), "A covariance model for Markov statistics", **Ann. Nud. Energy**, 33, pp. 1408-1416
- Gille W., Mazzolo A. and Roesslinger B., (2006), "Analysis of the Initial Slope of the Small-Angle Scattering Correlation Function of a Particle", **Particle and Particle Systems Characterization**, 22, pp. 254-260
- Diop C.M. *et al.*, (2007), "An Overview on the Monte Carlo Particle Transport Code TRIPOLI-4", **Transactions of the American Nuclear Society**, 2007, vol. 97, pp. 694-695

#### 7.2.10 LLR PUBLICATIONS

List of the LLR publications from the period 2005-2009 with a citation index greater than 40.

- Adcox K et al. «[Formation of dense partonic matter in relativistic nucleus-nucleus collisions at RHIC: Experimental evaluation by the PHENIX Collaboration](#)» - NUCLEAR PHYSICS A, 757: 184-283 (2005)
- Bayatian GL et al «[CMS physics technical design report, , II: Physics performance](#)», - JOURNAL OF PHYSICS G-NUCLEAR AND PARTICLE PHYSICS, 34: 995-1579 (2007)
- Abdo AA et al «[Measurement of the Cosmic Ray e\(+\)+e\(-\) Spectrum from 20 GeV to 1 TeV with the Fermi Large Area Telescope](#) » - PHYSICAL REVIEW LETTERS,102 : 181101 (2009)
- Aharonian F et al «[The HESS survey of the inner galaxy in very high energy gamma rays](#) » - ASTROPHYSICAL JOURNAL, 636: 777-797 (2006)
- Schael S et al. «[Search for neutral MSSM Higgs bosons at LEP](#)» - EUROPEAN PHYSICAL JOURNAL C , 47:547-587 (2006)
- Aubert B et al. «[Observation of a broad structure in the pi\(+\)/pi\(-\)/psi mass spectrum around 4.26 GeV/c\(2\)](#) » PHYSICAL REVIEW LETTERS, 95: 142001 (2005)
- Aharonian F et al. «[A low level of extragalactic background light as revealed by gamma-rays from blazars](#)» NATURE, 440: 1018-1021 (2006)
- Aharonian F et al. «[A new population of very high energy gamma-ray sources in the Milky Way](#)» SCIENCE, 307 : 1938-1942 (2005)

Atwood WB et al. «[THE LARGE AREA TELESCOPE ON THE FERMI GAMMA-RAY SPACE TELESCOPE MISSION](#)» - ASTROPHYSICAL JOURNAL, 697: 1071-1102 (2009)

Adler SS et al. «[Dense-medium modifications to jet-induced hadron pair distributions in Au+Au collisions at  \$\sqrt{s\(NN\)}=200\$  GeV](#) » - PHYSICAL REVIEW LETTERS, 97:052301 (2006)

Adare A et al. «[Energy loss and flow of heavy quarks in Au+Au collisions at  \$\sqrt{s\(NN\)} = 200\$  GeV](#) » PHYSICAL REVIEW LETTERS, 98: 172301 (2007)

Aharonian F et al. «[Discovery of very-high-energy gamma-rays from the Galactic Centre ridge](#) » NATURE, 439: 695-698 (2006)

Aharonian F et al. «[Discovery of very high energy gamma rays associated with an X-ray binary](#) » SCIENCE, 309: 746-749 (2005)

Schael S et al. «[Precision electroweak measurements on the Z resonance](#)» PHYSICS REPORTS-REVIEW SECTION OF PHYSICS LETTERS, 427: 257-454 (2006)

Aubert B et al. «[Study of the  \$B \rightarrow J/\psi K \pi\(\pm\)\pi\(\mp\)\$  decay and measurement of the  \$B \rightarrow X\(3872\)K\$  branching fraction](#) » - PHYSICAL REVIEW D, 71: 071103 (2005)

Aharonian F et al. «[Observations of the crab nebula with HESS](#) » ASTRONOMY & ASTROPHYSICS, 457 : 899-915 (2006)

Adler SS et al. «[Centrality dependence of direct photon production in  \$\sqrt{s\(NN\)}=200\$  GeV Au+Au collisions](#) » PHYSICAL REVIEW LETTERS, 94: 232301 (2005)

Aharonian F et al. «[A detailed spectral and morphological study of the gamma-ray supernova remnant RX J1713.7-3946 with HESS](#) » - ASTRONOMY & ASTROPHYSICS, 449: 223-242 (2006)

Aharonian F et al. «[Energy Spectrum of Cosmic-Ray Electrons at TeV Energies](#) » PHYSICAL REVIEW LETTERS, 101 : 261104 (2008)

Arnaldi R et al. «[First measurement of the rho spectral function in high-energy nuclear collisions](#)» PHYSICAL REVIEW LETTERS, 96: 162302 (2006)

Aharonian F et al. «[An exceptional very high energy gamma-ray flare of PKS 2155-304](#)» ASTROPHYSICAL JOURNAL, 664: L71-L74 (2007)

Adler SS et al. «[Nuclear modification of electron spectra and implications for heavy quark energy loss in Au + Au collisions at  \$\sqrt{s\(NN\)}=200\$  GeV](#)» PHYSICAL REVIEW LETTERS, 96: 032301 (2006)

Aharonian F et al. «[HESS observations of PKS 2155-304](#)» - ASTRONOMY & ASTROPHYSICS, 430 : 865-875 (2005)



Aharonian F et al. «[Discovery of the binary pulsar PSRB1259-63 in very-high-energy gamma rays around periastron with HESS](#) » - ASTRONOMY & ASTROPHYSICS, 442: Pages: 1-10 (2005)

Adare A et al. «[J/psi production versus centrality, transverse momentum, and rapidity in Au+Au collisions at root S-NN=200 GeV](#) » - PHYSICAL REVIEW LETTERS, 98: 232301 (2007)

Abdo AA et al. «[FERMI/LARGE AREA TELESCOPE BRIGHT GAMMA-RAY SOURCE LIST](#) »  
ASTROPHYSICAL JOURNAL SUPPLEMENT SERIES, 183: 46-66 (2009)

Aharonian F et al. «[Fast variability of tera-electron volt gamma rays from the radio galaxy M87](#) »  
SCIENCE, 314: 1424-1427 (2006)

Aharonian FA et al. «[Detection of TeV gamma-ray emission from the shell-type supernova remnant RX J0852.0-4622 with HESS](#) » - ASTRONOMY & ASTROPHYSICS, 437 : L7-L10 (2005)

Abdo AA et al. «[Fermi Observations of High-Energy Gamma-Ray Emission from GRB 080916C](#) » SCIENCE, 323 : 1688-1693 (2009)

Aubert B et al. «[Evidence for D-0-\(D\)over-bar\(0\) mixing](#) » - PHYSICAL REVIEW LETTERS, 98: 211802 (2007)

Schael S et al. «[Branching ratios and spectral functions of tau decays: Final ALEPH measurements and physics implications](#) » - PHYSICS REPORTS-REVIEW SECTION OF PHYSICS LETTERS, 421: 191-284 (2005)

Alessandro B et al. «[A new measurement of J/psi suppression in Pb-Pb collisions at 158 GeV per nucleon](#) » - EUROPEAN PHYSICAL JOURNAL C, :39 : 335-345 (2005)

Aubert B et al. «[Search for lepton flavor violation in the decay tau\(+/-\)->mu\(+/-\)gamma](#)»  
PHYSICAL REVIEW LETTERS, 95: 041802 (2005)

Adare A et al. «[Scaling properties of azimuthal anisotropy in Au plus Au and Cu plus Cu collisions at root s\(NN\)=200 GeV](#) » - PHYSICAL REVIEW LETTERS, 98 : 162301 (2007)

Aharonian F, et al. «[Primary particle acceleration above 100 TeV in the shell-type supernova remnant RX J1713.7-3946 with deep HESS observations](#) » - ASTRONOMY & ASTROPHYSICS, 464 : 235-243 (2007)

Aharonian F et al. «[HESS observations of the Galactic Center region and their possible dark matter interpretation](#)»  
PHYSICAL REVIEW LETTERS, 97 : 221102 (2006)

Abdo AA et al. «[BRIGHT ACTIVE GALACTIC NUCLEI SOURCE LIST FROM THE FIRST THREE MONTHS OF THE FERMI LARGE AREA TELESCOPE ALL-SKY SURVEY](#) » - ASTROPHYSICAL JOURNAL, 700 : 597-622 (2009)

Aubert B et al. «[Improved measurement of CP asymmetries in B-0 ->\(c\(c\)over-bar\)K0\(\\*\) decays](#)»  
PHYSICAL REVIEW LETTERS,94: 161803 (2005)

Adare A et al. «[Measurement of High-p\(T\) single electrons from heavy-flavor decays in p+p collisions at root s=200 GeV](#) » - PHYSICAL REVIEW LETTERS ,97 : 252002 (2006)

- Dubus G «[Gamma-ray binaries: pulsars in disguise?](#)» - ASTRONOMY & ASTROPHYSICS, 456 : 801-817 (2006)
- Aktas A et al. «[Measurement and QCD analysis of the diffractive deep-inelastic scattering cross section at HERA](#)» EUROPEAN PHYSICAL JOURNAL C, 48: 715-748 (2006)
- Aharonian F et al. «[First detection of a VHE gamma-ray spectral maximum from a cosmic HESS discovery of the Vela X nebula](#)» - ASTRONOMY & ASTROPHYSICS, 448 : L43-L47 (2006)
- Adler SS et al. «[J/psi production and nuclear effects for d+Au and p+p collisions at root S-NN=200 GeV](#)» PHYSICAL REVIEW LETTERS, 96 012304 (2006)
- Aubert B et al. «[e\(+\)e\(-\) -> pi\(+\)pi\(-\)pi\(+\)pi\(-\), K+K-pi\(+\)pi\(-\), and K+K-K+K- cross sections at center-of-mass energies 0.5-4.5 GeV measured with initial-state radiation](#)» - PHYSICAL REVIEW D, 71 052001 (2005)
- Adler SS et al. «[Centrality dependence of charm production from a measurement of single electrons in Au plus Au collisions at root s\(NN\)=200 GeV](#)» - PHYSICAL REVIEW LETTERS, 94 : 082301 (2005)
- Aubert B et al. «[Study of e\(+\)e\(-\)-> p\(p\)over-bar using initial state radiation with BABAR](#)» PHYSICAL REVIEW D, 73 : 012005 (2006)
- Adare A et al. «[Dihadron azimuthal correlations in Au+Au collisions at root s\(NN\)=200 GeV](#)» PHYSICAL REVIEW C, 78 : 014901 (2008)
- Aubert B et al. «[Search for lepton flavor violation in the decay tau\(+/-\)-> e\(+/-\)gamma](#)» PHYSICAL REVIEW LETTERS, 96 : 041801 (2006)
- Adler SS et al. «[Systematic studies of the centrality and root S-NN dependence of the dE\(T\)/d eta and dN\(ch\)/d eta in heavy ion collisions at midrapidity](#)» - PHYSICAL REVIEW C, 71 : 034908 (2005)
- Aharonian F et al. «[Very high energy gamma rays from the composite SNR G0.9+0.1](#)» ASTRONOMY & ASTROPHYSICS, 432 : L25-L29 (2005)
- Aubert B et al. «[Measurement of the Cabibbo-Kobayashi-Maskawa angle gamma in B-/+>\(DK -/+\)-K-\(\\*\) decays with a Dalitz analysis of D -> K-S\(0\)pi\(-\)pi\(+\)](#)» - PHYSICAL REVIEW LETTERS, 95 : 121802 (2005)
- Adare A et al. «[Inclusive cross section and double helicity asymmetry for pi\(0\) production in p+p collisions at root s=200 GeV: Implications for the polarized gluon distribution in the proton](#)» - PHYSICAL REVIEW D, 76 : 051106 (2007)
- Aubert B et al. «[Evidence of a broad structure at an invariant mass of 4.32 GeV/c\(2\) in the reaction e\(+\)e\(-\)->pi\(+\)pi\(-\)psi\(2S\) measured at BABAR](#)» - PHYSICAL REVIEW LETTERS, 98 : 212001 (2007)
- Aktas A et al. «[Measurement of deeply virtual Compton scattering at HERA](#)» EUROPEAN PHYSICAL JOURNAL C, 44 : 1-11 (2005)

Aharonian F et al. «[Discovery of extended VHE gamma-ray emission from the asymmetric pulsar wind nebula in MSH 15-52 with HESS](#)» - ASTRONOMY & ASTROPHYSICS, 435 : L17-L20 (2005)

Adare A et al. «[J/psi production versus transverse momentum and rapidity in p+p collisions at root s=200 GeV](#)»  
PHYSICAL REVIEW LETTERS, 98 : 232002 (2007)

Aubert B et al. «[Measurements of branching fractions, rate asymmetries, and angular distributions in the rare decays  \$B \rightarrow K l^{+} l^{-}\$  and  \$B \rightarrow K^{\*} l^{+} l^{-}\$](#) »  
PHYSICAL REVIEW D ,: 73 Issue: 9 Article Number: 092001 Published: MAY (2006)

Aktas A et al. «[Elastic J/psi production at HERA](#)» - EUROPEAN PHYSICAL JOURNAL C, 46 : 585-603 (2006)

Aubert B et al. «[Dalitz-plot analysis of the decays  \$B \rightarrow K \pi \pi\$](#) »  
PHYSICAL REVIEW D, 72 : 072003 (2005)

Adler SS et al. «[Measurement of transverse single-spin asymmetries for midrapidity production of neutral pions and charged hadrons in polarized p+p collisions at root s=200 GeV](#)»  
PHYSICAL REVIEW LETTERS, 95 : 202001 (2005)

Aubert B et al. «[Time-integrated and time-dependent angular analyses of  \$B \rightarrow J/\psi K \pi\$ : A measurement of  \$\cos^2 \beta\$  with no sign ambiguity from strong phases](#)» - PHYSICAL REVIEW D, 71 : 032005 (2005)

Aktas A et al. «[Measurement of  \$F\_2\(c\bar{c}\)\$  and  \$F\_2\(b\bar{b}\)\$  at low  \$Q^2\$  and x using the H1 vertex detector at HERA](#)» - EUROPEAN PHYSICAL JOURNAL C, 45 : 23-33 (2006)

Aubert B et al. «[Measurement of the  \$B \rightarrow \phi K^0\$  decay amplitudes](#)»  
PHYSICAL REVIEW LETTERS, 93 : 231804 (2004)

Aktas A et al. «[Measurement of  \$F\_2\(c\bar{c}\)\$  and  \$F\_2\(b\bar{b}\)\$  at high  \$Q^2\$  using the H1 vertex detector at HERA](#)» - EUROPEAN PHYSICAL JOURNAL C, 40 : 349-359 (2005)

Aubert B et al. «[Structure at 2175 MeV in  \$e^+e^- \rightarrow \phi f\_0\(980\)\$  observed via initial-state radiation](#)»  
PHYSICAL REVIEW D, 74 : 091103 (2006)

Aharonian F et al. «[Multi-wavelength observations of PKS 2155-304 with HESS](#)»  
ASTRONOMY & ASTROPHYSICS, 442 : 895-907 (2005)

Aharonian F et al. «[H.E.S.S. observations of the supernova remnant RX J0852.0-4622: Shell-type morphology and spectrum of a widely extended very high energy gamma-ray source](#)»  
ASTROPHYSICAL JOURNAL, 661: 236-249 (2007)

Aubert B et al. «[Observation of a new D-s meson decaying to DK at a mass of 2.86 GeV/c<sup>2</sup>](#) »  
PHYSICAL REVIEW LETTERS, 97 : 222001 (2006)

Aubert B et al. «[Study of the X\(3872\) and Y\(4260\) in  \$B \rightarrow J/\psi \pi^+ \pi^- K^0\$  and  \$B \rightarrow J/\psi \pi^+ \pi^- K^{\pm}\$  decays](#)»  
PHYSICAL REVIEW D, 73 : 011101 (2006)

Aharonian F et al. «[Detection of extended very-high-energy gamma-ray emission towards the young stellar cluster Westerlund 2](#)» - ASTRONOMY & ASTROPHYSICS, 467 : 1075-1080 (2007)

Dubus G «[Gamma-ray absorption in massive X-ray binaries](#)» - ASTRONOMY & ASTROPHYSICS, 451 : 9-18 (2006)

Adare A et al. «[Cold nuclear matter effects on J/psi production as constrained by deuteron-gold measurements at root S-NN=200 GeV](#)» - PHYSICAL REVIEW C, 77: 024912 (2008)

Adler SS et al. «[Measurement of direct photon production in p+p collisions at root s=200 GeV](#)»  
PHYSICAL REVIEW LETTERS, 98 : 012002 (2007)

Aubert B et al. «[Measurements of the B -> X-s gamma branching fraction and photon spectrum from a sum of exclusive final states](#)» - PHYSICAL REVIEW D, 72 : 052004 (2005)

Aubert B et al. «[Observation of the bottomonium ground state in the decay Upsilon\(3S\)->gamma eta\(b\)](#) »  
PHYSICAL REVIEW LETTERS, 101 : 071801 (2008)

Aktas A et al. «[Diffractive deep-inelastic scattering with a leading proton at HERA](#)»  
EUROPEAN PHYSICAL JOURNAL C, 48 : 749-766 (2006)

Adler SS et al. «[Production of phi mesons at midrapidity in root S-NN=200 GeV Au+Au collisions at relativistic energies](#) » - PHYSICAL REVIEW C, 72 : 014903 (2005)

Adler SS et al. «[Measurement of single electron event anisotropy in Au plus Au collisions at root s\(NN\)=200 GeV](#) »  
PHYSICAL REVIEW C, 72 : 024901 (2005)

Aharonian F et al. «[Serendipitous discovery of the unidentified extended TeV gamma-ray source HESS J1303-631](#) »  
ASTRONOMY & ASTROPHYSICS, 439 : 1013-1021 (2005)

Adler SS et al. «[Jet structure of baryon excess in Au+Au collisions at root SNN=200 GeV](#) »  
PHYSICAL REVIEW C, 71 : 051902 (2005)

Adler SS et al. «[Nuclear modification factors for hadrons at forward and backward rapidities in deuteron-gold collisions at root s\(NN\)=200 GeV](#) » - PHYSICAL REVIEW LETTERS, 94 : 082302 (2005)

Aubert B et al. «[The e\(+e\(-\)-> 3\(pi\(+\)\)pi\(-\), 2\(pi\(+\)\)pi\(-\)pi\(0\)\) and K\(+K\(-\)2\(pi\(+\)\)pi\(-\)\) cross sections at center-of-mass energies from production threshold to 4.5 GeV measured with initial-state radiation](#) »  
PHYSICAL REVIEW D, 73 : 052003 (2006)

Abdo AA et al. «[FERMI LARGE AREA TELESCOPE OBSERVATIONS OF THE VELA PULSAR](#) »  
ASTROPHYSICAL JOURNAL, 696 : 1084-1093 (2009)

Aharonian F et al. «[Observations of Mkn 421 in 2004 with HESS at large zenith angles](#) »  
ASTRONOMY & ASTROPHYSICS, 437 : 95-99 (2005)

Aharonian F et al. «[Discovery of the two "wings" of the Kookaburra complex in VHE gamma-rays with HESS](#) »

ASTRONOMY & ASTROPHYSICS, 456 : 245-251 (2006)

Adler SS et al. «[Azimuthal angle correlations for rapidity separated hadron pairs in d+Au collisions at root s\(NN\)=200 GeV](#) » - PHYSICAL REVIEW LETTERS, 96 : 222301 (2006)

Aharonian F et al. «[Evidence for VHE gamma-ray emission from the distant BL Lac PG 1553+113](#)»  
ASTRONOMY & ASTROPHYSICS, 448 : L19-L23 (2006)

Aktas A et al. «[Measurement of beauty production at HERA using events with muons and jets](#) »  
EUROPEAN PHYSICAL JOURNAL C, 41 : 453-467 (2005)

Adare A et al. «[Suppression Pattern of Neutral Pions at High Transverse Momentum in Au plus Au Collisions at root S-NN=200 GeV and Constraints on Medium Transport Coefficients](#) »  
PHYSICAL REVIEW LETTERS, 101 : 232301 (2008)

Adler SS et al. «[Jet properties from dihadron correlations in p plus p collisions at root s=200 GeV](#) »  
PHYSICAL REVIEW D, 74 : 072002 (2006)

Adler SS et al. «[Common suppression pattern of eta and pi\(0\) mesons at high transverse momentum in Au plus Au collisions at root SNN=200 GeV](#) » - PHYSICAL REVIEW LETTERS, 96 : 202301 (2006)

Aubert B et al. «[Branching fractions and CP asymmetries in B-0 ->pi\(0\)pi\(0\), B+>pi\(+\)pi\(0\), and B+> K+pi\(0\) decays and isospin analysis of the B ->pi pi system](#) »  
PHYSICAL REVIEW LETTERS ,: 94 Issue: 18 Article Number: 181802 Published: MAY 13 (2005)

Chatrchyan S et al. «[The CMS experiment at the CERN LHC](#) »  
JOURNAL OF INSTRUMENTATION, 3: S08004 (2008)

Aubert B et al. «[Study of resonances in exclusive B decays to \(D\)over-bar\(\\*\)D\(\\*\)K](#) »  
PHYSICAL REVIEW D, 77 : 011102 (2008)

Adler SS et al. «[Detailed study of high-p\(T\) neutral pion suppression and azimuthal anisotropy in Au plus Au collisions at root s\(NN\) =200 GeV](#) » - PHYSICAL REVIEW C, 76 : 034904 (2007)

Aubert B et al. «[Measurement of the B-0 ->pi\(-\)l\(+\)nu form-factor shape and branching fraction, and determination of |V-ub| with a loose neutrino reconstruction technique](#) » - PHYSICAL REVIEW LETTERS, 98 : 091801 (2007)

Aharonian F et al. «[Observations of selected AGN with HESS](#)»ASTRONOMY & ASTROPHYSICS, 441 : 465-472 (2005)

## 7.2.11 LPT PUBLICATIONS

LPT publications from the period 2009-2010

Alexandrou C. and others.

The low-lying baryon spectrum with two dynamical twisted mass fermions  
Phys. Rev. D80:114503, 2009.

Allanach B. C. and others.

SUSY Les Houches Accord 2,  
Comp. Phys. Commun. 180:8-25, 2009.

Angles d'Auriac J.-C. and others.

Towards the petaflop for lattice QCD simulations the PetaQCD project  
J. Phys. Conf. Ser. 219:052021, 2010.

Anikin I. V., Ivanov D. Yu., Pire B., Szymanowski L., Wallon S.

On the description of exclusive processes beyond the leading twist approximation  
Phys. Lett. B682:413-418, 2010.

Anikin I. V., Ivanov D. Yu., Pire B., Szymanowski L., Wallon S..

QCD factorization of exclusive processes beyond leading twist:  $\gamma^*T \rightarrow \rho T$  impact factor with  
twist three accuracy  
Nucl. Phys. B828:1-68, 2010.

Babichev E., Deffayet C., Ziour R..

k-Mouflage gravity,  
Int. J. Mod. Phys. D18:2147-2154, 2009.

Babichev E., Deffayet C., Ziour R..

Recovering General Relativity from massive gravity,  
Phys. Rev. Lett. 103:201102, 2009.

Babichev E., Deffayet C., Ziour R.

The Vainshtein mechanism in the Decoupling Limit of massive gravity  
JHEP 05:098, 2009.

Babichev E., Langlois D.

Relativistic stars in  $f(R)$  gravity,  
Phys. Rev. D80:121501, 2009.

Babichev E., Brax Ph., Caprini C., Martin J., Steer D. A..

Dirac Born Infeld (DBI) Cosmic Strings,  
JHEP 03:091, 2009.

Babichev E., Langlois D..

Relativistic stars in  $f(R)$  and scalar-tensor theories,  
Phys. Rev. D81:124051, 2010.

Baron R. and others.

Light hadrons from lattice QCD with light (u,d), strange and charm dynamical quarks  
JHEP 06:111, 2010.

Baron R. and others.

Light Meson Physics from Maximally Twisted Mass Lattice QCD  
JHEP 08:097, 2010.

Becirevic D., Blossier B., Chang E. and Haas B.

$g(B^*B\pi)$ -coupling in the static heavy quark limit,

Phys. Lett. B679:231-236, 2009.

Becirevic D., Chang E., Le Yaouanc A.  
On internal structure of the heavy-light mesons,  
Phys. Rev. D80:034504, 2009.

Becirevic D., Fajfer S., Kamenik Jernej F.  
On the matrix elements of  $\Delta B=0$  operators in the heavy meson decay widths  
Phys. Lett. B671:66-70, 2009.

Becirevic D., Haas B., Kou E.  
Soft Photon Problem in Leptonic B-decays,  
Phys. Lett. B681:257-263, 2009.

Beiyad M. El, Pire B., Segond M., Szymanowski L., Wallon S..  
Photoproduction of a  $\pi$   $\rho$  pair with a large invariant mass and transversity generalized parton  
distribution  
Phys. Lett. B688:154-167, 2010.

Belghobsi Z. and others.  
Photon - Jet Correlations and Constraints on Fragmentation Functions  
Phys. Rev. D79:114024, 2009.

Bellazzini B., Csaki C., Falkowski A., Weiler A.  
Buried Higgs,  
Phys. Rev. D80:075008, 2009.

Bellazzini B., Csaki C., Falkowski A., Weiler A.  
Charming Higgs,  
Phys. Rev. D81:075017, 2010.

Bernal N., Goudelis A., Mambrini Y., Munoz C. .  
Determining the WIMP mass using the complementarity between direct and indirect searches and  
the ILC  
JCAP 0901:046, 2009.

Blossier B. and others.  
A proposal for B-physics on current lattices,  
JHEP 04:049, 2010.

Blossier B. and others.  
Ghost-gluon coupling, power corrections and  $\Lambda_{\overline{\text{MS}}}$  from twisted-mass  
lattice QCD at  $N_f=2$   
Phys. Rev. D82:034510, 2010.

Blossier B. and others.  
Pseudoscalar decay constants of kaon and D-mesons from  $N_f=2$  twisted mass Lattice QCD  
JHEP 07:043, 2009.

Blossier B. and others.  
HQET at order  $1/m$ : II. Spectroscopy in the quenched approximation

JHEP 05:074, 2010.

Blossier B., Della Morte M., Garron N., Sommer R.

HQET at order  $1/m$ : I. Non-perturbative parameters in the quenched approximation  
JHEP 06:002, 2010.

Blossier B., Della Morte M., von Hippel G., Mendes T., Sommer R.

On the generalized eigenvalue method for energies and matrix elements in lattice field theory  
JHEP 04:094, 2009.

Blossier B., Wagner M., Pene O.

Lattice calculation of the Isgur-Wise functions  $\tau_{1/2}$  and  $\tau_{3/2}$  with dynamical quarks  
JHEP 06:022, 2009.

Blossier B., von Hippel G., Garron N., Mendes T..

Nonperturbative HQET at order  $1/m$ ,  
Int. J. Mod. Phys. D19:1661-1666, 2010.

Bogdanos C., Charmousis C., Gouteraux B., Zegers R..

Einstein-Gauss-Bonnet metrics: black holes, black strings and a staticity theorem  
JHEP 10:037, 2009.

Boucaud Ph. and others.

The low-momentum ghost dressing function and the gluon mass  
Phys. Rev. D82:054007, 2010.

Boucaud Ph. and others.

Ghost-gluon running coupling, power corrections and the determination of  $\Lambda_{\overline{\text{MS}}}$   
Phys. Rev. D79:014508, 2009.

Boucaud Ph. and others.

Gribov's horizon and the ghost dressing function,  
Phys. Rev. D80:094501, 2009.

Boucaud Ph. and others.

Quark pseudoscalar vertex and quark mass function with clover fermions : spontaneous symmetry breaking, OPEsymmetry restoration at small volume  
Phys. Rev. D81:094504, 2010.

Bouchart C., Moreau G.

Higgs boson phenomenology and VEV shift in the RS scenario  
Phys. Rev. D80:095022, 2009.

Bouchart C., Moreau G.

The precision electroweak data in warped extra-dimension models  
Nucl. Phys. B810:66-96, 2009.

Bucher M., Van Tent B., Carvalho C. S..

Detecting Bispectral Acoustic Oscillations from Inflation Using a New Flexible Estimator  
Mon. Not. Roy. Astron. Soc. 407:2193-2206, 2010.

Cagnache E., Jolibois E., Wallet J.-C..



Spectral Distances: Results for Moyal Plane and Noncommutative Torus  
SIGMA 6:026, 2010.

Cerdeno D. G., Mambrini Y., Romagnoni A..  
Gravitino dark matter in hybrid gauge-gravity models,  
JHEP 11:113, 2009.

Charles J., Descotes-Genon S., Kang X.-W., Li H.-B., Lu G.-R..  
Extracting CP violation and strong phase in D decays by using quantum correlations in  $\psi(3770) \rightarrow D0 \bar{D}0 \rightarrow (V1V2)(V3V4)$  and  $\psi(3770) \rightarrow D0 \bar{D}0 \rightarrow (V1V2)(K \pi)$   
Phys. Rev. D81:054032, 2010.

Charmousis C., Gouteraux B., Soda J..  
Einstein-Maxwell-Dilaton theories with a Liouville potential  
Phys. Rev. D80:024028, 2009.

Charmousis C., Kofinas G., Papazoglou A..  
The consistency of codimension-2 braneworlds and their cosmology  
JCAP 1001:022, 2010.

Charmousis C., Niz G., Padilla A. and Saffin Paul M..  
Strong coupling in Horava gravity,  
JHEP 08:070, 2009.

Charmousis C..  
Higher order gravity theories and their black hole solutions  
Lect. Notes Phys. 769:299-346, 2009.

Charmousis C., Kolyvaris T., Papantonopoulos E..  
Charged C-metric with conformally coupled scalar field,  
Class. Quant. Grav. 26:175012, 2009.

Coutant A., Parentani R..  
Black hole lasers, a mode analysis,  
Phys. Rev. D81:084042, 2010.

Csaki C., Falkowski A., Nomura Y., Volansky T..  
New Approach to the mu-Bmu Problem of Gauge-Mediated Supersymmetry Breaking  
Phys. Rev. Lett. 102:111801, 2009.

Csaki C., Falkowski A., Weiler A..  
A Simple Flavor Protection for RS,  
Phys. Rev. D80:016001, 2009.

Das D., Ellwanger U..  
Light dark matter in the NMSSM: upper bounds on direct detection cross sections  
JHEP 09:085, 2010.

Descotes-Genon S., He J., Kou E., Robbe P..  
Non-leptonic charmless Bc decays and their search at LHCb  
Phys. Rev. D80:114031, 2009.

Descotes-Genon S., Offen N..

Three-particle contributions to the renormalisation of B- meson light-cone distribution amplitudes  
JHEP 05:091, 2009.

Djouadi A.

The Higgs sector of supersymmetric theories and the implications for high-energy colliders  
Eur. Phys. J. C59:389-426, 2009.

Djouadi A., Ellwanger U., Teixeira A. M..

Phenomenology of the constrained NMSSM,  
JHEP 04:031, 2009.

Domingo F., Ellwanger U., Fullana E. and Hugonie C., Sanchis-Lozano M.-A.

Radiative Upsilon decays and a light pseudoscalar Higgs in the NMSSM  
JHEP 01:061, 2009.

Domingo F., Ellwanger U..

CDF Multi-Muon Events and Singlet Extensions of the MSSM  
Mod. Phys. Lett. A24:557-566, 2009.

Domingo F., Ellwanger U., Sanchis-Lozano M.-A.

Bottomonium spectroscopy with mixing of  $\eta_b$  states and a light CP-odd Higgs  
Phys. Rev. Lett. 103:111802, 2009.

Dudas E., Mambrini Y., Pokorski S., Romagnoni A., Trapletti M..

Gauge vs. Gravity mediation in models with anomalous U(1)'s  
JHEP 03:011, 2009.

Dudas E., Mambrini Y., Pokorski S., Romagnoni A..

(In)visible Z' and dark matter,  
JHEP 08:014, 2009.

Falkowski A., Perez-Victoria M.

Electroweak Precision Observables and the Unhiggs,  
JHEP 12:061, 2009.

Falkowski A., Perez-Victoria M.

Holographic Unhiggs,  
Phys. Rev. D79:035005, 2009.

Falkowski A., Ruderman Joshua T., Volansky T. and Zupan J.

Hidden Higgs Decaying to Lepton Jets,  
JHEP 05:077, 2010.

Finazzi Stefano, Parentani R..

Black hole lasers in Bose-Einstein condensates,  
New J. Phys. 12:095015, 2010.

Geloun J. B., Krajewski T., Magnen J., Rivasseau V.

Linearized Group Field Theory and Power Counting Theorems  
Class. Quant. Grav. 27:155012, 2010.

Goudelis A., Mambrini Y., Yaguna C..

Antimatter signals of singlet scalar dark matter,  
JCAP 0912:008, 2009.

Jean-Louis C. -C., Moreau G.

Dark matter and neutrino masses in the R-parity violating NMSSM  
J. Phys. G37:105015, 2010.

Le Yaouanc A., Oliver L., Raynal J. -C..

Bound on the curvature of the Isgur-Wise function of the baryon semileptonic decay  $\Lambda_b \rightarrow \Lambda_c + l + \nu$   
Phys. Rev. D79:014023, 2009.

Le Yaouanc A., Oliver L., Raynal J. C..

Isgur-Wise functions and the Lorentz group,  
Fortsch. Phys. 58:687-691, 2010.

Macher J., Parentani R..

Black/White hole radiation from dispersive theories,  
Phys. Rev. D79:124008, 2009.

Magnen J., Noui K., Rivasseau V., Smerlak M.

Scaling behaviour of three-dimensional group field theory  
Class. Quant. Grav. 26:185012, 2009.

Mambrini Y.

The kinetic dark-mixing in the light of CoGENT and XENON100  
JCAP 1009:022, 2010.

Mambrini Y.

A clear Dark Matter gamma ray line generated by the Green- Schwarz mechanism  
JCAP 0912:005, 2009.

Mambrini Y.

Dark matter: What, how and where?,  
Acta Phys. Polon. B41:1395-1416, 2010.

Marquet C., Roiesnel C., Wallon S.

Virtual Compton Scattering off a Spinless Target in AdS/QCD  
JHEP 04:051, 2010.

Parentani R.

From vacuum fluctuations across an event horizon to long distance correlations  
Phys. Rev. D82:025008, 2010.

Yang Y.-D. and others.

Leptonic, semileptonic D(DS) decays and CKM matrix Elements  
Int. J. Mod. Phys. A24:521-567, 2009.

Yaouanc A. Le, Oliver L., Raynal J. -C..

Isgur-Wise functions and unitary representations of the Lorentz group : the baryon case  $j=0$

Phys. Rev. D80:054006, 2009.

Young C. A. S., Zegers R..

Deformation Quasi-Hopf Algebras of Non-semisimple Type from Cochain Twists,  
Commun. Math. Phys. 298:585-611, 2010.

Young C. A. S., Zegers R..

Dorey's Rule and the q-Characters of Simply-Laced Quantum Affine Algebras,  
accepted for publication in Commun. Math. Phys. ;, 2010.

Young C. A. S., Zegers R..

On kappa-deformation and triangular quasibialgebra structure  
Nucl. Phys. B809:439-451, 2009.

### 7.2.12 IRSD PUBLICATIONS

IRSD (replacing the former UDIL unit) is a CNRS service unit in charge of dismantling a Nuclear Installation (INB106) and has therefore no scientific publications. IRSD produced many reports to the Authority of Nuclear Security about its dismantling activities which are not publicly available.

### 7.3. DEVIS/ESTIMATE