

Future Circular Collider (FCC) Study



Michael Benedikt

LAL Orsay, 7. May 2014

- **Motivation & scope**
- **Parameters & design challenges**
- **Study organization, study time line**
- **Preparing global FCC collaboration**
- **Summary**

Summary: European Strategy Update 2013




Design studies and R&D at the energy frontier

....“to propose an ambitious **post-LHC accelerator project at CERN** by the time of the next Strategy update”:

d) CERN should undertake design studies for accelerator projects in a global context,

- *with emphasis on proton-proton and electron-positron high-energy frontier machines.*
- *These design studies should be coupled to a vigorous accelerator R&D programme, including high-field magnets and high-gradient accelerating structures,*
- *in collaboration with national institutes, laboratories and universities worldwide.*
- <http://cds.cern.ch/record/1567258/files/esc-e-106.pdf>

CLIC CDR and cost study (2012)




- 3 volumes CDR: physics & detectors, accelerator complex, strategy, cost & schedule
- Collaborative effort: 40+ institutes worldwide

First studies on a new 80 km tunnel in the Geneva area

- 42 TeV with 8.3 T using present LHC dipoles
- 80 TeV with 16 T based on Nb₃Sn dipoles
- 100 TeV with 20 T based on HTS dipoles

**HE-LHC :33 TeV
with 20T magnets**



Future Circular Collider Study - SCOPE

CDR and cost review for the next ESU (2018)


Forming an international collaboration to study:

- pp -collider (*FCC-hh*)
→ defining infrastructure requirements

~16 T \Rightarrow 100 TeV pp in 100 km

~20 T \Rightarrow 100 TeV pp in 80 km

- e^+e^- collider (*FCC-ee*) as potential intermediate step
- p - e (*FCC-he*) option
- 80-100 km infrastructure in Geneva area



FCC motivation: pushing energy frontier

High-energy hadron collider *FCC-hh* as long-term goal

- Seems only approach to get to 100 TeV range in the coming decades
- High energy and luminosity at affordable power consumption
- Lead time design & construction > 20 years (LHC study started 1983!)
→ Must start studying now to be ready for 2035/2040

Lepton collider *FCC-ee* as potential intermediate step

- Would provide/share part of infrastructure
- Important precision measurements indicating the energy scale at which new physics is expected
- Search for new physics in rare decays of Z , W , H , t and rare processes

Lepton-hadron collider *FCC-he* as option

- High precision deep inelastic scattering and Higgs physics

**Most aspects of collider designs and R&D non-site specific.
Tunnel and site study in Geneva area as ESU requests.**



Hadron collider FCC-hh parameters

PRELIMINARY

- **Energy** **100 TeV c.m.**
- **Dipole field** **~ 16 T (design limit) [20 T option]**
- **Circumference** **~ 100 km**
- **#IPs** 2 main (tune shift) + 2
- **Beam-beam tune shift** 0.01 (total)
- **Bunch spacing** **25 ns [5 ns option]**
- **Bunch population (25 ns)** 1×10^{11} p
- **#bunches** 10500
- **Stored beam energy** **8.2 GJ/beam**
- **Emittance normalised** 2.15×10^{-6} m, normalised
- **Luminosity** **$5 \times 10^{34} \text{ cm}^{-2} \text{ s}^{-1}$**
- **β^*** 1.1 m [2 m conservative option]
- **Synchrotron radiation arc** **26 W/m/aperture (filling fact. 78% in arc)**
- **Longit. emit damping time** **0.5 h**




FCC-hh: some design challenges

- **Optics and beam dynamics**
 - Optimum lattice design, maximise filling factor of arcs
 - IR design & length (&#) of straight section
 - Field quality requirements and dynamic aperture studies
- **Impedances, instabilities, feedbacks**
 - Beam-beam, e-cloud, etc.
 - Feedback simulation & system conception
- **Synchrotron radiation damping**
 - Controlled blow up? Smaller bunch spacing with low emittance?, ...
- **Energy in beam & magnets, dump, collimation; quench protection**
 - **Stored beam energy and losses critical: 8 GJ/beam (0.4 GJ LHC)**
 - Collimation, losses, radiation effects: very important
 - Synergies to intensity frontier machines (SNS, FRIB, etc.)

FCC-hh: Synchrotron Radiation Heat Load

- High synchrotron radiation load on beam pipe
 - **Up to 26 W/m/aperture in arcs, total of ~5 MW for the collider**
 - (LHC has a total of 1W/m/aperture from different sources)
- Three strategies to deal with this
 - **LHC-type beam screen**
 - Cooling efficiency depends on screen temperature, higher temperature creates larger impedance \rightarrow 40-60 K?
 - **Open midplane magnets**
 - Synergies with muon collider developments
 - **Photon stops**
 - dedicated warm photon stops for efficient cooling between dipoles
 - as developed by FNAL for VLHC



<http://inspirehep.net/record/628096/files/fermilab-conf-03-244.pdf>
Also P. Bauer et al., "Report on the First Cryogenic Photon Stop Experiment," FNAL TD-03-021, May 2003

- **FHC baseline is 16T Nb₃Sn technology for ~100 TeV c.m. in ~100 km**

Goal: 16T short dipole models by 2018 (America, Asia, Europe)

Develop Nb₃Sn-based 16 T dipole technology,

- with sufficient aperture (~40 mm) and
- accelerator features (field quality, protect-ability, cycled operation).
- In parallel conductor developments





- **In parallel HTS development targeting 20 T.**
- **HTS insert, generating o(5 T) additional field, in an outsert of large aperture o(100 mm)**

Goal: Demonstrate HTS/LTS 20 T dipole technology in two steps:

- a field record attempt to break the 20 T barrier (no aperture), and
- a 5 T insert, with sufficient aperture (40 mm) and accel. features







Running programs – LTS (Nb₃Sn)

Program	Goals	Main partners	Status	
US-base program	High field Nb ₃ Sn dipoles as technology demonstrators	DOE (BNL, FNAL, LBNL)	D20 reached 13.5 T (50 mm) in 1997. HD1 reached 16 T (0 mm) in 2004. LD1 shell and conductor procured	
EuCARD FReSCa2	13 T (100 mm) Nb ₃ Sn dipole	EuCARD collaboration (CEA, CERN)	SMC reached 13.5 T (0 mm) in 2013, RMC in construction, FReSCa2 structure procured and tested at CERN, coils in fabrication at CEA	
US-LARP	140 T/m (150 mm) Nb ₃ Sn quadrupoles for the LHC IR upgrade	DOE US-LARP (BNL, FNAL, LBNL), CERN	Short HQ models (120 mm), long LQ prototype (90 mm) tested, QXF (150 mm) models in production (US-LARP and CERN)	
11 T	11 T (60 mm) Nb ₃ Sn dipoles for the LHC DS collimators	FNAL, CERN	2 short models tested, 1 mirror in test at FNAL, first model in production at CERN	



Running programs – HTS

Program	Goals	Main partners	Status	
US-base program	High field HTS small models as technology demonstrators	DOE (BNL, FNAL, LBNL)	BSCCO racetracks produced and tested (self field) at LBNL. CCT design and prototyping work, first model (NbTi) reached 2.5 T in 2013	
EuCARD HTS insert	6 T (0 mm) HTS dipole insert for FReSCa2 (19 T)	EuCARD collaboration (INPG, CEA)	Short racetrack coils in test at INPG	
EuCARD2	5 T (40 mm) HTS short dipole (also as insert for FReSCa2 (18 T)	EuCARD2 collaboration (CERN, CEA), S-Innovation, US-BSSCo	Superconductor material studies in progress, conceptual designs	
US-BSSCo	Increase J_e of BSCCO-2212 to 600 A/mm ² for high B physics (30 T all SC user facility)	DOE (BNL, FNAL, LBNL), NHMFL	BSCCO-2212 production restarted at OST in collaboration with CERN, OPHT furnaces, cabling R&D	
S-Innovation	HTS-based compact accelerator systems	Kyoto University, KEK	Conceptual design studies, test of a racetrack HTS at 77 K (self field) to determine field quality	

NOTE: program at Carolina University not reported

Summary on high-field magnets

- **U.S. research has been very strong in the past years in superconducting high-field magnet technology:**
 - **Highest field achieved in dipole configuration (LBNL, 16 T)**
 - Hosting the industrial superconductor production with highest critical current density (OST RRP, 3300 A/mm² at 12 T and 4.2 K)
 - Vigorous program for the industrial production of a BSCCO-2212 round wire with the characteristics required by high-field applications
- **Fruitful collaborations between CERN, CEA, US-DOE Laboratories and other institutes and universities. E.g.**
 - **EuCARD, EuCARD 2 collaborations FReSCa2 + HTS inserts**
 - **US-LARP collaboration for HL-LHC quadrupole production** of approximately half of the triplet magnets, as required for LHC LS3
 - **FNAL/CERN collaboration for the 11 T LHC dipole design** and demonstration of the technology required for a for the LHC
- **These are excellent pre-requisites for a strong international collaboration on high-field magnet R&D that will be essential for FCC studies.**



Lepton collider FCC-ee parameters

- **Design choice: max. synchrotron radiation power set to 50 MW/beam**
 - Defines the max. beam current at each energy.
 - 4 Physics working points
 - Optimization at each energy (bunch number & current, emittance, etc).

Parameter	TLEP-Z	TLEP-WW	TLEP-H	TLEP-tt _{bar}	LEP2
E/beam (GeV)	45	80	120	175	104
I (mA)	1450	152	30	6.6	3
Bunches/beam	16700	4490	170	160	4
Bunch popul. [10^{11}]	1.8	0.7	3.7	0.86	4.2
L (10^{34} cm ⁻² s ⁻¹)	28.0	12.0	4.5	1.2	0.012

- For TLEP-H and TLEP-t the beam lifetime of ~few minutes is dominated by Beamstrahlung (momentum acceptance of 2%).



FCC-ee: some design challenges

- **Short beam lifetime from Bhabha scattering and high luminosity**
 - Top-up injection
- **Lifetime limits from Beamstrahlung**
 - Flat beams (very small vertical emittance, $\beta^* \sim 1$ mm)
 - Final focus with large ($\sim 2\%$) energy acceptance
- **Machine layout for high currents, large #bunches at Z pole and WW.**
 - Two rings and size of the RF system.
- **Polarization and continuous high precision energy calibration at Z pole and WW, where natural polarization times are ~ 15 hours.**
- **Important expertise available worldwide and potential synergies:**
- **Beam optics, experimental insertions, machine detector interface**
 \Leftrightarrow ILC, B-factories, SLAC, BNL
- **Transverse Polarization \Leftrightarrow RHIC, SLC:**
 - Polarization optimization, snakes for physics with polarized beams.



FCC-ee: RF - relevant parameters

Main RF parameters

- Synchrotron radiation power: 50 MW per beam
- Energy loss per turn: 7.5 GeV (at 175 GeV, t)
- Beam current up to 1.4 A (at 45 GeV, Z)
- Up to 7500 bunches of up to 4×10^{11} e per ring.
- CW operation with top-up operation, injectors and top-up booster pulsed

First look on basic choices and RF system dimension

- Frequency range (200 ... 800) MHz with ~400 MHz as starting point
 - Initial choice based on present frequencies (harmonics of 200 MHz FHC)
 - Disadvantage lower frequency: mechanical stability, He amount for cooling, size ...
 - Disadvantage higher frequency: denser HOM spectrum (multi-cell), BBU limit, larger impedance, smaller coupler dimensions
- System dimension compared to LHC:
 - **LHC 400 MHz → 2 MV and ~250 kW per cavity, (8 cavities per beam)**
 - **Lepton collider ~600 cavities 20 MV / 180 kW RF → 12 GV / 100 MW**



FCC-ee: RF main R&D areas

- **SC cavity R&D**
 - Large Q_0 at high gradient and acceptable cryogenic power!
 - E.g.: Recent promising results at 4 K with Nb₃Sn coating on Nb at Cornell, 800 °C ÷ 1400 °C heat treatment at JLAB, beneficial effect of impurities observed at FNAL.
 - **Relevant for many other accelerator applications**
- **High efficiency RF power generation from grid to beam**
 - Amplifier technologies
 - Klystron efficiencies beyond 65%, alternative RF sources as Solid State Power Amplifier or multi-beam IOT, e.g. ESS solution with industry (CPI in U.S.)
 - **Relevant for all high power accelerators, intensity frontier (drivers), (e.g. vstorm, LBNE, DAEδALUS, μcoll,)**
- **R&D Goal is optimization of overall system efficiency and cost!**
 - Power source efficiency, low loss high gradient SC cavities, operation temperature vs. cryogenic load, total system cost and dimension.

Main areas for design study

Machines and infrastructure conceptual designs

Technologies R&D activities Planning

Physics experiments detectors

Infrastructure

High-field magnets

Hadron physics experiments interface, integration

Hadron collider conceptual design

Superconducting RF systems

$e^+ e^-$ coll. physics experiments interface, integration

Hadron injectors

Cryogenics

$e^- - p$ physics, experiments, integration aspects


Lepton collider conceptual design

Specific technologies

Safety, operation, energy management environmental aspects

Planning

preliminary



FCC Kick-Off & Study Preparation Team

Future Circular Colliders - Conceptual Design Study Study coordination, M. Benedikt, F. Zimmermann					
Hadron collider D. Schulte	Hadron injectors B. Goddard	e+ e- collider and injectors J. Wenninger	Infrastructure, cost estimates P. Lebrun	Technology High Field Magnets L. Bottura	Physics and experiments <hr/> Hadrons A. Ball, F. Gianotti, M. Mangano
				Superconducting RF E. Jensen	
				Cryogenics L. Tavian	
				e- p option Integration aspects O. Brüning	
Operation aspects, energy efficiency, safety, environment P. Collier			e- p M. Klein		
Planning (Implementation roadmap, financial planning, reporting) F. Sonnemann, J. Gutleber					

Future Circular Collider Study Kick-off Meeting

12-15 February 2014,
University of Geneva,
Switzerland

LOCAL ORGANIZING COMMITTEE

University of Geneva

C. Blanchard, A. Blondel,
C. Doglioni, G. Iacobucci,
M. Koratzinos

CERN

M. Benedikt, E. Delucinge,
J. Gutleber, D. Hudson,
C. Potter, F. Zimmermann

SCIENTIFIC ORGANIZING COMMITTEE


FCC Coordination Group

A. Ball, M. Benedikt, A. Blondel,
F. Bordry, L. Bottura, O. Brüning,
P. Collier, J. Ellis, F. Gianotti,
B. Goddard, P. Janot, E. Jensen,
J. M. Jimenez, M. Klein, P. Lebrun,
M. Mangano, D. Schulte,
F. Sonnemann, L. Tavian,
J. Wenninger, F. Zimmermann



FCC Kick-off Meeting Geneva

<http://indico.cern.ch/e/fcc-kickoff>



UNIVERSITÉ
DE GENÈVE



[http://indico.cern.ch/
e/fcc-kickoff](http://indico.cern.ch/e/fcc-kickoff)



Future Circular Collider Study
Michael Benedikt
LAL Orsay, 7th May 2014



FCC Kick-off Meeting



Kick-off Meeting of the Future Circular Colliders Design Study
12 - 15 February 2014, University of Geneva / Switzerland
341 registered participants

photo by Michael.Hoch@cern.ch





FCC Kick-off participants

341 registered participants - geographical distribution

Americas (37)

Canada: 1

Mexico: 2

US: 34

Asia (19)

China: 9

Japan: 9

Republic of Korea: 1

Africa (1)

South Africa: 1

Europe (284)

Austria: 1

CERN: 140

Czech Republic: 2

Denmark: 1

France: 30

Germany: 14

Greece: 1

Hungary: 2

Italy: 20

Poland: 6

Portugal: 2

Russia: 8

Serbia: 1

Spain: 11

Sweden: 1

Switzerland: 19

(w/o CERN)

UK: 25

Well-balanced world-wide attendance





Workshop Goals

Rolf Heuer
Opening talk

- Discussion of all FCC aspects
- Refine scope of the study
- Define schedule, WBS, milestones of the study
- Establish the path towards international collaboration: Expressions of Interest, formation of collaboration, accepting new partners throughout the duration of the study
- Open process



Workshop programme (i)

Session 1a - Opening (Chaired by Giuseppe IACOBUCCI/Alain BLONDEL - University of Geneva) - MR380 (13:30-15:00)

time	title	presenter
13:30	Welcome	VASSALLI, Jean-Dominique BLONDEL, Alain
13:40	Opening & Introduction	HEUER, Rolf
14:00	Energy frontier after the Higgs discovery	ARKANI-HAMED, Nima
14:30	Precision frontier at high energies	GROJEAN, Christophe

Session 1b - Opening (Chaired by Alex MUELLER - CNRS/IN2P3) - MR380 (15:30-17:45)

time	title	presenter
15:30	CERN roadmap	BORDRY, Frédéric
15:50	FCC study	BENEDIKT, Michael
16:20	Chinese activities for circular colliders	WANG, Yifang
16:40	US activities related to circular colliders studies	HENDERSON, Stuart
17:00	Cultural, economical and societal impact of big science projects	WOMERSLEY, John William

Public Lecture: Le boson de Higgs et le seigneur des anneaux - U600 (19:00-21:00)

- Presenters: SPIRO, Michel





Workshop programme (ii)

Session 2a - Hadron machine (Chaired by Akira Yamamoto - KEK) - MR380 (08:30-10:30)

time	title	presenter
08:30	Hadron collider overview	SCHULTE, Daniel
09:00	Synchrotron radiation & vacuum concepts	KERSEVAN, Roberto
09:30	Hadron injector options	HERR, Werner
10:00	R&D roadmap towards 16 T Nb3Sn dipole magnets ready for industrial production	STRAUSS, Bruce

Session 2b - Hadron physics (Chaired by Teijinder VIRDEE - Imperial College) - MR380 (11:00-12:30)

time	title	presenter
11:00	Hadron collider experiments and physics: introduction	GIANOTTI, Fabiola
11:25	Experimental challenges and first ideas about detector layouts	FOURNIER, Daniel
11:50	The physics landscape and opportunities	MANGANO, Michelangelo
12:15	Open discussion	



Workshop programme (iii)

Session 3a - Lepton machine (Chaired by Eugene LEVICHEV - BINP) - MR380 (14:00-16:00)

time	title	presenter
14:00	Lepton collider overview	WENNINGER, Jorg
14:30	Optics challenges	HOLZER, Bernhard
14:50	Final focus + injector concepts based on SuperKEKB	OIDE, Katsunobu
15:10	Lepton injector options	PAPAPHILIPPOU, Yannis
15:30	100-MW RF system at different beam energies and intensities	JENSEN, Erk

Session 3b - Lepton physics (Chaired by Michel SPIRO - CEA) - MR380 (16:30-18:00)

time	title	presenter
16:30	Lepton physics	ELLIS, Jonathan R.
17:00	Lepton experiments & detectors	ROLANDI, Gigi
17:30	Lepton-Hadron Physics, Experiments, Detectors	D'ONOFRIO, Monica



Workshop programme (iv)

Session 4a - Infrastructure & operation - (Chaired by Thomas ROSER - BNL) - MR380

(08:30-11:00)

time	title	presenter
08:30	Unconventional issues in conventional facilities	LEBRUN, Philippe
09:00	Cryogenics	TAVIAN, Laurent Jean
09:30	Availability, energy, operation	COLLIER, Paul
10:00	Gotthard tunnel project	AMBERG, Felix
10:30	Geology and civil engineering	OSBORNE, John Andrew

Session 4b - Closing (Chaired by Tord EKELOF - Uppsala University) - MR380 (11:30-13:00)

time	title	presenter
11:30	Health, safety and environment	TRANT, Ralf
12:00	Closing remarks & outlook	HEUER, Rolf

FCC Kick-Off Parallel Sessions (Friday afternoon)

Session	# Participants
Technical infrastructure and civil engineering	47
Hadron collider design (+ SC magnets + injectors)	75
Lepton collider design (+ SC RF + injectors)	62
Hadron Physics, Experiments, Detectors	93
Lepton Physics, Experiments, Detectors	54
e-p Option	18
Overall physics and phenomenology	63







How (the study should be organised)

- Exploitation of **all options** for such a project (hh – ee – ep) **within one study**
- **Global Collaboration** for the **Study of Future Circular Colliders**
(similar to the CLIC collaboration)
- Hosted by CERN

Rolf Heuer
Opening talk


Proposed international organization structure

Rolf Heuer
Opening talk



Next steps

- **Establish an international collaboration:**
- Following very positive reactions and the enthusiasm during the Kick-off meeting:
 - **Invitations to institutes to join collaboration**
 - Aiming at **expressions of interest by end May 2014** to form nucleus of collaboration by September 2014
 - Enlargement of the study preparation team
 - **First international collaboration board meeting 9-10 September at CERN**





FCC EU Design Study Proposal



Horizon2020 call – design study, **deadline 02.09.2014**

Prepare proposal parallel to FCC collaboration setup

Goals fo EU DS: conceptual design, prototypes, cost estimates, ...

From FP7 HiLumi LHC DS → positive experience:

- **5-6 work packages as sub-set of FCC study**
- **~10-15 beneficiaries** (signatories of the contract with EC)

Time line

kick-off event

discussions

input from interested partners, **end of May**

complete draft proposal, **end of June**

iteration, agreements, signatures

submission of EU FCC DS proposal, **2 Sept.**

March April May June July August September 2014

Non-EU partners can join as beneficiary – signatory with or w/o EC contribution (contractual commitment) **or as associated partner – non-signatory** (in-kind contribution with own funding, no contractual commitment)



- DOE had **limited FCC kick-off participation to 1 representative/laboratory**
- **Still 33 US participants** (many institutes!) attended
- **DOE request not to interfere with US “P5 process”** has been fully respected by FCC study coordination
- Designated **US-DOE contact for FCC: William Barletta, MIT**
- **US has relevant expertise**: SSC, VLHC, HL-LHC, RHIC, Tevatron, CEBAF, SNS, ... US could make **significant contributions to high-field magnets and SRF**, e.g. through structure like LARP
- US holding **FCC physics workshops at SLAC, FNAL, Aspen,**
- FCC study **proposal to include two US representatives in global study steering group** (which could play a role in this critical formation phase) still **waiting for DOE approval**






- **IHEP/CAS project of CepC/SppC** similar to FCC-ee/FCC-hh
- **Numerous CepC workshops and events in China;**
- **Invited visits by many international accelerator experts** (SLAC, KEK, Cornell, FNAL, BINP, ANL, Korea, ...)
- **More aggressive time schedule:** CepC CDR end of 2014; first e^+e^- collisions in 2028; first pp collisions in 2042
- **Attractive location** (1 h from Beijing by TGV, “Chinese Toscana”, “best beach of China”)
- Present project proposal based on **54 km circumference** (2x LHC)
- **Optimized for Higgs factory mode** (240 GeV c.m.)
- **Fruitful collaboration & competition with FCC** (joint meetings)



Proposal for study timeline



2014				2015				2016				2017				2018			
Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
<div style="border: 1px solid black; background-color: #fce4ec; padding: 5px; display: inline-block;">Prepare</div> Kick-off, collaboration forming, →study plan and organisation																			
<div style="border: 1px solid black; background-color: #bbdefb; padding: 5px; display: inline-block;">Ph 1: Explore options "weak interaction"</div>																			
				<div style="border: 1px solid black; background-color: #fff9c4; padding: 5px; display: inline-block;"> Workshop & Review →identification of baseline </div>															


Explore options, now – spring 2015:

- Investigate **different options** in all technical areas, **taking a broad view**
- **Deliverables:** description and comparison of options with relative merits/cost, **Develop schedules, understand relative impact of options on overall schedule (physics operation time, machine installation time, etc.)**
- **FCC workshop to converge to common baseline with small number of options**
- **Proposed WS date 23 – 27 March 2015** (presently no known collisions...)
- Followed by review ~2 months later, begin June 2015

Report

Release CDR & Workshop on next steps

FCC study milestones



Summary

- There are strongly rising activities in energy-frontier circular colliders worldwide. CERN is setting-up an international study for the design of Future Circular Colliders (FCC).
- Worldwide collaboration in all areas, i.e. physics, experiments and accelerators will be important for the field of HE physics in general and to reach the demanding goal of a CDR by 2018.
- The FCC kick-off meeting was very well attended, with balanced international participation and with very constructive and encouraging atmosphere, explicitly remarked by many participants.
- There was a broad consensus on study organisation, contents, timeline and the proposed collaboration process.

Riesiger Teilch Nachfolger

キーワードを入力

トップ 速報 写真 映像 雑誌 個人 Buzz 意識調査 ランキング

国内 国際 経済 エンタメ スポーツ IT・科学 ライフ 地域

[PR] あなたのホームページを、もっとビジネスに活かし

グソクムシ ニコ生で追悼番組 NEW!

コンピュータトビ

IT・科学 IT総合 科学 製品

CERN、大型円形加速器の建設を検討 出力はLHCの7倍

A F P = 時事 2月9日(日)18時4分配信



【AFP=時事】欧州合同原子核研究所（European Organization for Nuclear Research、CERN）は6日、「神の粒子」とも呼ばれる有名なヒッグス粒子（Higgs Boson）を発見した大型加速器の7倍の出力を持つ粒子衝突型円形加速器の建設を視野に入れていると発表した。

【図解】宇宙創生と衝突型加速器

■衝突エネルギーは100兆電子ボルト前後に

FCCはおそらくLHCと同じ区域内に設置される
込まれるかもしれない、とCERNは声明で述べ

overhaul.

lig

und gr
nötige

Sciences

SCIENCES

Vidéos Archéologie Biologie Cosmos Géologie Mathématiques Médecine

ÉDITION ABONNÉS

Discussions sur un nouvel accélérateur de particules géant

great interest & fascination around the world!

The powerful collider

Freitag, 14. Februar 2014

HLER, GÜNTHER NONNENMACHER, FRANZ

Frankfurter Allgemeine Wissen

THEMEN BLOGS ARCHIV MEIN FAZ.F

port Lebensstil Technik & Motor

sport Skisport Zeitplan Ergebnisse



...mum correction similar to SuperKEKB,
...tum acceptance will be similar, about $\pm 1.4\%$.

FCC-ee



FCC-hh

Power Limitation

- Synchrotron radiation
- Beam power given by RF
- Limits the total beam current I

$$U_s = \frac{4\pi}{3} r_e mc^2 \gamma^4$$

$$P_b = U_s I / e$$

For example, $E_s=120$ GeV, $\rho=2.6$ km, $U_s=6.97$ GeV, $I=7.2$ mA, lead to $P_b=50$ MW in our design.

Hofler-Gut, FN-300, Geneva, Switzerland

Ring Layout

© 2013-2014, FN-300, Geneva, Switzerland

Deep Inelastic Scattering [eh → e'X]

FCC-he

7



www.cern.ch